

Index to English Common Names of Vascular Plants of Newfoundland and Labrador

© compiled by Susan J. Meades, *Flora of Newfoundland and Labrador*

Since plants included in the Checklist, Descriptions, and Photo Gallery of the *Flora of Newfoundland and Labrador* website are listed by scientific names, this index was compiled to help viewers familiar with English common names find the corresponding scientific name. A more complete list of English (EN), French (FR), Innu-Aimun (IA), and Innuqtitut (IU) common names used in the *Flora of Newfoundland and Labrador* is provided in the Checklist section of the website: (<https://newfoundland-labradorflora.ca/checklist/>).

For people wishing to search by French common names, please refer to the search feature of VASCAN (*Vascular Plants of Canada*) at: <http://data.canadensys.net/vascan/search?lang=fr>.

This index contains English colloquial plant names used in Newfoundland and Labrador. The most frequently used common names are printed in bold text; if two or more names are in frequent use, each of these names is printed in bold. Common names not in bold text are names from current references that are used less frequently than the names in bold text. There are several common names used locally in Newfoundland and Labrador (NL) for plants that are referred to by different names in other parts of Canada. For example, in NL, *Vaccinium vitis-idaea* is called **partridgeberry** or **redberry**, while in mainland Canada it is known as mountain cranberry; similarly, in NL, *Mitchella repens* is called **two-eyed berry**, while people in mainland Canada call this plant partridgeberry. There are some English common names for plants used primarily on the Island of Newfoundland (Nfld.) and/or in Labrador, such as **bakeapple** (for *Rubus chamaemorus*) and **chuckleypear** (for *Amelanchier* species). Within the province, some common names are also used for 2 or more different species, such as "**blackberry**" in northern Nfld. and Labrador, referring to **black crowberry** (*Empetrum nigrum*), rather than the **blackberries** (*Rubus* spp.) that grow in insular Newfoundland. Common names with very local usage are enclosed within quotation marks.

Common names for plants are not regulated in the same manner as scientific names, which are governed by the *International Code of Botanical Nomenclature* (Turland et al. 2018). Different botanical databases may select certain names as the 'accepted' name, but there is no consistency of 'accepted' common names across Canada or North America. Widely used local common names have priority in this checklist and names that are not relative to the province have been excluded. For example, some common names, such as **prairie willow** (for *Salix humilis*) or **prairie cordgrass** (for *Sporobolus michauxianus*), describe habitats not occurring in NL. These names have been excluded in favour of more appropriate common names. Also, since there is no international code for common names, readers can use whichever common

names they prefer for a given plant. The common names included in this index are the names most frequently used in the *Flora of Newfoundland and Labrador* website.

Occasionally, the reader will see the word (rejected) after a common name; these names are being removed from common usage as part of a broader and ongoing reconsideration of plant names as they relate to Indigenous peoples, and are not recommended for use. The adjective, "Indian", is accepted only when referring to species originating from the South Asian country of India, as in **Indian mustard** (*Brassica juncea*). Similarly, the adjective, "Scotch", which refers to the hard liquor, not to people of Scottish ancestry, has been replaced by "Scots", as in **Scots lovage** (*Ligusticum scoticum*) and **Scots pine** (*Pinus sylvestris*). When the annotation (misapplied) appears after a common name, that particular name was used when the species was previously known by an older name; for example, **mountain alder**, *Alnus alnobetula* subsp. *crispa*, was formerly known as *Alnus viridis* subsp. *crispus*, and as a variety of *Alnus viridis*, the common name green alder was applied. Since *Alnus alnobetula* subsp. *crispa* is now known to be distinct from *Alnus viridis*, the former common name, mountain alder is more appropriate than green alder. Another example is *Cirsium arvense*, a noxious weed, often called Canada thistle. While this species may be common along roadsides and fields in NL, it is native to Eurasia, and was introduced to the American colonies during the 17th century (Moore 1975), so the common names **field thistle** (the English translation of '*arvense*') or **creeping thistle** (for its creeping rhizome), are more appropriate common names.

After some scientific names, the abbreviations (i), (c), or (X) may occur. These abbreviations indicate introduced species (i), cultivated species not known to naturalize (c), and species that are thought to be extirpated (X) - locally extinct in the Province. For example, Norway maple (*Acer platanoides*) is listed as a cultivated plant, as it is commonly planted in urban areas of the province, and although it produces numerous seedlings near parent trees, it is not known to naturalize in the wild; in comparison, sycamore maple has naturalized in many areas of NL. If naturalized populations of Norway maple (or other cultivated species) are found, please report them via the form on our website: <https://newfoundland-labradorflora.ca/about/contact-us/>. This same contact form may be used to submit other local common names in use within Newfoundland and Labrador that have not been included in this *Index*.

Common names for hybrids are only included for those hybrids that are likely to be encountered by the reader. Most hybrids do not have common names, as they occur too rarely, but known common names for all hybrids in NL are included in the main checklist.

Regarding plants with subspecies (subsp.) and varieties (var.), these ranks are listed only when the common names differ from those of the typical subspecies or variety (e.g., *Festuca pratensis* subsp. *pratensis*). Sources for most common names are listed in the main *Bibliography*, available in PDF format on the *Checklist* page of the website; only references mentioned above are listed on page 105 of this *Index*.

Since there are no official rules about the spelling of common names for plants, the reader should note that the spelling or presentation of a common name may vary from region to region, as well as how it is written. In the past, placing a hyphen between two descriptive words (e.g., "broad-leaved") was the usual format, but in recent years, the trend has been to remove the hyphen and shorten the word, so "broad-leaved" becomes "broadleaf", which is not only easier to type, but also easier to say. As you can see from this *Index*, I prefer the shorter version, but everyone is free to choose which method they prefer. However, hyphens are still used when their removal may cause confusion (e.g., blue-eyed vs. blueeyed, or mouse-ear vs. mouseear). There is also a divided camp as to whether or not common names should have their first letters capitalized. Since these are common names, *not* scientific names, I never capitalize common names, except for proper names (e.g., Long's braya or Burnt Cape cinquefoil); however, in report writing or for journal articles, authors should follow the protocols set by their employer or the journal.

Finally, I'd like to extend many thanks to our Labrador colleague, Dr. Erica Obernderfer, for contributing many additional common names used in Labrador.

-A-

absinthe wormwood	<i>Artemisia absinthium</i> (Asteraceae) (i)
Acadian quillwort	<i>Isoetes tuckermanii</i> subsp. <i>acadiensis</i> (Isoetaceae)
addersmouth, green	<i>Malaxis unifolia</i> (Orchidaceae)
addersmouth, white	<i>Malaxis monophyllos</i> var. <i>brachypoda</i> (Orchidaceae)
agrimony, grooved	<i>Agrimonia striata</i> (Rosaceae)
agrimony, woodland	<i>Agrimonia striata</i> (Rosaceae)
Alaskan blueberry	<i>Vaccinium ovalifolium</i> (Ericaceae)
Alaskan rein orchid	<i>Platanthera unalascensis</i> (Orchidaceae)
alder, European black	<i>Alnus glutinosa</i> (Betulaceae) (i)
alder, green (misapplied)	<i>Alnus alnobetula</i> subsp. <i>crispa</i> (Betulaceae)
alder, mountain	<i>Alnus alnobetula</i> subsp. <i>crispa</i> (Betulaceae)
alder, speckled	<i>Alnus incana</i> subsp. <i>rugosa</i> (Betulaceae)
alder, tag	<i>Alnus incana</i> subsp. <i>rugosa</i> (Betulaceae)
alderleaf buckthorn	<i>Endotropis alnifolia</i> (Rhamnaceae)
alexanders (Labrador)	<i>Ligusticum scoticum</i> (Apiaceae)
Aleutian maidenhair fern	<i>Adiantum aleuticum</i> (Pteridaceae)
alfalfa	<i>Medicago sativa</i> (Fabaceae) (i)
alg a pondweed	<i>Potamogeton confervoides</i> (Potamogetonaceae)
alkaligrass, creeping	<i>Puccinellia phryganodes</i> subsp. <i>neoarctica</i> (Poaceae)

alkaligrass, dwarf	<i>Puccinellia pumila</i> (Poaceae)
alkaligrass, Lange's	<i>Puccinellia tenella</i> subsp. <i>langeana</i> (Poaceae)
alkaligrass, Nootka	<i>Puccinellia nutkaensis</i> (Poaceae)
alkaligrass, spreading	<i>Puccinellia distans</i> (Poaceae) (i)
alkaligrass, tundra	<i>Puccinellia tenella</i> subsp. <i>langeana</i> (Poaceae)
alkaligrass, tussock	<i>Puccinellia vaginata</i> (Poaceae)
alkaligrass, Vahl's	<i>Puccinellia vahliana</i> (Poaceae)
Allen's buttercup	<i>Ranunculus allenii</i> (Ranunculaceae)
alpine azalea	<i>Kalmia procumbens</i> (Ericaceae)
alpine bartsia	<i>Bartsia alpina</i> (Orobanchaceae)
alpine bearberry	<i>Arctous alpina</i> (Ericaceae)
alpine bilberry	<i>Vaccinium uliginosum</i> (Ericaceae)
alpine bistort	<i>Bistorta vivipara</i> (Polygonaceae)
alpine bittercress	<i>Cardamine bellidifolia</i> (Brassicaceae)
alpine blueberry	<i>Vaccinium boreale</i> (Ericaceae)
alpine bluegrass	<i>Poa alpina</i> (Poaceae)
alpine brook saxifrage	<i>Saxifraga rivularis</i> subsp. <i>rivularis</i> (Saxifragaceae)
alpine campion	<i>Viscaria alpina</i> (Caryophyllaceae)
alpine chickweed	<i>Cerastium alpinum</i> (Caryophyllaceae)
alpine cliff fern	<i>Woodsia alpina</i> (Woodiaceae)
alpine clubmoss	<i>Diphasiastrum alpinum</i> (Lycopodiaceae)
alpine clubrush	<i>Trichophorum alpinum</i> (Cyperaceae)
alpine cottongrass	<i>Trichophorum alpinum</i> (Cyperaceae)
alpine cudweed	<i>Omalotheca supina</i> (Asteraceae)
alpine draba	<i>Draba alpina</i> (Brassicaceae)
alpine fescue	<i>Festuca brachyphylla</i> (Poaceae)
alpine foxtail	<i>Alopecurus magellanicus</i> (Poaceae)
alpine gentian	<i>Gentiana nivalis</i> (Gentianaceae)
alpine ground-cedar	<i>Diphasiastrum alpinum</i> (Lycopodiaceae)
alpine groundsel	<i>Packera pauciflora</i> (Asteraceae)
alpine hairgrass	<i>Deschampsia alpina</i> (Poaceae)
alpine hedysarum	<i>Hedysarum americanum</i> (Fabaceae)
alpine lady's mantle	<i>Alchemilla alpina</i> (Rosaceae)
alpine marsh violet	<i>Viola palustris</i> (Violaceae)
alpine meadow bluegrass	<i>Poa pratensis</i> subsp. <i>alpigena</i> (Poaceae)
alpine meadowrue	<i>Thalictrum alpinum</i> (Ranunculaceae)
alpine milkvetch	<i>Astragalus alpinus</i> (Fabaceae)
alpine pearlwort	<i>Sagina saginoides</i> (Caryophyllaceae)
alpine pondweed	<i>Potamogeton alpinus</i> (Potamogetonaceae)
alpine pussytoes	<i>Antennaria alpina</i> (Asteraceae)
alpine ragwort	<i>Packera pauciflora</i> (Asteraceae)

alpine rockcress	<i>Arabis alpina</i> (Brassicaceae)
alpine rush	<i>Juncus alpinoarticulatus</i> subsp. <i>americanus</i> (Juncaceae)
alpine speedwell	<i>Veronica alpina</i> (Plantaginaceae)
alpine sweetgrass	<i>Anthoxanthum monticola</i> (Poaceae)
alpine sweetvetch	<i>Hedysarum americanum</i> (Fabaceae)
alpine timothy	<i>Phleum alpinum</i> (Poaceae)
alpine whitlowgrass	<i>Draba alpina</i> (Brassicaceae)
alpine willowherb	<i>Epilobium anagallidifolium</i> (Onagraceae)
alpine woodsia	<i>Woodsia alpina</i> (Woodiaceae)
alsike clover	<i>Trifolium hybridum</i> (Fabaceae) (i)
alternate-flowered watermilfoil	<i>Myriophyllum alterniflorum</i> (Haloragaceae)
alternateleaf dogwood	<i>Cornus alternifolia</i> (Cornaceae)
amaranth, green	<i>Amaranthus retroflexus</i> (Amaranthaceae) (i)
amaranth, redroot	<i>Amaranthus retroflexus</i> (Amaranthaceae) (i)
American alpine lady fern	<i>Athyrium distentifolium</i> var. <i>americanum</i> (Athyriaceae)
American beachgrass	<i>Calamagrostis breviligulata</i> (Poaceae)
American bindweed	<i>Calystegia sepium</i> subsp. <i>americana</i> (Convolvulaceae) (i)
American brooklime	<i>Veronica americana</i> (Plantaginaceae)
American burreed	<i>Sparganium americanum</i> (Typhaceae)
American bush cranberry	<i>Viburnum trilobum</i> (Adoxaceae)
American dunegrass	<i>Leymus mollis</i> (Poaceae)
American hop	<i>Humulus lupulus</i> var. <i>lupuloides</i> (Cannabaceae)
American knotweed	<i>Polygonum aviculare</i> subsp. <i>buxiforme</i> (Polygonaceae)
American moor rush	<i>Juncus stygius</i> subsp. <i>americanus</i> (Juncaceae)
American mountain ash	<i>Sorbus americana</i> (Rosaceae)
American shoreweed	<i>Littorella americana</i> (Plantaginaceae)
American sweetflag	<i>Acorus americanus</i> (Acoraceae)
American water awlwort	<i>Subularia aquatica</i> subsp. <i>americana</i> (Brassicaceae)
American water pennywort	<i>Hydrocotyle americana</i> (Araliaceae)
American water-horehound	<i>Lycopus americanus</i> (Lamiaceae)
American wintergreen	<i>Pyrola americana</i> (Ericaceae)
American woodland strawberry	<i>Fragaria vesca</i> subsp. <i>americana</i> (Rosaceae)
American woollyfruit sedge	<i>Carex lasiocarpa</i> subsp. <i>americana</i> (Cyperaceae)
American yellow rocket	<i>Barbarea orthoceras</i> (Brassicaceae)
Andrews' fringed orchid	<i>Platanthera × andrewsii</i> (Orchidaceae)
androsace, northern	<i>Androsace septentrionalis</i> (Primulaceae) (X)
anemone, Canada	<i>Anemonastrum canadense</i> (Ranunculaceae)

anemone, cliff	<i>Anemone multifida</i> (Ranunculaceae)
anemone, cutleaf	<i>Anemone multifida</i> (Ranunculaceae)
anemone, northern	<i>Anemone parviflora</i> (Ranunculaceae)
anemone, Richardson's	<i>Anemonastrum richardsonii</i> (Ranunculaceae)
anemone, riverbank	<i>Anemone virginiana</i> var. <i>alba</i> (Ranunculaceae)
anemone, smallflower	<i>Anemone parviflora</i> (Ranunculaceae)
angelica, purplestem	<i>Angelica atropurpurea</i> (Apiaceae)
angelica, seabeach	<i>Angelica lucida</i> (Apiaceae)
angelica, seacoast	<i>Angelica lucida</i> (Apiaceae)
angelica, shiny	<i>Angelica lucida</i> (Apiaceae)
angelica, wild	<i>Angelica sylvestris</i> (Apiaceae) (i)
angelica, woodland	<i>Angelica sylvestris</i> (Apiaceae) (i)
annual bluegrass	<i>Poa annua</i> (Poaceae) (i)
annual fleabane	<i>Erigeron annuus</i> (Asteraceae) (i)
annual knawel	<i>Scleranthus annuus</i> (Caryophyllaceae) (i)
annual meadowgrass	<i>Poa annua</i> (Poaceae) (i)
annual ryegrass	<i>Lolium multiflorum</i> (Poaceae) (i)
ants'-eggs	<i>Gaultheria hispida</i> (Ericaceae)
Appalachian firmoss	<i>Huperzia appressa</i> (Lycopodiaceae)
Appalachian polypody	<i>Polypodium appalachianum</i> (Polypodiaceae)
apple, common	<i>Malus pumila</i> (Rosaceae) (i)
appressed bog-clubmoss	<i>Lycopodiella appressa</i> (Lycopodiaceae)
arbutus, trailing	<i>Epigaea repens</i> (Ericaceae)
arching dewberry	<i>Rubus ×recurvicaulis</i> (Rosaceae)
arctic bellflower	<i>Campanula uniflora</i> (Campanulaceae)
arctic bladderpod	<i>Physaria arctica</i> (Brassicaceae)
arctic bluegrass	<i>Poa arctica</i> (Poaceae)
arctic campion	<i>Silene involucrata</i> (Caryophyllaceae)
arctic catchfly	<i>Silene involucrata</i> (Caryophyllaceae)
arctic chickweed	<i>Cerastium arcticum</i> (Caryophyllaceae)
arctic dwarf birch	<i>Betula glandulosa</i> (Betulaceae)
arctic eyebright	<i>Euphrasia frigida</i> (Orobanchaceae)
arctic firmoss	<i>Huperzia arctica</i> (Lycopodiaceae)
arctic hairgrass	<i>Vahlodea atropurpurea</i> (Poaceae)
arctic harebell	<i>Melanocalyx uniflora</i> (Campanulaceae)
arctic hare's-foot sedge	<i>Carex lachenalii</i> (Cyperaceae)
arctic oysterleaf	<i>Mertensia maritima</i> subsp. <i>tenella</i> (Boraginaceae)
arctic pyrola	<i>Pyrola grandiflora</i> (Ericaceae)
arctic red fescue	<i>Festuca rubra</i> subsp. <i>arctica</i> (Poaceae)
arctic rockcress	<i>Arabidopsis arenicola</i> (Brassicaceae)
arctic rush	<i>Juncus arcticus</i> (Juncaceae)

arctic seashore saxifrage	<i>Saxifraga rivularis</i> subsp. <i>arctolitoralis</i> (Saxifragaceae)
arctic sweet coltsfoot	<i>Petasites frigidus</i> var. <i>palmatus</i> (Asteraceae)
arctic willow	<i>Salix arctica</i> (Salicaceae)
arctic woodrush	<i>Luzula nivalis</i> (Juncaceae)
arctic yellow rattle	<i>Rhinanthus minor</i> subsp. <i>groenlandicus</i> (Orobanchaceae)
arctic-alpine fleabane	<i>Erigeron humilis</i> (Asteraceae)
arnica, Chamisso's	<i>Arnica chamissonis</i> (Asteraceae) (i)
arnica, Griscom's	<i>Arnica griscomii</i> (Asteraceae)
arnica, longleaf	<i>Arnica lonchophylla</i> (Asteraceae)
arnica, narrowleaf	<i>Arnica angustifolia</i> (Asteraceae)
arnica, woolly	<i>Arnica angustifolia</i> subsp. <i>tomentosa</i> (Asteraceae)
arrowgrass, Gaspé	<i>Triglochin gaspensis</i> (Juncaginaceae)
arrowgrass, marsh	<i>Triglochin palustris</i> (Juncaginaceae)
arrowgrass, seaside	<i>Triglochin maritima</i> (Juncaginaceae)
arrowhead, broadleaf	<i>Sagittaria latifolia</i> (Alismataceae)
arrowhead, grassleaf	<i>Sagittaria graminea</i> (Alismataceae)
arrowhead, northern	<i>Sagittaria cuneata</i> (Alismataceae)
arrowleaf sweet coltsfoot	<i>Petasites frigidus</i> var. <i>sagittatus</i> (Asteraceae)
arrowleaf tearthumb	<i>Persicaria sagittata</i> (Polygonaceae) (i)
ash, black	<i>Fraxinus nigra</i> (Oleaceae)
ash, European	<i>Fraxinus excelsior</i> (Oleaceae) (i)
Asian wavy bittercress	<i>Cardamine occulta</i> (Brassicaceae) (i)
aspen, quaking	<i>Populus tremuloides</i> (Salicaceae)
aspen, trembling	<i>Populus tremuloides</i> (Salicaceae)
aster, flattop white	<i>Doellingeria umbellata</i> (Asteraceae)
aster, bog	<i>Oclemena nemoralis</i> (Asteraceae)
aster, fringed blue	<i>Symphyotrichum ciliolatum</i> (Asteraceae)
aster, Lindley's	<i>Symphyotrichum ciliolatum</i> (Asteraceae)
aster, low rough	<i>Eurybia radula</i> (Asteraceae)
aster, New York	<i>Symphyotrichum novi-belgii</i> (Asteraceae)
aster, northern bog	<i>Symphyotrichum boreale</i> (Asteraceae)
aster, purplestem	<i>Symphyotrichum puniceum</i> (Asteraceae)
aster, rough wood	<i>Eurybia radula</i> (Asteraceae)
aster, rush	<i>Symphyotrichum boreale</i> (Asteraceae)
aster, sharpleaf	<i>Oclemena acuminata</i> (Asteraceae)
aster, swamp	<i>Symphyotrichum puniceum</i> (Asteraceae)
aster, Tradescant's	<i>Symphyotrichum tradescantii</i> (Asteraceae)
aster, white panicled	<i>Symphyotrichum lanceolatum</i> (Asteraceae)
aster, whorled wood	<i>Oclemena acuminata</i> (Asteraceae)

auricled twayblade	<i>Neottia auriculata</i> (Orchidaceae)
Austrian draba	<i>Draba fladnizensis</i> (Brassicaceae)
Austrian whitlowgrass	<i>Draba fladnizensis</i> (Brassicaceae)
autumn hawkbit	<i>Scorzoneraoides autumnalis</i> (Asteraceae) (i)
autumn willow	<i>Salix serissima</i> (Salicaceae)
avens, largeleaf	<i>Geum macrophyllum</i> (Rosaceae)
avens, purple	<i>Geum rivale</i> (Rosaceae)
avens, water	<i>Geum rivale</i> (Rosaceae)
awlfruit sedge	<i>Carex stipata</i> (Cyperaceae)
awnless brome	<i>Bromus inermis</i> (Poaceae) (i)
azalea, alpine	<i>Kalmia procumbens</i> (Ericaceae)

-B-

bachelor's button	<i>Cyanus segetum</i> (Asteraceae) (i)
backyberry (or backieberry) (Labrador) ..	<i>Vaccinium uliginosum</i> (Ericaceae)
backyhurts (or backiehursts) (Labrador) ..	<i>Vaccinium uliginosum</i> (Ericaceae)
bakeapple	<i>Rubus chamaemorus</i> (Rosaceae)
ball mustard, yellow	<i>Neslia paniculata</i> (Brassicaceae) (i)
Ball's willow	<i>Salix ballii</i> (Salicaceae)
balsam, Canada	<i>Abies balsamea</i> (Pinaceae)
balsam, Himalayan	<i>Impatiens glandulifera</i> (Balsaminaceae) (i)
balsam fir	<i>Abies balsamea</i> (Pinaceae)
balsam groundsel	<i>Packera paupercula</i> (Asteraceae)
balsam poplar	<i>Populus balsamifera</i> (Salicaceae)
balsam ragwort	<i>Packera paupercula</i> (Asteraceae)
balsam willow	<i>Salix pyrifolia</i> (Salicaceae)
Baltic orache	<i>Atriplex nudicaulis</i> (Amaranthaceae)
Baltic rush	<i>Juncus balticus</i> subsp. <i>littoralis</i> (Juncaceae)
Baltic saltbush	<i>Atriplex nudicaulis</i> (Amaranthaceae)
bamboo, Mexican	<i>Reynoutria japonica</i> (Polygonaceae) (i)
baneberry, red	<i>Actaea rubra</i> (Ranunculaceae)
barley, foxtail	<i>Hordeum jubatum</i> (Poaceae)
barley, meadow	<i>Hordeum brachyantherum</i> (Poaceae)
barley, northern	<i>Hordeum brachyantherum</i> (Poaceae)
barrens willow	<i>Salix jejuna</i> (Salicaceae)
bartonia, yellow	<i>Bartonia virginica</i> (Gentianaceae)
Bartram's chuckleypear	<i>Amelanchier bartramiana</i> (Rosaceae)
bartsia, alpine	<i>Bartsia alpina</i> (Orobanchaceae)
bartsia, red	<i>Odontites vulgaris</i> (Orobanchaceae) (i)

basil, wild	<i>Clinopodium vulgare</i> (Lamiaceae)
basket willow	<i>Salix viminalis</i> (Salicaceae) (i)
bastard toadflax	<i>Comandra umbellata</i> (Comandraceae)
bayberry willow	<i>Salix myricoides</i> (Salicaceae)
bayberry, northern	<i>Morella pensylvanica</i> (Myricaceae)
bayonet rush	<i>Juncus militaris</i> (Juncaceae)
beach greens (Labrador)	<i>Honckenya peploides</i> (Caryophyllaceae)
beach lovage	<i>Ligusticum scoticum</i> (Apiaceae)
beach pea	<i>Lathyrus japonicus</i> (Fabaceae)
beach wormwood	<i>Artemisia stelleriana</i> (Asteraceae) (i)
beachgrass, American	<i>Calamagrostis breviligulata</i> (Poaceae)
beachhead iris	<i>Iris hookeri</i> (Iridaceae)
bead fern	<i>Onoclea sensibilis</i> (Onocleaceae)
beaked hazelnut	<i>Corylus cornuta</i> (Betulaceae)
beaked sedge	<i>Carex rostrata</i> (Cyperaceae)
beakrush, brown	<i>Rhynchospora fusca</i> (Cyperaceae)
beakrush, slender	<i>Rhynchospora capillacea</i> (Cyperaceae)
beakrush, white	<i>Rhynchospora alba</i> (Cyperaceae)
bear sedge	<i>Carex ursina</i> (Cyperaceae)
bearberry willow	<i>Salix uva-ursi</i> (Salicaceae)
bearberry, alpine	<i>Arctous alpina</i> (Ericaceae)
bearberry, common	<i>Arctostaphylos uva-ursi</i> (Ericaceae)
bearberry, red	<i>Arctous rubra</i> (Ericaceae)
beardedless wildrye	<i>Elymus virginicus</i> (Poaceae)
beautiful cottongrass	<i>Eriophorum callitrix</i> (Cyperaceae)
beautiful willow	<i>Salix glauca</i> var. <i>cordifolia</i> (Salicaceae)
beaver root (Labrador)	<i>Menyanthaceae trifoliata</i> (Menyanthaceae)
Bebb's sedge	<i>Carex bebbii</i> (Cyperaceae)
Bebb's willow	<i>Salix bebbiana</i> (Salicaceae)
bedstraw, boreal	<i>Galium kamtschaticum</i> (Rubiaceae)
bedstraw, Clayton's	<i>Galium tinctorium</i> (Rubiaceae)
bedstraw, dyer's	<i>Galium tinctorium</i> (Rubiaceae)
bedstraw, fragrant	<i>Galium triflorum</i> (Rubiaceae)
bedstraw, heath	<i>Galium saxatile</i> (Rubiaceae) (i)
bedstraw, hedge	<i>Galium mollugo</i> (Rubiaceae) (i)
bedstraw, Labrador	<i>Galium labradoricum</i> (Rubiaceae)
bedstraw, rough	<i>Galium asprellum</i> (Rubiaceae)
bedstraw, saline three-petal	<i>Galium trifidum</i> subsp. <i>halophilum</i> (Rubiaceae)
bedstraw, smooth	<i>Galium mollugo</i> (Rubiaceae) (i)
bedstraw, threeflower	<i>Galium triflorum</i> (Rubiaceae)
bedstraw, three-petal	<i>Galium trifidum</i> (Rubiaceae)

bedstraw, yellow	<i>Galium verum</i> (Rubiaceae) (i)
beech fern, long	<i>Phegopteris connectilis</i> (Thelypteridaceae)
beech fern, northern	<i>Phegopteris connectilis</i> (Thelypteridaceae)
beggarticks, devil's	<i>Bidens frondosa</i> (Asteraceae)
bellflower, arctic	<i>Campanula uniflora</i> (Campanulaceae)
bellflower, creeping	<i>Campanula rapunculoides</i> (Campanulaceae) (t)
bellflower, Giesecke's	<i>Campanula gieseckiana</i> (Campanulaceae)
bellflower, rampion	<i>Campanula rapunculoides</i> (Campanulaceae) (t)
bent northern sedge	<i>Carex deflexa</i> (Cyperaceae)
bent-awn alpine sweetgrass	<i>Anthoxanthum monticola</i> subsp. <i>alpinum</i> (Poaceae)
bentgrass, colonial	<i>Agrostis capillaris</i> (Poaceae) (i)
bentgrass, creeping	<i>Agrostis stolonifera</i> (Poaceae) (i)
bentgrass, giant	<i>Agrostis gigantea</i> (Poaceae) (i)
bentgrass, northern	<i>Agrostis mertensii</i> (Poaceae)
bentgrass, rough	<i>Agrostis scabra</i> (Poaceae)
bentgrass, upland	<i>Agrostis perennans</i> (Poaceae)
bentgrass, velvet	<i>Agrostis canina</i> (Poaceae) (i)
Berchtold's pondweed	<i>Potamogeton berchtoldii</i> (Potamogetonaceae)
Bering Sea chickweed	<i>Cerastium beeringianum</i> (Caryophyllaceae)
berry, backy (or backie) (Labrador)	<i>Vaccinium uliginosum</i> (Ericaceae)
berry, menya (Labrador)	<i>Gaultheria hispidula</i> (Ericaceae)
berry, two-eyed	<i>Mitchella repens</i> (Rubiaceae)
Bicknell's cranesbill	<i>Geranium bicknellii</i> (Geraniaceae)
Bicknell's geranium	<i>Geranium bicknellii</i> (Geraniaceae)
bicolour sedge	<i>Carex bicolor</i> (Cyperaceae)
bicolor monkshood	<i>Aconitum ×bicolor'</i> (Ranunculaceae) (i)
Bigelow's sedge	<i>Carex bigelowii</i> (Cyperaceae)
bigfruit hawthorn	<i>Crataegus macrosperma</i> (Rosaceae)
bigtooth Canada goldenrod	<i>Solidago fallax</i> (Asteraceae)
bilberry, alpine	<i>Vaccinium uliginosum</i> (Ericaceae)
bilberry, blue	<i>Vaccinium ovalifolium</i> (Ericaceae)
bilberry, bog	<i>Vaccinium uliginosum</i> (Ericaceae)
bilberry, dwarf	<i>Vaccinium caespitosum</i> (Ericaceae)
bilberry, northern	<i>Vaccinium uliginosum</i> (Ericaceae)
bilberry, ovalleaf	<i>Vaccinium ovalifolium</i> (Ericaceae)
bilberry willow	<i>Salix myrtillifolia</i> (Salicaceae)
Billing's sedge	<i>Carex billingsii</i> (Cyperaceae)
bindweed, American	<i>Calystegia sepium</i> subsp. <i>americana</i> (Convolvulaceae) (i)
bindweed, corn	<i>Fallopia convolvulus</i> (Polygonaceae) (i)
bindweed, hedge	<i>Calystegia sepium</i> (Convolvulaceae) (i)

bindweed, hedge false	<i>Calystegia sepium</i> (Convolvulaceae) (i)
birch, arctic dwarf	<i>Betula glandulosa</i> (Betulaceae)
birch, canoe	<i>Betula papyrifera</i> (Betulaceae)
birch, dwarf	<i>Betula pumila</i> (Betulaceae)
birch, dwarf white	<i>Betula minor</i> (Betulaceae)
birch, eastern bog	<i>Betula pumila</i> (Betulaceae)
birch, glandular	<i>Betula glandulosa</i> (Betulaceae)
birch, glandular scrub	<i>Betula glandulosa</i> (Betulaceae)
birch, ground	<i>Betula glandulosa</i> (Betulaceae)
birch, heartleaf	<i>Betula cordifolia</i> (Betulaceae)
birch, Michaux's	<i>Betula michauxii</i> (Betulaceae)
birch, mountain white	<i>Betula cordifolia</i> (Betulaceae)
birch, Newfoundland dwarf	<i>Betula michauxii</i> (Betulaceae)
birch, paper	<i>Betula papyrifera</i> (Betulaceae)
birch, resin	<i>Betula glandulosa</i> (Betulaceae)
birch, white	<i>Betula papyrifera</i> (Betulaceae)
birch, yellow	<i>Betula alleghaniensis</i> (Betulaceae)
bird vetch	<i>Vicia cracca</i> (Fabaceae) (i)
bird-on-the-wing	<i>Polygaloides paucifolia</i> (Polygalaceae) (X)
birdseye primrose	<i>Primula laurentiana</i> (Primulaceae)
birdseye primrose	<i>Primula mistassinica</i> (Primulaceae)
birdseye speedwell	<i>Veronica persica</i> (Plantaginaceae) (i)
birdsfoot buttercup	<i>Ranunculus arcticus</i> (Ranunculaceae)
birdsfoot trefoil	<i>Lotus corniculatus</i> (Fabaceae) (i)
birdsrape mustard	<i>Brassica rapa</i> (Brassicaceae) (i)
bistort, alpine	<i>Bistorta vivipara</i> (Polygonaceae)
bitter dock	<i>Rumex obtusifolius</i> (Polygonaceae) (i)
bittercress	<i>Barbarea vulgaris</i> (Brassicaceae) (i)
bittercress, alpine	<i>Cardamine bellidifolia</i> (Brassicaceae)
bittercress, Asian wavy	<i>Cardamine occulta</i> (Brassicaceae) (i)
bittercress, hairy	<i>Cardamine hirsuta</i> (Brassicaceae) (i)
bittercress, meadow	<i>Cardamine pratensis</i> (Brassicaceae) (i)
bittercress, Nyman's	<i>Cardamine polemonioides</i> (Brassicaceae)
bittercress, Pennsylvania	<i>Cardamine pensylvanica</i> (Brassicaceae)
bittercress, wavy	<i>Cardamine flexuosa</i> (Brassicaceae) (i)
bittersweet nightshade	<i>Solanum dulcamara</i> (Solanaceae) (i)
black ash	<i>Fraxinus nigra</i> (Oleaceae)
black bindweed, Eurasian	<i>Fallopia convolvulus</i> (Polygonaceae) (i)
black bindweed, fringed	<i>Fallopia cilinodis</i> (Polygonaceae)
black chokeberry	<i>Aronia melanocarpa</i> (Rosaceae)
black crowberry	<i>Empetrum nigrum</i> (Ericaceae)

black huckleberry	<i>Gaylussacia baccata</i> (Ericaceae)
black knapweed	<i>Centaurea nigra</i> (Asteraceae) (i)
black medick	<i>Medicago lupulina</i> (Fabaceae) (i)
black mustard	<i>Brassica nigra</i> (Brassicaceae) (i)
black sanicle	<i>Sanicula marilandica</i> (Apiaceae)
black spruce	<i>Picea mariana</i> (Pinaceae)
" blackberry " (local, NL)	<i>Empetrum nigrum</i> (Ericaceae)
blackberry, Canada	<i>Rubus canadensis</i> (Rosaceae)
blackberry, hispid	<i>Rubus hispida</i> (Rosaceae)
blackberry, Pennsylvania	<i>Rubus pensylvanicus</i> (Rosaceae)
blackberry, smooth	<i>Rubus canadensis</i> (Rosaceae)
black-eyed Susan	<i>Rudbeckia hirta</i> var. <i>pulcherrima</i> (Asteraceae) (i)
blackfruit woodrush	<i>Luzula parviflora</i> subsp. <i>melanocarpa</i> (Juncaceae)
black-girdled bulrush	<i>Scirpus atrocinctus</i> (Cyperaceae)
blackgrass	<i>Juncus gerardii</i> (Juncaceae)
bladder campion	<i>Silene vulgaris</i> (Caryophyllaceae) (i)
bladder fern	<i>Cystopteris</i> spp. (Cystopteridaceae)
bladder fern, brittle	<i>Cystopteris fragilis</i> (Cystopteridaceae)
bladder fern, Laurentian	<i>Cystopteris laurentiana</i> (Cystopteridaceae)
bladder fern, mountain	<i>Cystopteris montana</i> (Cystopteridaceae)
bladder sedge	<i>Carex intumescens</i> (Cyperaceae)
bladderpod, arctic	<i>Physaria arctica</i> (Brassicaceae)
bladderwort, common	<i>Utricularia vulgaris</i> subsp. <i>macrorhiza</i> (Lentibulariaceae)
bladderwort, flatleaf	<i>Utricularia intermedia</i> (Lentibulariaceae)
bladderwort, greater	<i>Utricularia vulgaris</i> subsp. <i>macrorhiza</i> (Lentibulariaceae)
bladderwort, hiddenfruit	<i>Utricularia geminiscapa</i> (Lentibulariaceae)
bladderwort, horned	<i>Utricularia cornuta</i> (Lentibulariaceae)
bladderwort, lesser	<i>Utricularia minor</i> (Lentibulariaceae)
bladderwort, purple	<i>Utricularia purpurea</i> (Lentibulariaceae)
bladderwort, yellowish-white	<i>Utricularia ochroleuca</i> (Lentibulariaceae)
Blake's milkvetch	<i>Astragalus robbinsii</i> var. <i>minor</i> (Fabaceae)
blue bonnets	<i>Aconitum napellus</i> (Ranunculaceae) (i)
blue buttons	<i>Knautia arvensis</i> (Caprifoliaceae) (i)
blue ground-cedar	<i>Diphasiastrum tristachyum</i> (Lycopodiaceae)
blue Jacob's-ladder	<i>Polemonium caeruleum</i> (Polemoniaceae) (i)
blue mountainheath	<i>Phyllodoce caerulea</i> (Ericaceae)
blue sailors	<i>Cichorium intybus</i> (Asteraceae) (i)
blue sedge	<i>Carex flacca</i> (Cyperaceae) (i)
blue skullcap	<i>Scutellaria lateriflora</i> (Lamiaceae)

bluebead lily	<i>Clintonia borealis</i> (Liliaceae)
bluebells	<i>Campanula</i> spp. (Campanulaceae)
"bluebells" (local, Labrador)	<i>Mertensia maritima</i> (Boraginaceae)
bluebells, Spanish	<i>Hyacinthoides hispanica</i> (Asparagaceae) (i)
blueberry	<i>Vaccinium</i> (any species with blue fruit) (Ericaceae)
blueberry, Alaskan	<i>Vaccinium ovalifolium</i> (Ericaceae)
blueberry, alpine	<i>Vaccinium boreale</i> (Ericaceae)
blueberry, lowbush	<i>Vaccinium angustifolium</i> (Ericaceae)
blueberry, northern	<i>Vaccinium boreale</i> (Ericaceae)
blueberry, sourtop	<i>Vaccinium myrtilloides</i> (Ericaceae)
blueberry, velvetleaf	<i>Vaccinium myrtilloides</i> (Ericaceae)
blue-eyed grass, brownish strict	<i>Sisyrinchium montanum</i> var. <i>crebrum</i> (Iridaceae)
blue-eyed grass, mountain	<i>Sisyrinchium montanum</i> (Iridaceae)
blue-eyed grass, strict	<i>Sisyrinchium montanum</i> var. <i>montanum</i> (Iridaceae)
blueflag	<i>Iris versicolor</i> (Iridaceae)
blueflag, harlequin	<i>Iris versicolor</i> (Iridaceae)
bluegrass, alpine	<i>Poa alpina</i> (Poaceae)
bluegrass, alpine meadow	<i>Poa pratensis</i> subsp. <i>alpigena</i> (Poaceae)
bluegrass, annual	<i>Poa annua</i> (Poaceae) (i)
bluegrass, arctic	<i>Poa arctica</i> (Poaceae)
bluegrass, eminent	<i>Arctoipoa eminens</i> (Poaceae)
bluegrass, Fernald's	<i>Poa laxa</i> subsp. <i>fernaldiana</i> (Poaceae)
bluegrass, flatstem	<i>Poa compressa</i> (Poaceae) (i)
bluegrass, fowl	<i>Poa palustris</i> (Poaceae)
bluegrass, glaucous	<i>Poa glauca</i> (Poaceae)
bluegrass, Kentucky	<i>Poa pratensis</i> (Poaceae) (i)
bluegrass, Labrador	<i>xDuarctoipoa labradorica</i> (Poaceae)
bluegrass, largeflower	<i>Arctoipoa eminens</i> (Poaceae)
bluegrass, old pasture	<i>Poa saltuensis</i> (Poaceae)
bluegrass, rough	<i>Poa trivialis</i> (Poaceae) (i)
bluegrass, spreading	<i>Poa pratensis</i> subsp. <i>irrigata</i> (Poaceae)
bluegrass, woodland	<i>Poa nemoralis</i> (Poaceae) (i)
bluejoint	<i>Calamagrostis canadensis</i> (Poaceae)
bluejoint, Canada	<i>Calamagrostis canadensis</i> (Poaceae)
bluejoint, Langsdorff's	<i>Calamagrostis canadensis</i> var. <i>langsdorffii</i> (Poaceae)
bluejoint, Macoun's	<i>Calamagrostis canadensis</i> var. <i>macouniana</i> (Poaceae)
blueleaf cinquefoil	<i>Potentilla glaucophylla</i> (Rosaceae)
bluet, mountain	<i>Cyanus montanus</i> (Asteraceae) (i)
blueweed	<i>Echium vulgare</i> (Boraginaceae) (i)

blunt sweet cicely	<i>Osmorhiza depauperata</i> (Apiaceae)
bluntnleaf dock	<i>Rumex obtusifolius</i> (Polygonaceae) (i)
bluntnleaf orchid	<i>Platanthera obtusata</i> (Orchidaceae)
bluntnleaf pondweed	<i>Potamogeton obtusifolius</i> (Potamogetonaceae)
Bodin's milkvetch	<i>Astragalus bodinii</i> (Fabaceae)
bog aster	<i>Oclemena nemoralis</i> (Asteraceae)
bog bilberry	<i>Vaccinium uliginosum</i> (Ericaceae)
bog candle	<i>Platanthera dilatata</i> (Orchidaceae)
bog chickweed	<i>Stellaria alsine</i> (Caryophyllaceae)
bog cranberry	<i>Vaccinium oxycoccus</i> (Ericaceae)
bog goldenrod	<i>Solidago uliginosa</i> (Asteraceae)
bog huckleberry	<i>Gaylussacia bigeloviana</i> (Ericaceae)
bog laurel	<i>Kalmia polifolia</i> (Ericaceae)
bog muhly	<i>Muhlenbergia uniflora</i> (Poaceae)
bog rosemary	<i>Andromeda polifolia</i> (Ericaceae)
bog rosemary, glaucous	<i>Andromeda polifolia</i> var. <i>latifolia</i> (Ericaceae)
bog rosemary, northern	<i>Andromeda polifolia</i> var. <i>polifolia</i> (Ericaceae)
bog sandwort	<i>Sabulina stricta</i> (Caryophyllaceae)
bog spruce	<i>Picea mariana</i> (Pinaceae)
bog willow	<i>Salix pedicellaris</i> (Salicaceae)
bog willowherb	<i>Epilobium leptophyllum</i> (Onagraceae)
bog wintergreen	<i>Pyrola asarifolia</i> (Ericaceae)
bog yellowcress	<i>Rorippa palustris</i> (Brassicaceae)
bogbean	<i>Menyanthes trifoliata</i> (Menyanthaceae)
bog-clubmoss	<i>Lycopodiella</i> spp. (Lycopodiaceae)
bog-clubmoss, appressed	<i>Lycopodiella appressa</i> (Lycopodiaceae)
bog-clubmoss, northern	<i>Lycopodiella inundata</i> (Lycopodiaceae)
bog-clubmoss, southern	<i>Lycopodiella appressa</i> (Lycopodiaceae)
bog-myrtle	<i>Myrica gale</i> (Myricaceae)
Bohemian knotweed	<i>Reynoutria ×bohemica</i> (Polygonaceae) (i)
bonnets, blue	<i>Aconitum napellus</i> (Ranunculaceae) (i)
boreal bedstraw	<i>Galium kamtschaticum</i> (Rubiaceae)
boreal bog sedge	<i>Carex magellanica</i> subsp. <i>irrigua</i> (Cyperaceae)
boreal knotweed	<i>Polygonum aviculare</i> subsp. <i>boreale</i> (Polygonaceae)
boreal mannagrass	<i>Glyceria borealis</i> (Poaceae)
boreal stitchwort	<i>Stellaria borealis</i> (Caryophyllaceae)
bottlebrush	<i>Sanguisorba canadensis</i> (Rosaceae)
bouncing bet	<i>Saponaria officinalis</i> (Caryophyllaceae) (i)
box knotweed	<i>Polygonum aviculare</i> subsp. <i>buxiforme</i> (Polygonaceae)

bracken fern, eastern	<i>Pteridium aquilinum</i> subsp. <i>latiusculum</i> (Dennstaedtiaceae)
bracken fern, northern	<i>Pteridium aquilinum</i> subsp. <i>latiusculum</i> (Dennstaedtiaceae)
Braun's hollyfern	<i>Polystichum braunii</i> (Dryopteridaceae)
Braun's quillwort	<i>Isoetes echinospora</i> (Isoetaceae)
braya, Fernald's	<i>Braya fernaldii</i> (Brassicaceae)
braya, Long's	<i>Braya longii</i> (Brassicaceae)
braya, low	<i>Braya humilis</i> (Brassicaceae)
braya, smooth	<i>Braya glabella</i> (Brassicaceae)
Brenda's goldenrod	<i>Solidago brendae</i> (Asteraceae)
bride and groom (local, NL)	<i>Malva moschata</i> (Malvaceae)
bristle sedge	<i>Carex microglochin</i> (Cyperaceae)
bristleleaf sedge	<i>Carex eburnea</i> (Cyperaceae)
bristlestalk sedge	<i>Carex leptalea</i> (Cyperaceae)
bristly black currant	<i>Ribes lacustre</i> (Grossulariaceae)
bristly clubmoss	<i>Spinulum annotinum</i> subsp. <i>annotinum</i> (Lycopodiaceae)
bristly crowfoot	<i>Ranunculus pensylvanicus</i> (Ranunculaceae)
bristly dewberry	<i>Rubus hispida</i> (Rosaceae)
bristly sarsaparilla	<i>Aralia hispida</i> (Araliaceae)
bristly stickseed	<i>Lappula squarrosa</i> (Boraginaceae) (i)
brittle bladder fern	<i>Cystopteris fragilis</i> (Cystopteridaceae)
Britton's male fern	<i>Dryopteris filix-mas</i> subsp. <i>brittonii</i> (Dryopteridaceae)
broadfruit burreed	<i>Sparganium eurycarpum</i> (Typhaceae) (i)
broadleaf arrowhead	<i>Sagittaria latifolia</i> (Alismataceae)
broadleaf cattail	<i>Typha latifolia</i> (Typhaceae) (i)
broadleaf helleborine	<i>Epipactis helleborine</i> (Orchidaceae) (i)
broadleaf meadowsweet	<i>Spiraea alba</i> var. <i>latifolia</i> (Rosaceae)
broadleaf plantain	<i>Plantago major</i> (Plantaginaceae) (i)
broadleaf pondweed	<i>Potamogeton amplifolius</i> (Potamogetonaceae)
broadleaf willowherb	<i>Epilobium montanum</i> (Onagraceae) (i)
broadlip twayblade	<i>Neottia convallarioides</i> (Orchidaceae)
brome, awnless	<i>Bromus inermis</i> (Poaceae) (i)
brome, fringed	<i>Bromus ciliatus</i> (Poaceae)
brome, smooth	<i>Bromus inermis</i> (Poaceae) (i)
bronze sedge	<i>Carex foenea</i> (Cyperaceae)
brook lobelia	<i>Lobelia kalmii</i> (Campanulaceae)
brooklime speedwell	<i>Veronica americana</i> (Plantaginaceae)
brooklime, American	<i>Veronica americana</i> (Plantaginaceae)

broomrape, oneflower	<i>Aphyllon uniflorum</i> (Orobanchaceae)
brown beakrush	<i>Rhynchospora fusca</i> (Cyperaceae)
brown mustard	<i>Brassica juncea</i> (Brassicaceae) (i)
brown-edged pussytoes	<i>Antennaria rosea</i> subsp. <i>confinis</i> (Asteraceae)
brownfruit rush	<i>Juncus pelocarpus</i> (Juncaceae)
brownish sedge	<i>Carex brunneoscens</i> (Cyperaceae)
brownish strict blue-eyed grass	<i>Sisyrinchium montanum</i> var. <i>crebrum</i> (Iridaceae)
browntop	<i>Agrostis capillaris</i> (Poaceae) (i)
Brunet's milkvetch	<i>Astragalus alpinus</i> var. <i>brunetianus</i> (Fabaceae)
buckbean	<i>Menyanthes trifoliata</i> (Menyanthaceae)
buckthorn, alderleaf	<i>Endotropis alnifolia</i> (Rhamnaceae)
buckwheat, common	<i>Fagopyrum esculentum</i> (Polygonaceae) (i)
buffaloberry, Canada	<i>Shepherdia canadensis</i> (Elaeagnaceae)
bugle, common	<i>Ajuga reptans</i> (Lamiaceae) (i)
bugleweed, creeping	<i>Ajuga reptans</i> (Lamiaceae) (i)
bugleweed, cutleaf	<i>Lycopus americanus</i> (Lamiaceae)
bugleweed, northern	<i>Lycopus uniflorus</i> (Lamiaceae)
bulblet bladder fern	<i>Cystopteris bulbifera</i> (Cystopteridaceae)
bulblet fragile fern	<i>Cystopteris bulbifera</i> (Cystopteridaceae)
bulblet loosestrife	<i>Lysimachia terrestris</i> (Primulaceae)
bulblet saxifrage	<i>Saxifraga cernua</i> (Saxifragaceae)
bulblet water-hemlock	<i>Cicuta bulbifera</i> (Apiaceae)
bulbous buttercup	<i>Ranunculus bulbosus</i> (Ranunculaceae) (i)
bulbous rush	<i>Juncus bulbosus</i> (Juncaceae) (i)
bull thistle	<i>Cirsium vulgare</i> (Asteraceae) (i)
bullhead	<i>Nuphar variegata</i> (Nymphaeaceae)
bulrush, black-girdled	<i>Scirpus atrocinctus</i> (Cyperaceae)
bulrush, darkgreen	<i>Scirpus atrovirens</i> (Cyperaceae)
bulrush, early darkgreen	<i>Scirpus hattorianus</i> (Cyperaceae)
bulrush, hardstem	<i>Schoenoplectus acutus</i> (Cyperaceae)
bulrush, mosquito	<i>Scirpus hattorianus</i> (Cyperaceae)
bulrush, pedicelled	<i>Scirpus pedicellatus</i> (Cyperaceae)
bulrush, red	<i>Blysmopsis rufa</i> (Cyperaceae)
bulrush, red-tinged	<i>Scirpus microcarpus</i> (Cyperaceae)
bulrush, saltmarsh	<i>Bolboschoenus maritimus</i> subsp. <i>paludosus</i> (Cyperaceae)
bulrush, softstem	<i>Schoenoplectus tabernaemontani</i> (Cyperaceae)
bulrush, stalked	<i>Scirpus pedicellatus</i> (Cyperaceae)
bulrush, threesquare	<i>Schoenoplectus pungens</i> (Cyperaceae)
bulrush, water	<i>Schoenoplectus subterminalis</i> (Cyperaceae)
bumblebee flower (Labrador)	<i>Chamaenerion angustifolium</i> (Onagraceae)

bunchberry	<i>Cornus canadensis</i> (Cornaceae)
bunchberry, Lepage's	<i>Cornus ×lepagei</i> (Cornaceae)
bunchberry, northern	<i>Cornus canadensis</i> (Cornaceae)
bunchberry, Swedish	<i>Cornus suecica</i> (Cornaceae)
burdock, common	<i>Arctium minus</i> (Asteraceae) (i)
burdock, tomentose	<i>Arctium tomentosum</i> (Asteraceae) (i)
burdock, woolly	<i>Arctium tomentosum</i> (Asteraceae) (i)
burnet saxifrage	<i>Pimpinella saxifraga</i> (Apiaceae) (i)
burnet, Canada	<i>Sanguisorba canadensis</i> (Rosaceae)
burning nettle	<i>Urtica urens</i> (Urticaceae) (i)
Burnt Cape cinquefoil	<i>Potentilla pulchella</i> (Rosaceae)
burreed, stemless	<i>Sparganium acaule</i> (Typhaceae)
burreed, American	<i>Sparganium americanum</i> (Typhaceae)
burreed, broadfruit	<i>Sparganium eurycarpum</i> (Typhaceae) (i)
burreed, clustered	<i>Sparganium glomeratum</i> (Typhaceae)
burreed, floating	<i>Sparganium fluctuans</i> (Typhaceae)
burreed, floatingleaf	<i>Sparganium angustifolium</i> (Typhaceae)
burreed, narrowleaf	<i>Sparganium angustifolium</i> (Typhaceae)
burreed, northern	<i>Sparganium hyperboreum</i> (Typhaceae)
burreed, small	<i>Sparganium natans</i> (Typhaceae)
bush vetch	<i>Vicia sepium</i> (Fabaceae) (i)
bush-honeysuckle, northern	<i>Diervilla lonicera</i> (Caprifoliaceae)
butter and eggs	<i>Linaria vulgaris</i> (Plantaginaceae) (i)
buttercup, Allen's	<i>Ranunculus allenii</i> (Ranunculaceae)
buttercup, birdsfoot	<i>Ranunculus arcticus</i> (Ranunculaceae)
buttercup, bulbous	<i>Ranunculus bulbosus</i> (Ranunculaceae) (i)
buttercup, common	<i>Ranunculus acris</i> (Ranunculaceae) (i)
buttercup, celeryleaf	<i>Ranunculus sceleratus</i> (Ranunculaceae) (i)
buttercup, creeping	<i>Ranunculus repens</i> (Ranunculaceae) (i)
buttercup, cursed	<i>Ranunculus sceleratus</i> (Ranunculaceae) (i)
buttercup, dwarf	<i>Ranunculus pygmaeus</i> (Ranunculaceae)
buttercup, far-northern	<i>Ranunculus hyperboreus</i> (Ranunculaceae)
buttercup, fig	<i>Ficaria verna</i> (Ranunculaceae) (i)
buttercup, Gmelin's	<i>Ranunculus gmelinii</i> (Ranunculaceae)
buttercup, hispid	<i>Ranunculus hispidus</i> var. <i>caricetorum</i> (Ranunculaceae)
buttercup, hooked	<i>Ranunculus recurvatus</i> (Ranunculaceae)
buttercup, ivyleaf	<i>Ranunculus hederaceus</i> (Ranunculaceae) (i)
buttercup, kidneyleaf	<i>Ranunculus abortivus</i> (Ranunculaceae)
buttercup, Lapland	<i>Coptidium lapponicum</i> (Ranunculaceae)
buttercup, Macoun's	<i>Ranunculus macounii</i> (Ranunculaceae)

buttercup, northern	<i>Ranunculus arcticus</i> (Ranunculaceae)
buttercup, northern swamp	<i>Ranunculus hispidus</i> var. <i>caricetorum</i> (Ranunculaceae)
buttercup, Pallas'	<i>Coptidium pallasii</i> (Ranunculaceae)
buttercup, Pennsylvania	<i>Ranunculus pensylvanicus</i> (Ranunculaceae)
buttercup, pygmy	<i>Ranunculus pygmaeus</i> (Ranunculaceae)
buttercup, seaside	<i>Halerpestes cymbalaria</i> (Ranunculaceae)
buttercup, snow	<i>Ranunculus nivalis</i> (Ranunculaceae)
buttercup, sulphur	<i>Ranunculus sulphureus</i> (Ranunculaceae)
buttercup, tall	<i>Ranunculus acris</i> (Ranunculaceae) (i)
butterwort, common	<i>Pinguicula vulgaris</i> (Lentibulariaceae)
butterwort, hairy	<i>Pinguicula villosa</i> (Lentibulariaceae)
button, bachelor's	<i>Cyanus segetum</i> (Asteraceae) (i)
buttons, blue	<i>Knautia arvensis</i> (Caprifoliaceae) (i)
buttons, white	<i>Eriocaulon aquaticum</i> (Eriocaulaceae)
Buxbaum's sedge	<i>Carex buxbaumii</i> (Cyperaceae)

-C-

calla, wild	<i>Calla palustris</i> (Araceae)
calypso	<i>Calypso bulbosa</i> var. <i>americana</i> (Orchidaceae)
campion, alpine	<i>Viscaria alpina</i> (Caryophyllaceae)
campion, arctic	<i>Silene involucrata</i> (Caryophyllaceae)
campion, bladder	<i>Silene vulgaris</i> (Caryophyllaceae) (i)
campion, moss	<i>Silene acaulis</i> (Caryophyllaceae)
campion, night-flowering	<i>Silene noctiflora</i> (Caryophyllaceae) (i)
campion, nodding	<i>Silene uralensis</i> (Caryophyllaceae)
campion, red	<i>Silene dioica</i> (Caryophyllaceae) (i)
campion, white	<i>Silene latifolia</i> (Caryophyllaceae) (i)
Canada anemone	<i>Anemonastrum canadense</i> (Ranunculaceae)
Canada balsam	<i>Abies balsamea</i> (Pinaceae)
Canada blackberry	<i>Rubus canadensis</i> (Rosaceae)
Canada bluejoint	<i>Calamagrostis canadensis</i> (Poaceae)
Canada buffaloberry	<i>Shepherdia canadensis</i> (Elaeagnaceae)
Canada burnet	<i>Sanguisorba canadensis</i> (Rosaceae)
Canada gooseberry	<i>Ribes oxyacanthoides</i> (Grossulariaceae) (i)
Canada horseweed	<i>Erigeron canadensis</i> (Asteraceae) (i)
Canada mannagrass	<i>Glyceria canadensis</i> (Poaceae)
Canada mayflower	<i>Maianthemum canadense</i> (Asparagaceae)
Canada mint	<i>Mentha canadensis</i> (Lamiaceae)

Canada mountain rice	<i>Piptatheropsis canadensis</i> (Poaceae)
Canada pussytoes	<i>Antennaria howellii</i> subsp. <i>canadensis</i> (Asteraceae)
Canada ricegrass	<i>Piptatheropsis canadensis</i> (Poaceae)
Canada rush	<i>Juncus canadensis</i> (Juncaceae)
Canada sandspurrey	<i>Spergularia canadensis</i> (Caryophyllaceae)
Canada St. Johnswort	<i>Hypericum canadense</i> (Hypericaceae)
Canada thistle (misapplied)	<i>Cirsium arvense</i> (Asteraceae) (i)
Canada wormwood	<i>Artemisia campestris</i> subsp. <i>canadensis</i> (Asteraceae)
Canada yew	<i>Taxus canadensis</i> (Taxaceae)
canarygrass, ornamental	<i>Phalaris arundinacea</i> var. <i>picta</i> (Poaceae) (i)
canarygrass, reed	<i>Phalaris arundinacea</i> (Poaceae)
cancerroot, oneflower	<i>Aphyllon uniflorum</i> (Orobanchaceae)
candle larkspur	<i>Delphinium elatum</i> (Ranunculaceae) (i)
candle, bog	<i>Platanthera dilatata</i> (Orchidaceae)
candles, swamp	<i>Lysimachia terrestris</i> (Primulaceae)
canoe birch	<i>Betula papyrifera</i> (Betulaceae)
capitate sedge	<i>Carex capitata</i> (Cyperaceae)
caraway, common	<i>Carum carvi</i> (Apiaceae) (i)
caraway, wild	<i>Carum carvi</i> (Apiaceae) (i)
Carolina sea lavender	<i>Limonium carolinianum</i> (Plumbaginaceae)
Carolina spring beauty	<i>Claytonia caroliniana</i> (Montiaceae)
carrot, wild	<i>Daucus carota</i> (Apiaceae) (i)
cat spruce	<i>Picea glauca</i> (Pinaceae)
catberry	<i>Ilex mucronata</i> (Aquifoliaceae)
catchfly, arctic	<i>Silene involucrata</i> (Caryophyllaceae)
catchfly, forked	<i>Silene dichotoma</i> (Caryophyllaceae) (i)
catchfly, night-flowering	<i>Silene noctiflora</i> (Caryophyllaceae) (i)
catchfly, nodding	<i>Silene uralensis</i> (Caryophyllaceae)
catchfly, red	<i>Silene dioica</i> (Caryophyllaceae) (i)
catnip	<i>Nepeta cataria</i> (Lamiaceae) (i)
cat's-ear, hairy	<i>Hypochaeris radicata</i> (Asteraceae) (i)
cattail, broadleaf	<i>Typha latifolia</i> (Typhaceae) (i)
celandine, lesser	<i>Ficaria verna</i> (Ranunculaceae) (i)
centaury, European	<i>Centaurium erythraea</i> (Gentianaceae) (i)
centaury, pink	<i>Centaurium erythraea</i> (Gentianaceae) (i)
chaffy sedge	<i>Carex paleacea</i> (Cyperaceae)
chaintree, golden	<i>Laburnum ×watereri</i> (Fabaceae) (i)
Chamisso's arnica	<i>Arnica chamissonis</i> (Asteraceae) (i)
chamomile, corn	<i>Anthemis arvensis</i> (Asteraceae) (i)
chamomile, dyer's	<i>Cota tinctoria</i> (Asteraceae) (i)

chamomile, false	<i>Tripleurospermum maritimum</i> (Asteraceae) (i)
chamomile, German	<i>Matricaria chamomilla</i> (Asteraceae) (i)
chamomile, scentless	<i>Tripleurospermum inodorum</i> (Asteraceae) (i)
chamomile, seaside	<i>Tripleurospermum maritimum</i> (Asteraceae) (i)
chamomile, stinking	<i>Anthemis cotula</i> (Asteraceae) (i)
chamomile, wild	<i>Matricaria chamomilla</i> (Asteraceae) (i)
chamomile, yellow	<i>Cota tinctoria</i> (Asteraceae) (i)
charlock	<i>Sinapis arvensis</i> (Brassicaceae) (i)
charlock, jointed	<i>Raphanus raphanistrum</i> (Brassicaceae) (i)
checkerberry	<i>Gaultheria procumbens</i> (Ericaceae)
checkered rattlesnake plantain	<i>Goodyera tesselata</i> (Orchidaceae)
cherry, fire.....	<i>Prunus pensylvanica</i> (Rosaceae)
cherry, pin	<i>Prunus pensylvanica</i> (Rosaceae)
chervil, wild	<i>Anthriscus sylvestris</i> (Apiaceae) (i)
chervil, woodland	<i>Anthriscus sylvestris</i> (Apiaceae) (i)
chestnut rush	<i>Juncus castaneus</i> (Juncaceae)
chestnut sedge	<i>Carex castanea</i> (Cyperaceae)
Chewing's fescue	<i>Festuca rubra</i> subsp. <i>commutata</i> (Poaceae) (i)
chickweed, five-stamen	<i>Cerastium semidecandrum</i> (Caryophyllaceae) (i)
chickweed, alpine	<i>Cerastium alpinum</i> (Caryophyllaceae)
chickweed, arctic	<i>Cerastium arcticum</i> (Caryophyllaceae)
chickweed, Bering Sea	<i>Cerastium beeringianum</i> (Caryophyllaceae)
chickweed, bog	<i>Stellaria alsine</i> (Caryophyllaceae)
chickweed, common	<i>Stellaria media</i> (Caryophyllaceae) (i)
chickweed, common mouse-ear	<i>Cerastium fontanum</i> subsp. <i>vulgare</i> (Caryophyllaceae) (i)
chickweed, field	<i>Cerastium arvense</i> subsp. <i>strictum</i> (Caryophyllaceae)
chickweed, low	<i>Stellaria humifusa</i> (Caryophyllaceae)
chickweed, matted field	<i>Cerastium arvense</i> subsp. <i>strictum</i> (Caryophyllaceae)
chickweed, mountain	<i>Cerastium cerastoides</i> (Caryophyllaceae)
chickweed, Newfoundland	<i>Cerastium terrae-novae</i> (Caryophyllaceae)
chickweed, starwort	<i>Cerastium cerastoides</i> (Caryophyllaceae)
chickweed, sticky	<i>Cerastium glomeratum</i> (Caryophyllaceae) (i)
chickweed, water	<i>Montia fontana</i> (Montiaceae)
chickweed, woolly alpine	<i>Cerastium alpinum</i> subsp. <i>lanatum</i> (Caryophyllaceae)
chicory, wild	<i>Cichorium intybus</i> (Asteraceae) (i)
Chinese mustard	<i>Brassica juncea</i> (Brassicaceae) (i)
chives	<i>Allium schoenoprasum</i> (Amaryllidaceae)

chives, garden	<i>Allium schoenoprasum</i> var. <i>schoenoprasum</i> (Amaryllidaceae) (i)
chives, wild	<i>Allium schoenoprasum</i> var. <i>sibiricum</i> (Amaryllidaceae)
chocolate root	<i>Geum rivale</i> (Rosaceae)
chokeberry, black	<i>Aronia melanocarpa</i> (Rosaceae)
chokeberry, purple	<i>Aronia ×prunifolia</i> (Rosaceae)
chokecherry	<i>Prunus virginiana</i> (Rosaceae)
chokecherry, eastern	<i>Prunus virginiana</i> (Rosaceae)
chucklepear, Bartram's	<i>Amelanchier bartramiana</i> (Rosaceae)
chucklepear, Fernald's	<i>Amelanchier fernaldii</i> (Rosaceae)
chucklepear, inland	<i>Amelanchier interior</i> (Rosaceae)
chucklepear, mountain	<i>Amelanchier bartramiana</i> (Rosaceae)
chucklepear, purple	<i>Amelanchier intermedia</i> (Rosaceae)
chucklepear, running	<i>Amelanchier spicata</i> (Rosaceae)
chucklepear, smooth	<i>Amelanchier laevis</i> (Rosaceae)
cicely, sweet	<i>Myrrhis odorata</i> (Apiaceae) (i)
ciliate willowherb	<i>Epilobium ciliatum</i> (Onagraceae)
cinnamon fern	<i>Osmundastrum cinnamomeum</i> (Osmundaceae)
cinnamon rose	<i>Rosa cinnamomea</i> (Rosaceae) (i)
cinquefoil, blueleaf	<i>Potentilla glaucophylla</i> (Rosaceae)
cinquefoil, Burnt Cape	<i>Potentilla pulchella</i> (Rosaceae)
cinquefoil, coastal	<i>Potentilla litoralis</i> (Rosaceae)
cinquefoil, Crantz's	<i>Potentilla crantzii</i> (Rosaceae)
cinquefoil, downy	<i>Potentilla intermedia</i> (Rosaceae) (i)
cinquefoil, English	<i>Potentilla anglica</i> (Rosaceae) (i)
cinquefoil, hoary	<i>Potentilla argentea</i> (Rosaceae) (i)
cinquefoil, marsh	<i>Comarum palustre</i> (Rosaceae)
cinquefoil, oldfield	<i>Potentilla simplex</i> (Rosaceae) (i)
cinquefoil, rough	<i>Potentilla norvegica</i> (Rosaceae)
cinquefoil, shrubby	<i>Dasiphora fruticosa</i> (Rosaceae)
cinquefoil, silvery	<i>Potentilla argentea</i> (Rosaceae) (i)
cinquefoil, snowy	<i>Potentilla nivea</i> (Rosaceae)
cinquefoil, spring	<i>Potentilla crantzii</i> (Rosaceae)
cinquefoil, sulphur	<i>Potentilla recta</i> (Rosaceae) (i)
cinquefoil, tall arctic	<i>Potentilla hyperctica</i> subsp. <i>elatior</i> (Rosaceae)
cinquefoil, threetooth	<i>Sibbaldia tridentata</i> (Rosaceae)
circumpolar sedge	<i>Carex adelostoma</i> (Cyperaceae)
claspingleaf dogbane	<i>Apocynum cannabinum</i> (Apocynaceae)
claspingleaf pondweed	<i>Potamogeton perfoliatus</i> (Potamogetonaceae)
claspingleaf twisted-stalk	<i>Streptopus amplexifolius</i> (Liliaceae)

Clayton's bedstraw	<i>Galium tinctorium</i> (Rubiaceae)
Clayton's fern	<i>Osmunda claytoniana</i> (Osmundaceae)
cliff anemone	<i>Anemone multifida</i> (Ranunculaceae)
cliff fern, alpine	<i>Woodsia alpina</i> (Woodiaceae)
cliff fern, fragrant	<i>Dryopteris fragrans</i> (Dryopteridaceae)
cliff fern, rusty	<i>Woodsia ilvensis</i> (Woodiaceae)
cliff fern, smooth	<i>Woodsia glabella</i> (Woodiaceae)
cliffbrake, slender	<i>Cryptogramma stelleri</i> (Pteridaceae)
clintonia, yellow	<i>Clintonia borealis</i> (Liliaceae)
closed-sheath cottongrass	<i>Eriophorum brachyantherum</i> (Cyperaceae)
cloudberry	<i>Rubus chamaemorus</i> (Rosaceae)
clover, alsike	<i>Trifolium hybridum</i> (Fabaceae) (i)
clover, creeping white	<i>Trifolium repens</i> (Fabaceae) (i)
clover, field	<i>Trifolium campestre</i> (Fabaceae) (i)
clover, golden	<i>Trifolium aureum</i> (Fabaceae) (i)
clover, hare's-foot	<i>Trifolium arvense</i> (Fabaceae) (i)
clover, hop	<i>Medicago lupulina</i> (Fabaceae) (i)
clover, large hop	<i>Trifolium aureum</i> (Fabaceae) (i)
clover, least hop	<i>Trifolium dubium</i> (Fabaceae) (i)
clover, low hop	<i>Trifolium campestre</i> (Fabaceae) (i)
clover, purple	<i>Trifolium pratense</i> (Fabaceae) (i)
clover, rabbit's-foot	<i>Trifolium arvense</i> (Fabaceae) (i)
clover, red	<i>Trifolium pratense</i> (Fabaceae) (i)
clover, small hop	<i>Trifolium dubium</i> (Fabaceae) (i)
clover, white	<i>Trifolium repens</i> (Fabaceae) (i)
clover, yellow	<i>Trifolium aureum</i> (Fabaceae) (i)
clubmoss	<i>Lycopodium</i> spp. (Lycopodiaceae)
clubmoss, alpine	<i>Diphasiastrum alpinum</i> (Lycopodiaceae)
clubmoss, bristly	<i>Spinulum annotinum</i> (Lycopodiaceae)
clubmoss, northern bristly	<i>Spinulum annotinum</i> subsp. <i>alpestre</i> (Lycopodiaceae)
clubmoss, fir	<i>Huperzia selago</i> (Lycopodiaceae)
clubmoss, interrupted	<i>Spinulum annotinum</i> subsp. <i>annotinum</i> (Lycopodiaceae)
clubmoss, northern interrupted	<i>Spinulum annotinum</i> subsp. <i>alpestre</i> (Lycopodiaceae)
clubmoss, inundated	<i>Lycopodiella inundata</i> (Lycopodiaceae)
clubmoss, one-cone	<i>Lycopodium lagopus</i> (Lycopodiaceae)
clubmoss, running	<i>Lycopodium clavatum</i> (Lycopodiaceae)
clubmoss, savinleaf	<i>Diphasiastrum ×sabinifolium</i> (Lycopodiaceae)
clubmoss, shining	<i>Huperzia lucidula</i> (Lycopodiaceae)

clubmoss, Sitka	<i>Diphasiastrum sitchense</i> (Lycopodiaceae)
clubmoss, staghorn	<i>Lycopodium clavatum</i> (Lycopodiaceae)
clubmoss, stiff	<i>Spinulum annotinum</i> (Lycopodiaceae)
clubmoss, three-spiked	<i>Diphasiastrum tristachyum</i> (Lycopodiaceae)
clubrush, alpine	<i>Trichophorum alpinum</i> (Cyperaceae)
clubrush, red	<i>Blysmopsis rufa</i> (Cyperaceae)
clubrush, tufted	<i>Trichophorum cespitosum</i> (Cyperaceae)
clubspur orchid	<i>Platanthera clavellata</i> (Orchidaceae)
clustered burreed	<i>Sparganium glomeratum</i> (Typhaceae)
clustered lady's mantle	<i>Alchemilla glomerulans</i> (Rosaceae)
coastal cinquefoil	<i>Potentilla litoralis</i> (Rosaceae)
coastal primrose	<i>Primula stricta</i> (Primulaceae)
cockle, white	<i>Silene latifolia</i> (Caryophyllaceae) (i)
collomia, narrowleaf	<i>Collomia linearis</i> (Polemoniaceae) (i)
colonial bentgrass	<i>Agrostis capillaris</i> (Poaceae) (i)
coltsfoot	<i>Tussilago farfara</i> (Asteraceae) (i)
columbine, European	<i>Aquilegia vulgaris</i> (Ranunculaceae) (i)
columbine, garden	<i>Aquilegia vulgaris</i> (Ranunculaceae) (i)
comandra, northern	<i>Geocaulon lividum</i> (Comandraceae)
combeleaf mermaidweed	<i>Proserpinaca pectinata</i> (Haloragaceae)
comfrey, common	<i>Symphytum officinale</i> (Boraginaceae) (i)
comfrey, northern wild	<i>Andersonglossum boreale</i> (Boraginaceae)
comfrey, prickly	<i>Symphytum asperum</i> (Boraginaceae) (i)
common apple	<i>Malus pumila</i> (Rosaceae) (i)
common bearberry	<i>Arctostaphylos uva-ursi</i> (Ericaceae)
common bladderwort	<i>Utricularia vulgaris</i> subsp. <i>macrorhiza</i> (Lentibulariaceae)
common buckwheat	<i>Fagopyrum esculentum</i> (Polygonaceae) (i)
common bugle	<i>Ajuga reptans</i> (Lamiaceae) (i)
common burdock	<i>Arctium minus</i> (Asteraceae) (i)
common buttercup	<i>Ranunculus acris</i> (Ranunculaceae) (i)
common butterwort	<i>Pinguicula vulgaris</i> (Lentibulariaceae)
common caraway	<i>Carum carvi</i> (Apiaceae) (i)
common chickweed	<i>Stellaria media</i> (Caryophyllaceae) (i)
common comfrey	<i>Symphytum officinale</i> (Boraginaceae) (i)
common dandelion	<i>Taraxacum officinale</i> (Asteraceae) (i)
common deadnettle	<i>Lamium amplexicaule</i> (Lamiaceae) (i)
common eastern fleabane	<i>Erigeron strigosus</i> (Asteraceae) (i)
common eelgrass	<i>Zostera marina</i> (Zosteraceae)
common evening primrose	<i>Oenothera biennis</i> (Onagraceae) (i)
common eyebright	<i>Euphrasia nemorosa</i> (Orobanchaceae) (i)

common feverfew	<i>Tanacetum parthenium</i> (Asteraceae) (i)
common filbert	<i>Corylus avellana</i> (Betulaceae) (i)
common fleabane	<i>Erigeron philadelphicus</i> (Asteraceae) (i)
common fumitory	<i>Fumaria officinalis</i> (Papaveraceae) (i)
common grapefern	<i>Botrypus virginianus</i> (Ophioglossaceae)
common groundsel	<i>Senecio vulgaris</i> (Asteraceae) (i)
common hawkweed	<i>Hieracium lachenalii</i> subsp. <i>cruentifolium</i> (Asteraceae) (i)
common hempnettle	<i>Galeopsis tetrahit</i> (Lamiaceae) (i)
common hogweed	<i>Heracleum sphondylium</i> (Apiaceae) (i)
common hop	<i>Humulus lupulus</i> var. <i>lupulus</i> (Cannabaceae) (i)
common horsetail	<i>Equisetum arvense</i> (Equisetaceae)
common juniper	<i>Juniperus communis</i> var. <i>depressa</i> (Cupressaceae)
common knotweed	<i>Polygonum aviculare</i> (Polygonaceae) (i)
common mallow	<i>Malva neglecta</i> (Malvaceae) (i)
common mare's-tail	<i>Hippuris vulgaris</i> (Plantaginaceae)
common milkweed	<i>Asclepias syriaca</i> (Apocynaceae) (i)
common moonwort	<i>Botrychium lunaria</i> var. <i>lunaria</i> (Ophioglossaceae)
common mouse-ear chickweed	<i>Cerastium fontanum</i> subsp. <i>vulgare</i> (Caryophyllaceae) (i)
common mugwort	<i>Artemisia vulgaris</i> (Asteraceae) (i)
common mullein	<i>Verbascum thapsus</i> (Scrophulariaceae) (i)
common oak fern	<i>Gymnocarpium dryopteris</i> (Cystopteridaceae)
common peppergrass	<i>Lepidium densiflorum</i> (Brassicaceae) (i)
common plantain	<i>Plantago major</i> (Plantaginaceae) (i)
common polypody	<i>Polypodium virginianum</i> (Polypodiaceae)
common ragweed	<i>Ambrosia artemisiifolia</i> (Asteraceae) (i)
common ragwort	<i>Senecio vulgaris</i> (Asteraceae) (i)
common reed	<i>Phragmites australis</i> (Poaceae) (i)
common saltwort	<i>Kali turgidum</i> (Amaranthaceae) (i)
common scouring-rush	<i>Equisetum hyemale</i> subsp. <i>affine</i> (Equisetaceae)
common scurvygrass	<i>Cochlearia groenlandica</i> (Brassicaceae)
common selfheal	<i>Prunella vulgaris</i> (Lamiaceae) (i)
common snowberry	<i>Symporicarpos albus</i> (Caprifoliaceae) (i)
common sowthistle	<i>Sonchus oleraceus</i> (Asteraceae) (i)
common speedwell	<i>Veronica officinalis</i> (Plantaginaceae) (i)
common spikerush	<i>Eleocharis palustris</i> (Cyperaceae)
common St. Johnswort	<i>Hypericum perforatum</i> (Hypericaceae) (i)
common stitchwort	<i>Stellaria graminifolia</i> (Caryophyllaceae) (i)
common sweetgrass	<i>Anthoxanthum nitens</i> (Poaceae)
common tansy	<i>Tanacetum vulgare</i> (Asteraceae) (i)

common timothy	<i>Phleum pratense</i> (Poaceae) (i)
common tumblemustard	<i>Sisymbrium officinale</i> (Brassicaceae) (i)
common valerian	<i>Valeriana officinalis</i> (Caprifoliaceae) (i)
common vetch	<i>Vicia sativa</i> (Fabaceae) (i)
common viper's bugloss	<i>Echium vulgare</i> (Boraginaceae) (i)
common wintercress	<i>Barbarea vulgaris</i> (Brassicaceae) (i)
common woodrush	<i>Luzula multiflora</i> (Juncaceae)
common wormwood	<i>Artemisia vulgaris</i> (Asteraceae) (i)
common yarrow	<i>Achillea millefolium</i> (Asteraceae) (i)
common yellow woodsorrel	<i>Oxalis stricta</i> (Oxalidaceae) (i)
compact rush	<i>Juncus conglomeratus</i> (Juncaceae) (i)
confused woodrush	<i>Luzula confusa</i> (Juncaceae)
continental firmoss	<i>Huperzia continentalis</i> (Lycopodiaceae)
coralroot, early	<i>Corallorrhiza trifida</i> (Orchidaceae)
coralroot, spotted	<i>Corallorrhiza maculata</i> (Orchidaceae)
coralroot, Vreeland's	<i>Corallorrhiza striata</i> var. <i>vreelandii</i> (Orchidaceae)
coralroot, Vreeland's striped	<i>Corallorrhiza striata</i> var. <i>vreelandii</i> (Orchidaceae)
coralroot, western spotted	<i>Corallorrhiza maculata</i> var. <i>occidentalis</i> (Orchidaceae)
cordgrass, freshwater	<i>Sporobolus michauxianus</i> (Poaceae)
cordgrass, saltmeadow	<i>Sporobolus pumilus</i> (Poaceae)
cordgrass, saltwater	<i>Sporobolus alterniflorus</i> (Poaceae)
cordgrass, smooth	<i>Sporobolus alterniflorus</i> (Poaceae)
cordroot sedge	<i>Carex chordorrhiza</i> (Cyperaceae)
corn bindweed	<i>Fallopia convolvulus</i> (Polygonaceae) (i)
corn chamomile	<i>Anthemis arvensis</i> (Asteraceae) (i)
corn mustard	<i>Sinapis arvensis</i> (Brassicaceae) (i)
corn speedwell	<i>Veronica arvensis</i> (Plantaginaceae) (i)
corn spurrey	<i>Spergula arvensis</i> (Caryophyllaceae) (i)
cornfield knotweed	<i>Polygonum aviculare</i> subsp. <i>rurivagum</i> (Polygonaceae) (i)
cornflower	<i>Cyanus segetum</i> (Asteraceae) (i)
cornflower, mountain	<i>Cyanus montanus</i> (Asteraceae) (i)
corpse plant	<i>Monotropa uniflora</i> (Ericaceae)
corydalis, pale	<i>Capnoides sempervirens</i> (Papaveraceae)
corydalis, pink	<i>Capnoides sempervirens</i> (Papaveraceae)
cottongrass, alpine	<i>Trichophorum alpinum</i> (Cyperaceae)
cottongrass, beautiful	<i>Eriophorum callitrix</i> (Cyperaceae)
cottongrass, closed-sheath	<i>Eriophorum brachyantherum</i> (Cyperaceae)
cottongrass, dense	<i>Eriophorum vaginatum</i> subsp. <i>spissum</i> (Cyperaceae)
cottongrass, green-keeled	<i>Eriophorum viridicarinatum</i> (Cyperaceae)

cottongrass, narrowleaf	<i>Eriophorum angustifolium</i> (Cyperaceae)
cottongrass, rough	<i>Eriophorum tenellum</i> (Cyperaceae)
cottongrass, russet	<i>Eriophorum russeolum</i> (Cyperaceae)
cottongrass, Scheuchzer's	<i>Eriophorum scheuchzeri</i> (Cyperaceae)
cottongrass, slender	<i>Eriophorum gracile</i> (Cyperaceae)
cottongrass, tall	<i>Eriophorum angustifolium</i> (Cyperaceae)
cottongrass, tawny	<i>Eriophorum virginicum</i> (Cyperaceae)
cottongrass, white	<i>Eriophorum scheuchzeri</i> (Cyperaceae)
cottongrass, white-bristle russet	<i>Eriophorum russeolum</i> subsp. <i>albidum</i> (Cyperaceae)
cottony willow	<i>Salix eriocephala</i> (Salicaceae)
couchgrass	<i>Elymus repens</i> (Poaceae) (i)
cow parsnip	<i>Heracleum maximum</i> (Apiaceae)
cow vetch	<i>Vicia cracca</i> (Fabaceae) (i)
cow-wheat, narrowleaf	<i>Melampyrum lineare</i> (Orobanchaceae)
crack willow	<i>Salix ×fragilis</i> (Salicaceae) (i)
crackerberry	<i>Cornus canadensis</i> (Cornaceae)
"cracker-jacks" (local, NF)	<i>Cornus canadensis</i> (Cornaceae)
"crackers"	<i>Cornus canadensis</i> (Cornaceae)
crakeberry	<i>Empetrum nigrum</i> (Ericaceae)
cranberry, American bush	<i>Viburnum trilobum</i> (Adoxaceae)
cranberry, bog	<i>Vaccinium oxycoccus</i> (Ericaceae)
cranberry, highbush	<i>Viburnum trilobum</i> (Adoxaceae)
cranberry, large	<i>Vaccinium macrocarpon</i> (Ericaceae)
cranberry, lowbush	<i>Viburnum edule</i> (Adoxaceae)
cranberry, mountain (mainland Canada)	<i>Vaccinium vitis-idaea</i> (Ericaceae)
cranberry, northern bog	<i>Vaccinium microcarpum</i> (Ericaceae)
cranberry, small	<i>Vaccinium oxycoccus</i> (Ericaceae)
cranberry, small bog	<i>Vaccinium microcarpum</i> (Ericaceae)
cranesbill, Bicknell's	<i>Geranium bicknellii</i> (Geraniaceae)
Crantz's cinquefoil	<i>Potentilla crantzii</i> (Rosaceae)
Crawe's sedge	<i>Carex crawai</i> (Cyperaceae)
Crawford's sedge	<i>Carex crawfordii</i> (Cyperaceae)
creeping alkaligrass	<i>Puccinellia phryganoides</i> subsp. <i>neoarctica</i> (Poaceae)
creeping bellflower	<i>Campanula rapunculoides</i> (Campanulaceae) (i)
creeping bentgrass	<i>Agrostis stolonifera</i> (Poaceae) (i)
creeping bugleweed	<i>Ajuga reptans</i> (Lamiaceae) (i)
creeping buttercup	<i>Ranunculus repens</i> (Ranunculaceae) (i)
creeping Charlie	<i>Glechoma hederacea</i> (Lamiaceae) (i)
creeping dogbane	<i>Apocynum androsaemifolium</i> (Apocynaceae)
creeping Jenny	<i>Lysimachia nummularia</i> (Primulaceae) (i)

creeping juniper	<i>Juniperus horizontalis</i> (Cupressaceae)
creeping rush	<i>Juncus subtilis</i> (Juncaceae)
creeping sandwort	<i>Arenaria humifusa</i> (Caryophyllaceae)
creeping sedge	<i>Carex chordorrhiza</i> (Cyperaceae)
creeping sibbaldia	<i>Sibbaldia procumbens</i> (Rosaceae)
creeping snowberry	<i>Gaultheria hispidula</i> (Ericaceae)
creeping spearwort	<i>Ranunculus flammula</i> var. <i>reptans</i> (Ranunculaceae)
creeping thistle	<i>Cirsium arvense</i> (Asteraceae) (i)
creeping water-plantain	<i>Baldellia ranunculoides</i> subsp. <i>repens</i> (Alismataceae) (i)
creeping white clover	<i>Trifolium repens</i> (Fabaceae) (i)
creeping yellowcress	<i>Rorippa sylvestris</i> (Brassicaceae) (i)
crenulate moonwort	<i>Botrychium crenulatum</i> (Ophioglossaceae)
cress, mouse-ear	<i>Arabidopsis thaliana</i> (Brassicaceae) (i)
crested dogtail	<i>Cynosurus cristatus</i> (Poaceae) (i)
crested woodfern	<i>Dryopteris cristata</i> (Dryopteridaceae)
crinkled hairgrass	<i>Avenella flexuosa</i> (Poaceae)
crowberry, black	<i>Empetrum nigrum</i> (Ericaceae)
crowberry, pink	<i>Empetrum eamesii</i> (Ericaceae)
crowberry, purple	<i>Empetrum atropurpureum</i> (Ericaceae)
crowberry, rock	<i>Empetrum eamesii</i> (Ericaceae)
crowded wormseed mustard	<i>Erysimum coarctatum</i> (Brassicaceae)
crowfoot, bristly	<i>Ranunculus pensylvanicus</i> (Ranunculaceae)
crowfoot, cursed	<i>Ranunculus sceleratus</i> (Ranunculaceae) (i)
crowfoot, hooked	<i>Ranunculus recurvatus</i> (Ranunculaceae)
crowfoot, ivyleaf	<i>Ranunculus hederaceus</i> (Ranunculaceae) (i)
crowfoot, kidneyleaf	<i>Ranunculus abortivus</i> (Ranunculaceae)
crowfoot, seaside	<i>Halerpestes cymbalaria</i> (Ranunculaceae)
crownvetch, purple	<i>Securigera varia</i> (Fabaceae) (i)
cuckooflower	<i>Cardamine pratensis</i> (Brassicaceae) (i)
cudweed, alpine	<i>Omalotheca supina</i> (Asteraceae)
cudweed, low	<i>Gnaphalium uliginosum</i> (Asteraceae) (i)
cudweed, marsh	<i>Gnaphalium uliginosum</i> (Asteraceae) (i)
cudweed, Norwegian	<i>Omalotheca norvegica</i> (Asteraceae)
cudweed, woodland	<i>Omalotheca sylvatica</i> (Asteraceae)
curlewberry	<i>Empetrum nigrum</i> (Ericaceae)
curly dock	<i>Rumex crispus</i> (Polygonaceae) (i)
curlygrass fern	<i>Schizaea pusilla</i> (Schizaeaceae)
currant, bristly black	<i>Ribes lacustre</i> (Grossulariaceae)
currant, skunk	<i>Ribes glandulosum</i> (Grossulariaceae)
currant, swamp red	<i>Ribes triste</i> (Grossulariaceae)

cursed buttercup	<i>Ranunculus sceleratus</i> (Ranunculaceae) (i)
cursed crowfoot	<i>Ranunculus sceleratus</i> (Ranunculaceae) (i)
cutleaf anemone	<i>Anemone multifida</i> (Ranunculaceae)
cutleaf bugleweed	<i>Lycopus americanus</i> (Lamiaceae)
cutleaf fleabane	<i>Erigeron compositus</i> (Asteraceae)
cutleaf purple deadnettle	<i>Lamium hybridum</i> (Lamiaceae) (i)
cyperus sedge	<i>Carex pseudocyperus</i> (Cyperaceae)
cypress spurge	<i>Euphorbia cyparissias</i> (Euphorbiaceae) (i)

-D-

Dahurian willowherb	<i>Epilobium davuricum</i> (Onagraceae)
dainty moonwort	<i>Botrychium crenulatum</i> (Ophioglossaceae)
daisy, English	<i>Bellis perennis</i> (Asteraceae) (i)
daisy, field	<i>Leucanthemum vulgare</i> (Asteraceae) (i)
daisy, northern	<i>Erigeron acris</i> var. <i>kamtschaticus</i> (Asteraceae)
daisy, oxeye	<i>Leucanthemum vulgare</i> (Asteraceae) (i)
daisyleaf moonwort	<i>Botrychium matricariifolium</i> (Ophioglossaceae)
dame's rocket	<i>Hesperis matronalis</i> (Brassicaceae) (i)
dame's violet	<i>Hesperis matronalis</i> (Brassicaceae) (i)
dandelion, common	<i>Taraxacum officinale</i> (Asteraceae) (i)
dandelion, fall	<i>Scorzoneroides autumnalis</i> (Asteraceae) (i)
dandelion, Gulf of St. Lawrence	<i>Taraxacum laurentianum</i> (Asteraceae)
dandelion, harp	<i>Taraxacum phymatocarpum</i> (Asteraceae)
dandelion, horned	<i>Taraxacum ceratophorum</i> (Asteraceae)
dandelion, Lapland	<i>Taraxacum lapponicum</i> (Asteraceae)
dandelion, largelobe	<i>Taraxacum latilobum</i> (Asteraceae)
dandelion, northern	<i>Taraxacum phymatocarpum</i> (Asteraceae)
darkbrown sedge	<i>Carex atrofusca</i> (Cyperaceae)
darkgreen bulrush	<i>Scirpus atrovirens</i> (Cyperaceae)
Dawson sandwort	<i>Sabulina dawsonensis</i> (Caryophyllaceae)
"deadly nightshade" (misapplied, Lab.)...	<i>Geocaulon lividum</i> (Comandraceae) [This plant, also known as northern comandra , is <u>not</u> poisonous, nor is it related to nightshade (<i>Solanum</i>) species.]
deadnettle, common	<i>Lamium amplexicaule</i> (Lamiaceae) (i)
deadnettle, cutleaf purple	<i>Lamium hybridum</i> (Lamiaceae) (i)
deadnettle, purple	<i>Lamium purpureum</i> (Lamiaceae) (i)
deadnettle, spotted	<i>Lamium maculatum</i> (Lamiaceae) (i)
deepgreen sedge	<i>Carex tonsa</i> (Cyperaceae)
deepwater quillwort	<i>Isoetes lacustris</i> (Isoetaceae)

deergrass	<i>Trichophorum cespitosum</i> (Cyperaceae)
delphinium	<i>Delphinium elatum</i> (Ranunculaceae) (i)
dense cottongrass	<i>Eriophorum vaginatum</i> subsp. <i>spissum</i> (Cyperaceae)
dense draba	<i>Draba pycnosperma</i> (Brassicaceae) (X)
dense whitlowgrass	<i>Draba pycnosperma</i> (Brassicaceae) (X)
depressed juniper	<i>Juniperus communis</i> var. <i>depressa</i> (Cupressaceae)
Deptford pink	<i>Dianthus armeria</i> (Caryophyllaceae) (i)
devil's beggarticks	<i>Bidens frondosa</i> (Asteraceae)
devil's paintbrush	<i>Pilosella aurantiaca</i> (Asteraceae) (i)
dewberry	<i>Rubus pubescens</i> (Rosaceae)
dewberry, arching	<i>Rubus ×recurvicaulis</i> (Rosaceae)
dewberry, bristly	<i>Rubus hispida</i> (Rosaceae)
Dewey's sedge	<i>Carex deweyana</i> (Cyperaceae)
dewplant	<i>Drosera rotundifolia</i> (Droseraceae)
diamond willow	<i>Salix eriocephala</i> (Salicaceae)
diapensia	<i>Diapensia lapponica</i> (Diapensiaceae)
diapensia, Lapland	<i>Diapensia lapponica</i> (Diapensiaceae)
dioecious sedge	<i>Carex sterilis</i> (Cyperaceae)
disjunct eyebright	<i>Euphrasia disjuncta</i> (Orobanchaceae)
disjunct hoary sedge	<i>Carex canescens</i> subsp. <i>disjuncta</i> (Cyperaceae)
ditchgrass, sea	<i>Ruppia maritima</i> (Ruppiaceae)
dock, bitter	<i>Rumex obtusifolius</i> (Polygonaceae) (i)
dock, bluntnose	<i>Rumex obtusifolius</i> (Polygonaceae) (i)
dock, curly	<i>Rumex crispus</i> (Polygonaceae) (i)
dock, dooryard	<i>Rumex longifolius</i> (Polygonaceae) (i)
dock, greater water	<i>Rumex britannica</i> (Polygonaceae)
dock, longleaf	<i>Rumex longifolius</i> (Polygonaceae) (i)
dock, seabeach	<i>Rumex pallidus</i> (Polygonaceae)
dock, triangular-valve	<i>Rumex triangulivalvis</i> (Polygonaceae)
dock, western	<i>Rumex occidentalis</i> (Polygonaceae)
dock, white	<i>Rumex pallidus</i> (Polygonaceae)
dock, willowleaf	<i>Rumex triangulivalvis</i> (Polygonaceae)
dock, windowed	<i>Rumex occidentalis</i> (Polygonaceae)
dodder, swamp	<i>Cuscuta gronovii</i> (Convolvulaceae)
dog fennel	<i>Anthemis cotula</i> (Asteraceae) (i)
dog mustard	<i>Eructastrum gallicum</i> (Brassicaceae) (i)
dog nettle	<i>Urtica urens</i> (Urticaceae) (i)
dog rose	<i>Rosa canina</i> (Rosaceae) (i)
dogbane, claspingleaf	<i>Apocynum cannabinum</i> (Apocynaceae)
dogbane, creeping	<i>Apocynum androsaemifolium</i> (Apocynaceae)
dogbane, hemp	<i>Apocynum cannabinum</i> (Apocynaceae)

dogbane, spreading	<i>Apocynum androsaemifolium</i> (Apocynaceae)
dogberry	<i>Sorbus americana</i> (Rosaceae)
dogberry	<i>Sorbus aucuparia</i> (Rosaceae) (i)
dogberry	<i>Sorbus decora</i> (Rosaceae)
dogtail, crested	<i>Cynosurus cristatus</i> (Poaceae) (i)
dogwood, alternateleaf	<i>Cornus alternifolia</i> (Cornaceae)
dogwood, red-osier	<i>Cornus sericea</i> (Cornaceae)
dogwood, roundleaf	<i>Cornus rugosa</i> (Cornaceae) (i)
doorweed	<i>Polygonum aviculare</i> (Polygonaceae) (i)
dooryard knotweed	<i>Polygonum aviculare</i> (Polygonaceae) (i)
dooryard dock	<i>Rumex longifolius</i> (Polygonaceae) (i)
Dortmann's lobelia	<i>Lobelia dortmanna</i> (Campanulaceae)
downy cinquefoil	<i>Potentilla intermedia</i> (Rosaceae) (i)
downy willowherb	<i>Epilobium strictum</i> (Onagraceae)
draba, alpine	<i>Draba alpina</i> (Brassicaceae)
draba, Austrian	<i>Draba fladnizensis</i> (Brassicaceae)
draba, dense	<i>Draba pycnosperma</i> (Brassicaceae) (X)
draba, golden	<i>Draba aurea</i> (Brassicaceae)
draba, hoary	<i>Draba cana</i> (Brassicaceae)
draba, milky	<i>Draba lactea</i> (Brassicaceae)
draba, Norway	<i>Draba norvegica</i> (Brassicaceae)
draba, rock	<i>Draba arabisans</i> (Brassicaceae)
draba, smooth	<i>Draba glabella</i> (Brassicaceae)
draba, snow	<i>Draba nivalis</i> (Brassicaceae)
draba, snowbed	<i>Draba crassifolia</i> (Brassicaceae)
draba, spring	<i>Draba verna</i> (Brassicaceae) (i)
draba, twisted	<i>Draba incana</i> (Brassicaceae)
draba, yellow arctic	<i>Draba nivalis</i> (Brassicaceae)
dragon's mouth	<i>Arethusa bulbosa</i> (Orchidaceae)
drooping woodland sedge	<i>Carex arctata</i> (Cyperaceae)
drooping woodreed	<i>Cinna latifolia</i> (Poaceae)
dropwort	<i>Filipendula vulgaris</i> (Rosaceae) (i)
Drummond's mountain avens	<i>Dryas drummondii</i> (Rosaceae)
Drummond's rockcress	<i>Boechera stricta</i> (Brassicaceae)
dryleaf sandwort	<i>Cherleria marcescens</i> (Caryophyllaceae)
duck-potato	<i>Sagittaria latifolia</i> (Alismataceae)
duckweed, turion	<i>Lemna turionifera</i> (Araceae) (i)
Dudley's rush	<i>Juncus dudleyi</i> (Juncaceae)
dunegrass	<i>Calamagrostis breviligulata</i> (Poaceae)
dunegrass, American	<i>Leymus mollis</i> (Poaceae)
dusty miller	<i>Artemisia stelleriana</i> (Asteraceae) (i)

dwarf alkaligrass	<i>Puccinellia pumila</i> (Poaceae)
dwarf arctic groundsel	<i>Packera heterophylla</i> (Asteraceae)
dwarf arctic ragwort	<i>Packera heterophylla</i> (Asteraceae)
dwarf bilberry	<i>Vaccinium caespitosum</i> (Ericaceae)
dwarf birch	<i>Betula pumila</i> (Betulaceae)
dwarf buttercup	<i>Ranunculus pygmaeus</i> (Ranunculaceae)
dwarf enchanter's nightshade	<i>Circaea alpina</i> (Onagraceae)
dwarf hawksbeard	<i>Askellia pygmaea</i> (Asteraceae)
dwarf huckleberry	<i>Gaylussacia bigeloviana</i> (Ericaceae)
dwarf mistletoe, eastern	<i>Arceuthobium pusillum</i> (Viscaceae)
dwarf raspberry	<i>Rubus pubescens</i> (Rosaceae)
dwarf rattlesnake plantain	<i>Goodyera repens</i> (Orchidaceae)
dwarf scouring-rush	<i>Equisetum scirpoides</i> (Equisetaceae)
dwarf snapdragon	<i>Chaenorhinum minus</i> (Plantaginaceae) (i)
dwarf spikerush	<i>Eleocharis parvula</i> (Cyperaceae)
dwarf tansy, Newfoundland	<i>Tanacetum bipinnatum</i> subsp. <i>huronense</i> (Asteraceae)
dwarf white birch	<i>Betula minor</i> (Betulaceae)
dyer's bedstraw	<i>Galium tinctorium</i> (Rubiaceae)
dyer's chamomile	<i>Cota tinctoria</i> (Asteraceae) (i)

-E-

early coralroot	<i>Corallorrhiza trifida</i> (Orchidaceae)
early darkgreen bulrush	<i>Scirpus hattorianus</i> (Cyperaceae)
early whitlowgrass	<i>Draba verna</i> (Brassicaceae) (i)
early wintercress	<i>Barbarea verna</i> (Brassicaceae) (i)
eastern bog birch	<i>Betula pumila</i> (Betulaceae)
eastern bracken fern	<i>Pteridium aquilinum</i> subsp. <i>latiusculum</i> (Dennstaedtiaceae)
eastern capitate sedge	<i>Carex arctogena</i> (Cyperaceae)
eastern dwarf mistletoe	<i>Arceuthobium pusillum</i> (Viscaceae)
eastern hay-scented fern	<i>Dennstaedtia punctilobula</i> (Dennstaedtiaceae)
eastern larch	<i>Larix laricina</i> (Pinaceae)
eastern marsh fern	<i>Thelypteris palustris</i> var. <i>pubescens</i> (Thelypteridaceae)
eastern seabeach sandwort	<i>Honckenya peploides</i> subsp. <i>robusta</i> (Caryophyllaceae)
eastern soft rush	<i>Juncus effusus</i> subsp. <i>solutus</i> (Juncaceae)
eastern spreading woodfern	<i>Dryopteris campyloptera</i> (Dryopteridaceae)

eastern star sedge	<i>Carex radiata</i> (Cyperaceae)
eastern teaberry	<i>Gaultheria procumbens</i> (Ericaceae)
eastern white pine	<i>Pinus strobus</i> (Pinaceae)
Edwards' mock wallflower	<i>Eutrema edwardsii</i> (Brassicaceae)
eelgrass, common	<i>Zostera marina</i> (Zosteraceae)
Egede's silverweed	<i>Potentilla anserina</i> subsp. <i>groenlandica</i> (Rosaceae)
elder, ground	<i>Aegopodium podagraria</i> (Apiaceae) (i)
elder, red-berried	<i>Sambucus racemosa</i> (Adoxaceae)
elderberry, red	<i>Sambucus racemosa</i> (Adoxaceae)
elegant milkvetch	<i>Astragalus eucosmus</i> (Fabaceae)
elegant pussytoes	<i>Antennaria pulcherrima</i> subsp. <i>eucosma</i> (Asteraceae)
elephant-ear	<i>Reynoutria sachalinensis</i> (Polygonaceae) (i)
elephant's-head lousewort	<i>Pedicularis groenlandica</i> (Orobanchaceae)
elliptic spikerush	<i>Eleocharis elliptica</i> (Cyperaceae)
elm, Scots	<i>Ulmus glabra</i> (Ulmaceae) (i)
elm, wych	<i>Ulmus glabra</i> (Ulmaceae) (i)
eltrot	<i>Heracleum sphondylium</i> (Apiaceae) (i)
eminent bluegrass	<i>Arctopoa eminens</i> (Poaceae)
enchanter's nightshade, dwarf	<i>Circaeа alpina</i> (Onagraceae)
encrusted saxifrage	<i>Saxifraga paniculata</i> subsp. <i>laestadii</i> (Saxifragaceae)
English cinquefoil	<i>Potentilla anglica</i> (Rosaceae) (i)
English daisy	<i>Bellis perennis</i> (Asteraceae) (i)
English plantain	<i>Plantago lanceolata</i> (Plantaginaceae) (i)
English sundew	<i>Drosera anglica</i> (Droseraceae)
entireleaf mountain avens	<i>Dryas integrifolia</i> (Rosaceae)
erect-fruit wintercress	<i>Barbarea orthoceras</i> (Brassicaceae)
estuary sedge	<i>Carex recta</i> (Cyperaceae)
Eurasian black bindweed	<i>Fallopia convolvulus</i> (Polygonaceae) (i)
European ash	<i>Fraxinus excelsior</i> (Oleaceae) (i)
European black alder	<i>Alnus glutinosa</i> (Betulaceae) (i)
European centaury	<i>Centaurium erythraea</i> (Gentianaceae) (i)
European columbine	<i>Aquilegia vulgaris</i> (Ranunculaceae) (i)
European field pansy	<i>Viola arvensis</i> (Violaceae) (i)
European hazelnut	<i>Corylus avellana</i> (Betulaceae) (i)
European hop	<i>Humulus lupulus</i> var. <i>lupulus</i> (Cannabaceae) (i)
European larch	<i>Larix decidua</i> (Pinaceae) (i)
European mountain ash	<i>Sorbus aucuparia</i> (Rosaceae) (i)
European reed	<i>Phragmites australis</i> (Poaceae) (i)
European soft rush	<i>Juncus effusus</i> subsp. <i>effusus</i> (Juncaceae) (i)
European stinging nettle	<i>Urtica dioica</i> subsp. <i>dioica</i> (Urticaceae) (i)

European wallflower	<i>Erysimum hieraciifolium</i> (Brassicaceae) (i)
European woodrush	<i>Luzula campestris</i> (Juncaceae) (i)
evening primrose, common	<i>Oenothera biennis</i> (Onagraceae) (i)
evening primrose, northern	<i>Oenothera parviflora</i> (Onagraceae)
evening primrose, Oakes'	<i>Oenothera oakesiana</i> (Onagraceae) (i)
evening primrose, perennial	<i>Oenothera perennis</i> (Onagraceae) (i)
evening primrose, smallflower	<i>Oenothera parviflora</i> (Onagraceae)
evergreen woodfern	<i>Dryopteris intermedia</i> (Dryopteridaceae)
eyebright, arctic	<i>Euphrasia frigida</i> (Orobanchaceae)
eyebright, common	<i>Euphrasia nemorosa</i> (Orobanchaceae) (i)
eyebright, disjunct	<i>Euphrasia dis juncta</i> (Orobanchaceae)
eyebright, Farlow's	<i>Euphrasia farlowii</i> (Orobanchaceae)
eyebright, Hudson Bay	<i>Euphrasia hudsoniana</i> (Orobanchaceae)
eyebright, Oakes'	<i>Euphrasia oakesii</i> (Orobanchaceae)
eyebright, Rand's	<i>Euphrasia randii</i> (Orobanchaceae)
eyebright, roundleaf	<i>Euphrasia suborbicularis</i> (Orobanchaceae)
eyebright, Wettstein's	<i>Euphrasia wettsteinii</i> (Orobanchaceae)
eyebright, Williams'	<i>Euphrasia oakesii</i> var. <i>williamsii</i> (Orobanchaceae)

-F-

fairy cap	<i>Digitalis purpurea</i> (Plantaginaceae) (i)
fairy flax	<i>Linum catharticum</i> (Linaceae) (i)
fairy-candelabra, northern	<i>Androsace septentrionalis</i> (Primulaceae) (X)
fairy slipper	<i>Calypso bulbosa</i> var. <i>americana</i> (Orchidaceae)
Falkland Island sedge	<i>Carex macloviana</i> (Cyperaceae)
fall dandelion	<i>Scorzoneroides autumnalis</i> (Asteraceae) (i)
false chamomile	<i>Tripleurospermum maritimum</i> (Asteraceae) (i)
false hellebore, green	<i>Veratrum viride</i> (Melanthiaceae)
false melic	<i>Graphephorum melicoides</i> (Poaceae)
false melic, purple	<i>Schizachne purpurascens</i> (Poaceae)
false oatgrass	<i>Arrhenatherum elatius</i> (Poaceae) (i)
false oats, narrow	<i>Koeleria spicata</i> (Poaceae)
false Solomon's seal, feathery	<i>Maianthemum racemosum</i> (Asparagaceae)
false Solomon's seal, threeleaf	<i>Maianthemum trifolium</i> (Asparagaceae)
Farlow's eyebright	<i>Euphrasia farlowii</i> (Orobanchaceae)
far-northern buttercup	<i>Ranunculus hyperboreus</i> (Ranunculaceae)
Farwell's watermilfoil	<i>Myriophyllum farwellii</i> (Haloragaceae)
feathery false Solomon's seal	<i>Maianthemum racemosum</i> (Asparagaceae)
felwort gentian	<i>Gentianella amarella</i> subsp. <i>acuta</i> (Gentianaceae)

felwort, marsh	<i>Lomatogonium rotatum</i> (Gentianaceae)
felwort, northern	<i>Gentianella amarella</i> subsp. <i>acuta</i> (Gentianaceae)
fen grass-of-Parnassus	<i>Parnassia glauca</i> (Celastraceae)
fennel, dog	<i>Anthemis cotula</i> (Asteraceae) (i)
fern, beech	<i>Phegopteris</i> spp. (Thelypteridaceae)
fern, bladder	<i>Cystopteris</i> spp. (Cystopteridaceae)
fern, cinnamon	<i>Osmundastrum cinnamomeum</i> (Osmundaceae)
fern, curlygrass	<i>Schizaea pusilla</i> (Schizaeaceae)
fern, fiddlehead	<i>Matteuccia struthiopteris</i> var. <i>pensylvanica</i> (Onocleaceae)
fern, fragile	<i>Cystopteris</i> spp. (Cystopteridaceae)
fern, hay-scented	<i>Dennstaedtia</i> spp. (Dennstaedtiaceae)
fern, interrupted	<i>Osmunda claytoniana</i> (Osmundaceae)
fern, lady	<i>Athyrium</i> spp. (Athyriaceae)
fern, maidenhair	<i>Adiantum</i> spp. (Pteridaceae)
fern, marsh	<i>Thelypteris</i> spp. (Thelypteridaceae)
fern, mountain	<i>Oreopteris quelpaertensis</i> (Thelypteridaceae)
fern, New York	<i>Parathelypteris noveboracensis</i> (Thelypteridaceae)
fern, oak	<i>Gymnocarpium</i> spp. (Cystopteridaceae)
fern, ostrich	<i>Matteuccia struthiopteris</i> var. <i>pensylvanica</i> (Onocleaceae)
fern, rattlesnake	<i>Botrypus virginianus</i> (Ophioglossaceae)
fern, royal	<i>Osmunda regalis</i> var. <i>spectabilis</i> (Osmundaceae)
fern, sensitive	<i>Onoclea sensibilis</i> (Onocleaceae)
Fernald's bluegrass	<i>Poa laxa</i> subsp. <i>fernaldiana</i> (Poaceae)
Fernald's braya	<i>Braya fernaldii</i> (Brassicaceae)
Fernald's chucklepear	<i>Amelanchier fernaldii</i> (Rosaceae)
Fernald's false mannagrass	<i>Torreyochloa pallida</i> var. <i>fernaldii</i> (Poaceae)
Fernald's rockcress	<i>Braya fernaldii</i> (Brassicaceae)
fescue, alpine	<i>Festuca brachyphylla</i> (Poaceae)
fescue, arctic red	<i>Festuca rubra</i> subsp. <i>arctica</i> (Poaceae)
fescue, Chewing's	<i>Festuca rubra</i> subsp. <i>commutata</i> (Poaceae) (i)
fescue, Frederiksen's	<i>Festuca frederikseniae</i> (Poaceae)
fescue, hair	<i>Festuca filiformis</i> (Poaceae) (i)
fescue, northern rough	<i>Festuca altaica</i> (Poaceae)
fescue, proliferous	<i>Festuca prolifera</i> (Poaceae)
fescue, pubescent proliferous	<i>Festuca prolifera</i> var. <i>lasiolepis</i> (Poaceae)
fescue, red	<i>Festuca rubra</i> (Poaceae) (i)
fescue, Richardson's	<i>Festuca rubra</i> subsp. <i>arctica</i> (Poaceae)
fescue, Rocky Mountain	<i>Festuca saximontana</i> (Poaceae)
fescue, shortleaf	<i>Festuca brachyphylla</i> (Poaceae)

feverfew, common	<i>Tanacetum parthenium</i> (Asteraceae) (i)
fewflower sedge	<i>Carex pauciflora</i> (Cyperaceae)
fewflower spikerush	<i>Eleocharis quinqueflora</i> (Cyperaceae)
fewseed fen sedge	<i>Carex microglochin</i> (Cyperaceae)
fewseed sedge	<i>Carex oligosperma</i> (Cyperaceae)
fibrous-root sedge	<i>Carex communis</i> (Cyperaceae)
fiddlehead fern	<i>Matteuccia struthiopteris</i> var. <i>pensylvanica</i> (Onocleaceae)
field chickweed	<i>Cerastium arvense</i> subsp. <i>strictum</i> (Caryophyllaceae)
field clover	<i>Trifolium campestre</i> (Fabaceae) (i)
field daisy	<i>Leucanthemum vulgare</i> (Asteraceae) (i)
field forget-me-not	<i>Myosotis arvensis</i> (Boraginaceae) (i)
field hawkweed	<i>Pilosella caespitosa</i> (Asteraceae) (i)
field horsetail	<i>Equisetum arvense</i> (Equisetaceae)
field mustard	<i>Brassica rapa</i> (Brassicaceae) (i)
field oxytrop	<i>Oxytropis campestris</i> (Fabaceae)
field pansy	<i>Viola arvensis</i> (Violaceae) (i)
field pennycress	<i>Thlaspi arvense</i> (Brassicaceae) (i)
field peppergrass	<i>Lepidium campestre</i> (Brassicaceae) (i)
field scabious	<i>Knautia arvensis</i> (Caprifoliaceae) (i)
field sedge	<i>Carex conoidea</i> (Cyperaceae)
field sowthistle	<i>Sonchus arvensis</i> (Asteraceae) (i)
field speedwell	<i>Veronica agrestis</i> (Plantaginaceae) (i)
field strawberry	<i>Fragaria virginiana</i> (Rosaceae)
field thistle	<i>Cirsium arvense</i> (Asteraceae) (i)
field woodrush	<i>Luzula campestris</i> (Juncaceae) (i)
fig buttercup	<i>Ficaria verna</i> (Ranunculaceae) (i)
figwort, knotty	<i>Scrophularia nodosa</i> (Scrophulariaceae) (i)
filbert, common	<i>Corylus avellana</i> (Betulaceae) (i)
fir	<i>Abies</i> spp. (Pinaceae)
fir (pronounced 'vir', Lab.)	<i>Abies balsamea</i> (Pinaceae)
fir, balsam	<i>Abies balsamea</i> (Pinaceae)
fir clubmoss	<i>Huperzia selago</i> (Lycopodiaceae)
fireberry hawthorn	<i>Crataegus chrysocarpa</i> (Rosaceae)
fireweed	<i>Chamaenerion angustifolium</i> (Onagraceae)
fireweed, wandering	<i>Chamaenerion angustifolium</i> subsp. <i>circumvagum</i> (Onagraceae)
firmoss	<i>Huperzia</i> spp. (Lycopodiaceae)
firmoss, Appalachian	<i>Huperzia appressa</i> (Lycopodiaceae)
firmoss, arctic	<i>Huperzia arctica</i> (Lycopodiaceae)

firmoss, continental	<i>Huperzia continentalis</i> (Lycopodiaceae)
firmoss, mountain	<i>Huperzia appressa</i> (Lycopodiaceae)
firmoss, northern	<i>Huperzia selago</i> (Lycopodiaceae)
firmoss, Pacific	<i>Huperzia miyoshiana</i> (Lycopodiaceae)
firmoss, shining	<i>Huperzia lucidula</i> (Lycopodiaceae)
Fisher's tundra grass	<i>Dupontia fisheri</i> (Poaceae)
five-fingers, marsh	<i>Comarum palustre</i> (Rosaceae)
five-stamen chickweed	<i>Cerastium semidecandrum</i> (Caryophyllaceae) (i)
flag, yellow	<i>Iris pseudacorus</i> (Iridaceae) (i)
flatleaf bladderwort	<i>Utricularia intermedia</i> (Lentibulariaceae)
flatpetalled yellow ladyslipper	<i>Cypripedium parviflorum</i> var. <i>pubescens</i> (Orchidaceae)
flatstem bluegrass	<i>Poa compressa</i> (Poaceae) (i)
flatstem pondweed	<i>Potamogeton zosteriformis</i> (Potamogetonaceae)
flattop goldenrod	<i>Euthamia graminifolia</i> (Asteraceae)
flattop white aster	<i>Doellingeria umbellata</i> (Asteraceae)
fleabane, annual	<i>Erigeron annuus</i> (Asteraceae) (i)
fleabane, arctic-alpine	<i>Erigeron humilis</i> (Asteraceae)
fleabane, common	<i>Erigeron philadelphicus</i> (Asteraceae) (i)
fleabane, common eastern	<i>Erigeron strigosus</i> (Asteraceae) (i)
fleabane, cutleaf	<i>Erigeron compositus</i> (Asteraceae)
fleabane, hyssopleaf	<i>Erigeron hyssopifolius</i> (Asteraceae)
fleabane, Kamtchatka	<i>Erigeron acris</i> var. <i>kamtschaticus</i> (Asteraceae)
fleabane, low	<i>Erigeron humilis</i> (Asteraceae)
fleabane, oneflower	<i>Erigeron uniflorus</i> var. <i>eriocephalus</i> (Asteraceae)
fleabane, Philadelphia	<i>Erigeron philadelphicus</i> (Asteraceae) (i)
fleabane, rough	<i>Erigeron strigosus</i> (Asteraceae) (i)
fleabane, swamp	<i>Erigeron elatus</i> (Asteraceae)
fleeceflower	<i>Reynoutria japonica</i> (Polygonaceae) (i)
fleshy starwort	<i>Stellaria humifusa</i> (Caryophyllaceae)
fleshy stitchwort	<i>Stellaria crassifolia</i> (Caryophyllaceae)
flixweed	<i>Descurainia sophia</i> (Brassicaceae) (i)
floating burreed	<i>Sparganium fluctuans</i> (Typhaceae)
floating mannagrass	<i>Glyceria fluitans</i> (Poaceae) (i)
floatingheart, little	<i>Nymphoides cordata</i> (Menyanthaceae)
floatingheart, yellow	<i>Nymphoides peltata</i> (Menyanthaceae) (i)
floatingleaf burreed	<i>Sparganium angustifolium</i> (Typhaceae)
floatingleaf pondweed	<i>Potamogeton natans</i> (Potamogetonaceae)
flowering fern	<i>Osmunda regalis</i> var. <i>spectabilis</i> (Osmundaceae)
fly-honeysuckle, mountain	<i>Lonicera villosa</i> (Caprifoliaceae)
fly-honeysuckle, northern	<i>Lonicera villosa</i> (Caprifoliaceae)

forest woodrush	<i>Luzula luzuloides</i> (Juncaceae) (i)
forget-me-not, field	<i>Myosotis arvensis</i> (Boraginaceae) (i)
forget-me-not, garden	<i>Myosotis sylvatica</i> (Boraginaceae) (i)
forget-me-not, small	<i>Myosotis laxa</i> (Boraginaceae)
forget-me-not, true	<i>Myosotis scorpioides</i> (Boraginaceae) (i)
forget-me-not, woodland	<i>Myosotis sylvatica</i> (Boraginaceae) (i)
forked catchfly	<i>Silene dichotoma</i> (Caryophyllaceae) (i)
four-angled mountain heather	<i>Cassiope tetragona</i> (Ericaceae)
four-angled St. Johnswort	<i>Hypericum maculatum</i> subsp. <i>obtusiusculum</i> (Hypericaceae) (i)
fourleaf mare's-tail	<i>Hippuris tetraphylla</i> (Plantaginaceae)
four-part gentian	<i>Gentianella propinqua</i> (Gentianaceae)
four-seed vetch	<i>Vicia tetrasperma</i> (Fabaceae) (i)
fowl bluegrass	<i>Poa palustris</i> (Poaceae)
fowl mannagrass	<i>Glyceria striata</i> (Poaceae)
fowl meadowgrass	<i>Poa palustris</i> (Poaceae)
Fowler's knotweed	<i>Polygonum fowleri</i> (Polygonaceae)
fox sedge	<i>Carex vulpinoidea</i> (Cyperaceae)
fox and cubs	<i>Pilosella aurantiaca</i> (Asteraceae) (i)
foxberry	<i>Arctostaphylos uva-ursi</i> (Ericaceae)
foxberry (Labrador).....	<i>Arctous alpina, Arctous rubra</i> (Ericaceae)
foxberry (misapplied, Labrador)	<i>Geocaulon lividum</i> (Comandraceae)
foxflower	<i>Armeria maritima</i> subsp. <i>sibirica</i> (Plumbaginaceae)
foxglove, purple	<i>Digitalis purpurea</i> (Plantaginaceae) (i)
foxtail barley	<i>Hordeum jubatum</i> (Poaceae)
foxtail, alpine	<i>Alopecurus magellanicus</i> (Poaceae)
foxtail, green	<i>Setaria viridis</i> (Poaceae) (i)
foxtail, little meadow	<i>Alopecurus aequalis</i> (Poaceae)
foxtail, meadow	<i>Alopecurus pratensis</i> (Poaceae) (i)
foxtail, short-awn	<i>Alopecurus aequalis</i> (Poaceae)
foxtail, water	<i>Alopecurus geniculatus</i> (Poaceae) (i)
fragile fern	<i>Cystopteris fragilis</i> (Cystopteridaceae)
fragile fern, bulblet	<i>Cystopteris bulbifera</i> (Cystopteridaceae)
fragile fern, Laurentian	<i>Cystopteris laurentiana</i> (Cystopteridaceae)
fragile sedge	<i>Carex membranacea</i> (Cyperaceae)
fragrant bedstraw	<i>Galium triflorum</i> (Rubiaceae)
fragrant cliff fern	<i>Dryopteris fragrans</i> (Dryopteridaceae)
fragrant green orchid	<i>Platanthera huronensis</i> (Orchidaceae)
fragrant waterlily	<i>Nymphaea odorata</i> (Nymphaeaceae)
fragrant woodfern	<i>Dryopteris fragrans</i> (Dryopteridaceae)
Fraser's marsh St. Johnswort	<i>Triadenum fraseri</i> (Hypericaceae)

Frederiksen's fescue	<i>Festuca frederikseniae</i> (Poaceae)
freshwater cordgrass	<i>Sporobolus michauxianus</i> (Poaceae)
Fries' pondweed	<i>Potamogeton friesii</i> (Potamogetonaceae)
Fries' pussytoes	<i>Antennaria friesiana</i> (Asteraceae)
frigid phippsia	<i>Phippsia algida</i> (Poaceae)
fringed black bindweed	<i>Fallopia cilinodis</i> (Polygonaceae)
fringed blue aster	<i>Symphyotrichum ciliolatum</i> (Asteraceae)
fringed brome	<i>Bromus ciliatus</i> (Poaceae)
fringed milkwort	<i>Polygaloides paucifolia</i> (Polygalaceae) (X)
fringed orchid, Andrews'	<i>Platanthera ×andrewsii</i> (Orchidaceae)
fringed orchid, large purple	<i>Platanthera grandiflora</i> (Orchidaceae)
fringed orchid, ragged	<i>Platanthera lacera</i> (Orchidaceae)
fringed orchid, small purple	<i>Platanthera psycodes</i> (Orchidaceae)
fringed orchid, white	<i>Platanthera blephariglottis</i> (Orchidaceae)
frog orchid	<i>Coeloglossum viride</i> (Orchidaceae)
frog rush	<i>Juncus ranarius</i> (Juncaceae)
fumitory, common	<i>Fumaria officinalis</i> (Papaveraceae) (i)

-G-

galinsoga, hairy	<i>Galinsoga quadriradiata</i> (Asteraceae) (i)
gall-of-the-earth	<i>Nabalus trifoliolatus</i> (Asteraceae)
Garber's sedge	<i>Carex garberi</i> (Cyperaceae)
garden chives	<i>Allium schoenoprasum</i> var. <i>schoenoprasum</i> (Amaryllidaceae) (i)
garden columbine	<i>Aquilegia vulgaris</i> (Ranunculaceae) (i)
garden forget-me-not	<i>Myosotis sylvatica</i> (Boraginaceae) (i)
garden lady's mantle	<i>Alchemilla mollis</i> (Rosaceae) (i)
garden lupine	<i>Lupinus polyphyllus</i> (Fabaceae) (i)
garden monkshood	<i>Aconitum napellus</i> (Ranunculaceae) (i)
garden myrrh	<i>Myrrhis odorata</i> (Apiaceae) (i)
garden phlox	<i>Phlox paniculata</i> (Polemoniaceae) (i)
garden rhubarb	<i>Rheum rhabarbarum</i> (Polygonaceae) (i)
garden sorrel	<i>Rumex acetosa</i> (Polygonaceae) (i)
garden stonecrop	<i>Hylotelephium telephium</i> (Crassulaceae) (i)
garden valerian	<i>Valeriana officinalis</i> (Caprifoliaceae) (i)
garden veronica	<i>Veronica longifolia</i> (Plantaginaceae) (i)
garden wolfsbane	<i>Aconitum napellus</i> (Ranunculaceae) (i)
garlic mustard	<i>Alliaria petiolata</i> (Brassicaceae) (i)
Gaspé arrowgrass	<i>Triglochin gaspensis</i> (Juncaginaceae)

gaywings	<i>Polygaloides paucifolia</i> (Polygalaceae) (X)
gentian, alpine	<i>Gentiana nivalis</i> (Gentianaceae)
gentian, felwort	<i>Gentianella amarella</i> subsp. <i>acuta</i> (Gentianaceae)
gentian, four-part	<i>Gentianella propinqua</i> (Gentianaceae)
gentian, island	<i>Gentianopsis detonsa</i> subsp. <i>nesophila</i> (Gentianaceae)
gentian, narrowleaf	<i>Gentiana linearis</i> (Gentianaceae)
gentian, northern	<i>Gentianella amarella</i> subsp. <i>acuta</i> (Gentianaceae)
gentian, snow	<i>Gentiana nivalis</i> (Gentianaceae)
gentian, spurred	<i>Halenia deflexa</i> (Gentianaceae)
geranium, Bicknell's	<i>Geranium bicknellii</i> (Geraniaceae)
geranium, meadow	<i>Geranium pratense</i> (Geraniaceae) (i)
Gerard's rush	<i>Juncus gerardii</i> (Juncaceae)
German chamomile	<i>Matricaria chamomilla</i> (Asteraceae) (i)
German knotgrass	<i>Scleranthus annuus</i> (Caryophyllaceae) (i)
germander speedwell	<i>Veronica chamaedrys</i> (Plantaginaceae) (i)
ghost flower	<i>Monotropa uniflora</i> (Ericaceae)
ghost pipe	<i>Monotropa uniflora</i> (Ericaceae)
ghost plant	<i>Monotropa uniflora</i> (Ericaceae)
giant bentgrass	<i>Agrostis gigantea</i> (Poaceae) (i)
giant hogweed	<i>Heracleum mantegazzianum</i> (Apiaceae) (i)
giant knotweed	<i>Reynoutria sachalinensis</i> (Polygonaceae) (i)
giant mannagrass	<i>Glyceria grandis</i> (Poaceae)
giant sea holly	<i>Eryngium giganteum</i> (Apiaceae)
Giesecke's bellflower	<i>Campanula gieseckiana</i> (Campanulaceae)
gill-over-the-ground	<i>Glechoma hederacea</i> (Lamiaceae) (i)
glabrous orache	<i>Atriplex glabriuscula</i> (Amaranthaceae)
glacier sedge	<i>Carex glacialis</i> (Cyperaceae)
glandular birch	<i>Betula glandulosa</i> (Betulaceae)
glandular scrub birch	<i>Betula glandulosa</i> (Betulaceae)
glandular willowherb	<i>Epilobium ciliatum</i> subsp. <i>glandulosum</i> (Onagraceae)
glasswort, maritime	<i>Salicornia maritima</i> (Amaranthaceae)
glasswort, slender	<i>Salicornia depressa</i> (Amaranthaceae)
glasswort, Virginia	<i>Salicornia depressa</i> (Amaranthaceae)
glaucous bluegrass	<i>Poa glauca</i> (Poaceae)
glaucous bog rosemary	<i>Andromeda polifolia</i> var. <i>latifolia</i> (Ericaceae)
glaucous goosefoot	<i>Oxybasis glauca</i> (Amaranthaceae) (i)
glaucous king devil	<i>Pilosella piloselloides</i> (Asteraceae) (i)
glaucous rattlesnakeroot	<i>Nabalus racemosus</i> (Asteraceae)
glaucous sedge	<i>Carex flacca</i> (Cyperaceae) (i)

gleaming lady's mantle	<i>Alchemilla micans</i> (Rosaceae) (i)
Gmelin's buttercup	<i>Ranunculus gmelinii</i> (Ranunculaceae)
goatsbeard, meadow	<i>Tragopogon pratensis</i> (Asteraceae) (i)
golden chaintree	<i>Laburnum ×watereri</i> (Fabaceae) (i)
golden clover	<i>Trifolium aureum</i> (Fabaceae) (i)
golden draba	<i>Draba aurea</i> (Brassicaceae)
golden groundsel	<i>Packera aurea</i> (Asteraceae)
golden heather	<i>Hudsonia ericoides</i> (Cistaceae)
golden hedge-hyssop	<i>Gratiola lutea</i> (Plantaginaceae) (X)
golden ragwort	<i>Packera aurea</i> (Asteraceae)
golden saxifrage, northern	<i>Chrysosplenium tetrandrum</i> (Saxifragaceae)
golden sedge	<i>Carex aurea</i> (Cyperaceae)
golden slipper	<i>Cypripedium parviflorum</i> var. <i>pubescens</i> (Orchidaceae)
golden whitlowgrass	<i>Draba aurea</i> (Brassicaceae)
golden-banner, slender	<i>Thermopsis montana</i> var. <i>ovata</i> (Fabaceae) (i)
goldenrod, bigtooth Canada	<i>Solidago fallax</i> (Asteraceae)
goldenrod, bog	<i>Solidago uliginosa</i> (Asteraceae)
goldenrod, Brenda's	<i>Solidago brendae</i> (Asteraceae)
goldenrod, flattop	<i>Euthamia graminifolia</i> (Asteraceae)
goldenrod, grassleaf	<i>Euthamia graminifolia</i> (Asteraceae)
goldenrod, hairy	<i>Solidago hispida</i> (Asteraceae)
goldenrod, hairystem bigtooth Canada	<i>Solidago fallax</i> var. <i>molina</i> (Asteraceae)
goldenrod, largeleaf	<i>Solidago macrophylla</i> (Asteraceae)
goldenrod, multi-rayed	<i>Solidago multiradiata</i> (Asteraceae)
goldenrod, northern	<i>Solidago multiradiata</i> (Asteraceae)
goldenrod, roughleaf	<i>Solidago rugosa</i> (Asteraceae)
goldenrod, roughstem	<i>Solidago rugosa</i> (Asteraceae)
goldenrod, seaside	<i>Solidago sempervirens</i> (Asteraceae)
goldthread	<i>Coptis trifolia</i> (Ranunculaceae)
gooseberry, Canada	<i>Ribes oxyacanthoides</i> (Grossulariaceae) (i)
gooseberry, hairystem	<i>Ribes hirtellum</i> (Grossulariaceae)
gooseberry, northern.....	<i>Ribes oxyacanthoides</i> (Grossulariaceae) (i)
gooseberry, swamp	<i>Ribes hirtellum</i> (Grossulariaceae)
goosefoot, glaucous	<i>Oxybasis glauca</i> (Amaranthaceae) (i)
goosefoot, oakleaf	<i>Oxybasis glauca</i> (Amaranthaceae) (i)
goosetongue	<i>Plantago maritima</i> (Plantaginaceae)
goowiddy	<i>Kalmia angustifolia</i> (Ericaceae)
goutweed	<i>Aegopodium podagraria</i> (Apiaceae) (i)
graceful sedge	<i>Carex gracillima</i> (Cyperaceae)
grapefern, common	<i>Botrypus virginianus</i> (Ophioglossaceae)

grapefern, leathery	<i>Sceptridium multifidum</i> (Ophioglossaceae)
grapefern, little	<i>Botrychium simplex</i> (Ophioglossaceae)
grass, Labrador (Labrador)	<i>Calamagrostis canadensis</i> (Poaceae)
grass pink	<i>Calopogon tuberosus</i> (Orchidaceae)
grass, orchard	<i>Dactylis glomerata</i> (Poaceae) (i)
grass, saltwater (Labrador)	<i>Leymus mollis</i> (Poaceae)
grass, slough	<i>Beckmannia syzigachne</i> (Poaceae) (i)
grass, squirreltail	<i>Hordeum jubatum</i> (Poaceae)
grassleaf arrowhead	<i>Sagittaria graminea</i> (Alismataceae)
grassleaf goldenrod	<i>Euthamia graminifolia</i> (Asteraceae)
grassleaf pondweed	<i>Potamogeton gramineus</i> (Potamogetonaceae)
grassleaf stitchwort	<i>Stellaria graminea</i> (Caryophyllaceae) (i)
grass-of-Parnassus, fen	<i>Parnassia glauca</i> (Celastraceae)
grass-of-Parnassus, Kotzebue's	<i>Parnassia kotzebuei</i> (Celastraceae)
grass-of-Parnassus, marsh	<i>Parnassia palustris</i> (Celastraceae)
grass-of-Parnassus, smallflower	<i>Parnassia parviflora</i> (Celastraceae)
gravel sedge	<i>Carex glarea</i> (Cyperaceae)
great spurred violet	<i>Viola selkirkii</i> (Violaceae)
greater bladderwort	<i>Utricularia vulgaris</i> subsp. <i>macrorhiza</i> (Lentibulariaceae)
greater roundleaf orchid	<i>Platanthera macrophylla</i> (Orchidaceae)
greater water dock	<i>Rumex britannica</i> (Polygonaceae)
green addersmouth	<i>Malaxis unifolia</i> (Orchidaceae)
green alder (misapplied)	<i>Alnus alnobetula</i> subsp. <i>crispa</i> (Betulaceae)
green amaranth	<i>Amaranthus retroflexus</i> (Amaranthaceae) (i)
green false hellebore	<i>Veratrum viride</i> (Melanthiaceae)
green foxtail	<i>Setaria viridis</i> (Poaceae) (i)
Green Mountain maidenhair fern	<i>Adiantum viridimontanum</i> (Pteridaceae)
"green peas" (Labrador)	<i>Lathyrus japonicus</i> (Fabaceae)
green sorrel	<i>Rumex acetosa</i> (Polygonaceae) (i)
green spleenwort	<i>Asplenium viride</i> (Aspleniaceae)
green woodland orchid	<i>Platanthera clavellata</i> (Orchidaceae)
green-flowered pyrola	<i>Pyrola chlorantha</i> (Ericaceae)
greenish pyrola	<i>Pyrola chlorantha</i> (Ericaceae)
greenish sedge	<i>Carex viridula</i> (Cyperaceae)
green-keeled cottongrass	<i>Eriophorum viridicarinatum</i> (Cyperaceae)
Greenland hawkweed	<i>Hieracium groenlandicum</i> (Asteraceae)
Greenland lousewort	<i>Pedicularis groenlandica</i> (Orobanchaceae)
Greenland primrose	<i>Primula egaliksensis</i> (Primulaceae)
Greenland sandwort	<i>Mononeuria groenlandica</i> (Caryophyllaceae)
Greenland scurvygrass	<i>Cochlearia groenlandica</i> (Brassicaceae)

Greenland silverweed	<i>Potentilla anserina</i> subsp. <i>groenlandica</i> (Rosaceae)
Greenland woodrush	<i>Luzula groenlandica</i> (Juncaceae)
Greenland yellow rattle	<i>Rhinanthus minor</i> subsp. <i>groenlandicus</i> (Orobanchaceae)
greens, beach (Labrador)	<i>Honckenya peploides</i> (Caryophyllaceae)
greyleaf raspberry	<i>Rubus idaeus</i> subsp. <i>strigosus</i> (Rosaceae)
Griscom's arnica	<i>Arnica griscomii</i> (Asteraceae)
grooved agrimony	<i>Agrimonia striata</i> (Rosaceae)
ground birch	<i>Betula glandulosa</i> (Betulaceae)
ground elder	<i>Aegopodium podagraria</i> (Apiaceae) (i)
ground hemlock	<i>Taxus canadensis</i> (Taxaceae)
ground hurts	<i>Vaccinium angustifolium</i> (Ericaceae)
ground hurts (Labrador)	<i>Vaccinium boreale</i> (Ericaceae)
ground ivy	<i>Glechoma hederacea</i> (Lamiaceae) (i)
ground juniper	<i>Juniperus communis</i> var. <i>depressa</i> (Cupressaceae)
ground-cedar	<i>Diphasiastrum</i> spp. (Lycopodiaceae)
ground-cedar, alpine	<i>Diphasiastrum alpinum</i> (Lycopodiaceae)
ground-cedar, blue	<i>Diphasiastrum tristachyum</i> (Lycopodiaceae)
ground-cedar, northern	<i>Diphasiastrum complanatum</i> (Lycopodiaceae)
ground-cedar, savinleaf	<i>Diphasiastrum ×sabinifolium</i> (Lycopodiaceae)
ground-cedar, Sitka	<i>Diphasiastrum sitchense</i> (Lycopodiaceae)
ground-cedar, southern	<i>Diphasiastrum digitatum</i> (Lycopodiaceae)
ground-pine, one-cone	<i>Lycopodium lagopus</i> (Lycopodiaceae)
groundsel, alpine	<i>Packera pauciflora</i> (Asteraceae)
groundsel, balsam	<i>Packera paupercula</i> (Asteraceae)
groundsel, common	<i>Senecio vulgaris</i> (Asteraceae) (i)
groundsel, dwarf arctic	<i>Packera heterophylla</i> (Asteraceae)
groundsel, golden	<i>Packera aurea</i> (Asteraceae)
groundsel, marsh	<i>Tephroseris palustris</i> (Asteraceae)
groundsel, rayless mountain	<i>Packera indecora</i> (Asteraceae)
groundsel, seabeach	<i>Senecio pseudoarnica</i> (Asteraceae)
groundsel, sticky	<i>Senecio viscosus</i> (Asteraceae) (i)
grove sandwort	<i>Moehringia lateriflora</i> (Caryophyllaceae)
Gulf of St. Lawrence dandelion	<i>Taraxacum laurentianum</i> (Asteraceae)
Gulf of St. Lawrence wormseed mustard	<i>Erysimum coarctatum</i> (Brassicaceae)
gypsyweed	<i>Veronica officinalis</i> (Plantaginaceae) (i)

-H-

hackmatack	<i>Larix laricina</i> (Pinaceae)
hackmatack	<i>Populus balsamifera</i> (Salicaceae)
hair fescue	<i>Festuca filiformis</i> (Poaceae) (i)
hairgrass, alpine	<i>Deschampsia alpina</i> (Poaceae)
hairgrass, arctic	<i>Vahlodea atropurpurea</i> (Poaceae)
hairgrass, crinkled	<i>Avenella flexuosa</i> (Poaceae)
hairgrass, mountain	<i>Vahlodea atropurpurea</i> (Poaceae)
hairgrass, tufted	<i>Deschampsia cespitosa</i> (Poaceae)
hairgrass, wavy	<i>Avenella flexuosa</i> (Poaceae)
hairgrass, shortleaf	<i>Deschampsia cespitosa</i> subsp. <i>septentrionalis</i> (Poaceae)
hairlike sedge	<i>Carex capillaris</i> (Cyperaceae)
hairy bittercress	<i>Cardamine hirsuta</i> (Brassicaceae) (i)
hairy butterwort	<i>Pinguicula villosa</i> (Lentibulariaceae)
hairy cat's-ear	<i>Hypochaeris radicata</i> (Asteraceae) (i)
hairy galinsoga	<i>Galinsoga quadriradiata</i> (Asteraceae) (i)
hairy goldenrod	<i>Solidago hispida</i> (Asteraceae)
hairy hedgenettle	<i>Stachys pilosa</i> (Lamiaceae)
hairy lady's mantle	<i>Alchemilla filicaulis</i> subsp. <i>vestita</i> (Rosaceae)
hairy lousewort	<i>Pedicularis hirsuta</i> (Orobanchaceae)
hairy sweetgrass	<i>Anthoxanthum hirtum</i> (Poaceae)
hairy willow	<i>Salix vestita</i> (Salicaceae)
hairy woodrush	<i>Luzula acuminata</i> (Juncaceae)
hairystem bigtooth Canada goldenrod ..	<i>Solidago fallax</i> var. <i>molina</i> (Asteraceae)
hairystem gooseberry	<i>Ribes hirtellum</i> (Grossulariaceae)
hardstem bulrush	<i>Schoenoplectus acutus</i> (Cyperaceae)
harebell	<i>Campanula gieseckeana</i> (Campanulaceae)
harebell, arctic	<i>Melanocalyx uniflora</i> (Campanulaceae)
harebell, Newfoundland	<i>Campanula gieseckeana</i> (Campanulaceae)
hare's tail	<i>Eriophorum vaginatum</i> subsp. <i>spissum</i> (Cyperaceae)
hare's-ear mustard	<i>Conringia orientalis</i> (Brassicaceae) (i)
hare's-foot clover	<i>Trifolium arvense</i> (Fabaceae) (i)
harlequin blueflag	<i>Iris versicolor</i> (Iridaceae)
harp dandelion	<i>Taraxacum phymatocarpum</i> (Asteraceae)
hawkbit, autumn	<i>Scorzoneroides autumnalis</i> (Asteraceae) (i)
hawksbeard, dwarf	<i>Askellia pygmaea</i> (Asteraceae)
hawksbeard, narrowleaf	<i>Crepis tectorum</i> (Asteraceae) (i)

hawkweed, common	<i>Hieracium lachenalii</i> subsp. <i>cruentifolium</i> (Asteraceae) (i)
hawkweed, field	<i>Pilosella caespitosa</i> (Asteraceae) (i)
hawkweed, Greenland	<i>Hieracium groenlandicum</i> (Asteraceae)
hawkweed, king devil	<i>Pilosella piloselloides</i> subsp. <i>praealta</i> (Asteraceae) (i)
hawkweed, Lachenal's	<i>Hieracium lachenalii</i> subsp. <i>cruentifolium</i> (Asteraceae) (i)
hawkweed, meadow	<i>Pilosella caespitosa</i> (Asteraceae) (i)
hawkweed, mouse-ear	<i>Pilosella officinarum</i> (Asteraceae) (i)
hawkweed, northern	<i>Hieracium umbellatum</i> (Asteraceae)
hawkweed, orange	<i>Pilosella aurantiaca</i> (Asteraceae) (i)
hawkweed, pale	<i>Pilosella ×floribunda</i> (Asteraceae) (i)
hawkweed, Robinson's	<i>Hieracium robinsonii</i> (Asteraceae)
hawkweed, tall	<i>Pilosella piloselloides</i> (Asteraceae) (i)
hawkweed, umbellate	<i>Hieracium umbellatum</i> (Asteraceae)
hawkweed, wall	<i>Hieracium murorum</i> (Asteraceae) (i)
hawkweed, whiplash	<i>Pilosella flagellaris</i> (Asteraceae) (i)
hawkweed, yellow devil	<i>Pilosella ×floribunda</i> (Asteraceae) (i)
hawthorn, bigfruit	<i>Crataegus macrosperma</i> (Rosaceae)
hawthorn, fireberry	<i>Crataegus chrysocarpa</i> (Rosaceae)
hay-scented fern	<i>Dennstaedtia punctilobula</i> (Dennstaedtiaceae)
hay-scented fern, eastern	<i>Dennstaedtia punctilobula</i> (Dennstaedtiaceae)
hazelnut, beaked	<i>Corylus cornuta</i> (Betulaceae)
hazelnut, European	<i>Corylus avellana</i> (Betulaceae) (i)
heall	<i>Prunella vulgaris</i> (Lamiaceae)
heartleaf birch	<i>Betula cordifolia</i> (Betulaceae)
heartleaf twayblade	<i>Neottia cordata</i> (Orchidaceae)
heartleaf willow	<i>Salix cordata</i> (Salicaceae)
heart's ease	<i>Viola tricolor</i> (Violaceae) (i)
heath bedstraw	<i>Galium saxatile</i> (Rubiaceae) (i)
heath speedwell	<i>Veronica officinalis</i> (Plantaginaceae) (i)
heather, golden	<i>Hudsonia ericoides</i> (Cistaceae)
heather, moss	<i>Harrimanella hypnoides</i> (Ericaceae)
heather, sand	<i>Hudsonia tomentosa</i> (Cistaceae)
heather, Scottish	<i>Calluna vulgaris</i> (Ericaceae) (i)
heather, woolly	<i>Hudsonia tomentosa</i> (Cistaceae)
heathgrass, mountain	<i>Danthonia decumbens</i> (Poaceae)
hedge bedstraw	<i>Galium mollugo</i> (Rubiaceae) (i)
hedge bindweed	<i>Calystegia sepium</i> (Convolvulaceae) (i)
hedge false bindweed	<i>Calystegia sepium</i> (Convolvulaceae) (i)

hedge vetch	<i>Vicia sepium</i> (Fabaceae) (i)
hedge-hyssop, golden	<i>Gratiola lutea</i> (Plantaginaceae) (X)
hedge-mustard	<i>Sisymbrium officinale</i> (Brassicaceae) (i)
hedgenettle, hairy	<i>Stachys pilosa</i> (Lamiaceae)
hedgenettle, marsh	<i>Stachys palustris</i> (Lamiaceae) (i)
hedysarum, alpine	<i>Hedysarum americanum</i> (Fabaceae)
hedysarum, Mackenzie's	<i>Hedysarum boreale</i> subsp. <i>mackenziei</i> (Fabaceae)
helleborine, broadleaf	<i>Epipactis helleborine</i> (Orchidaceae) (i)
"hell-trot" (local, NL)	<i>Heracleum maximum</i> (Apiaceae)
"hemlock" (local, NL)	<i>Angelica atropurpurea</i> (Apiaceae)
"hemlock" (local, NL)	<i>Heracleum maximum</i> (Apiaceae)
hemlock parsley	<i>Conioselinum chinense</i> (Apiaceae)
hemlock, ground	<i>Taxus canadensis</i> (Taxaceae)
hemp dogbane	<i>Apocynum cannabinum</i> (Apocynaceae)
hempnettle, common	<i>Galeopsis tetrahit</i> (Lamiaceae) (i)
hempnettle, split-lip	<i>Galeopsis bifida</i> (Lamiaceae) (i)
herb Sophia	<i>Descurainia sophia</i> (Brassicaceae) (i)
herbaceous seepweed	<i>Suaeda maritima</i> (Amaranthaceae)
herb-Robert	<i>Geranium robertianum</i> (Geraniaceae)
Hickey's tree-clubmoss	<i>Dendrolycopodium hickeyi</i> (Lycopodiaceae)
hiddenfruit bladderwort	<i>Utricularia geminiscapa</i> (Lentibulariaceae)
highbush cranberry	<i>Viburnum trilobum</i> (Adoxaceae)
highland rush	<i>Oreojuncus trifidus</i> (Juncaceae)
Himalayan balsam	<i>Impatiens glandulifera</i> (Balsaminaceae) (i)
hispid blackberry	<i>Rubus hispida</i> (Rosaceae)
hispid buttercup	<i>Ranunculus hispida</i> var. <i>caricetorum</i> (Ranunculaceae)
hispid marsh yellowcress	<i>Rorippa palustris</i> subsp. <i>hispida</i> (Brassicaceae)
hoary cinquefoil	<i>Potentilla argentea</i> (Rosaceae) (i)
hoary draba	<i>Draba cana</i> (Brassicaceae)
hoary sedge	<i>Carex canescens</i> (Cyperaceae)
hoary whitlowgrass	<i>Draba cana</i> (Brassicaceae)
hoary willow	<i>Salix candida</i> (Salicaceae)
hogweed, common	<i>Heracleum sphondylium</i> (Apiaceae) (i)
hogweed, giant	<i>Heracleum mantegazzianum</i> (Apiaceae) (i)
holly, mountain	<i>Ilex mucronata</i> (Aquifoliaceae)
hollyfern	<i>Polystichum</i> spp. (Dryopteridaceae)
hollyfern, Braun's	<i>Polystichum braunii</i> (Dryopteridaceae)
hollyfern, mountain	<i>Polystichum scopolinum</i> (Dryopteridaceae)
hollyfern, northern	<i>Polystichum lonchitis</i> (Dryopteridaceae)
holy grass	<i>Anthoxanthum monticola</i> subsp. <i>alpinum</i> (Poaceae)

hooded ladies-tresses	<i>Spiranthes romanzoffiana</i> (Orchidaceae)
hooked buttercup	<i>Ranunculus recurvatus</i> (Ranunculaceae)
hooked crowfoot	<i>Ranunculus recurvatus</i> (Ranunculaceae)
Hooker's iris	<i>Iris hookeri</i> (Iridaceae)
Hooker's orchid	<i>Platanthera hookeri</i> (Orchidaceae)
hop clover	<i>Medicago lupulina</i> (Fabaceae) (i)
hop clover, large	<i>Trifolium aureum</i> (Fabaceae) (i)
hop clover, least	<i>Trifolium dubium</i> (Fabaceae) (i)
hop clover, low	<i>Trifolium campestre</i> (Fabaceae) (i)
hop clover, small	<i>Trifolium dubium</i> (Fabaceae) (i)
hop, American	<i>Humulus lupulus</i> var. <i>lupuloides</i> (Cannabaceae)
hop, common	<i>Humulus lupulus</i> var. <i>lupulus</i> (Cannabaceae) (i)
Hoppner's sedge	<i>Carex subspathacea</i> (Cyperaceae)
hops	<i>Humulus lupulus</i> (Cannabaceae)
horned bladderwort	<i>Utricularia cornuta</i> (Lentibulariaceae)
horned dandelion	<i>Taraxacum ceratophorum</i> (Asteraceae)
horned pondweed	<i>Zannichellia palustris</i> (Potamogetonaceae)
Hornemann's willowherb	<i>Epilobium hornemannii</i> (Onagraceae)
horsetail	<i>Equisetum</i> spp. (Equisetaceae)
horsetail, common	<i>Equisetum arvense</i> (Equisetaceae)
horsetail, field	<i>Equisetum arvense</i> (Equisetaceae)
horsetail, littoral	<i>Equisetum ×litorale</i> (Equisetaceae)
horsetail, marsh	<i>Equisetum palustre</i> (Equisetaceae)
horsetail, meadow	<i>Equisetum pratense</i> (Equisetaceae)
horsetail, shade	<i>Equisetum pratense</i> (Equisetaceae)
horsetail, shore	<i>Equisetum ×litorale</i> (Equisetaceae)
horsetail, water	<i>Equisetum fluviatile</i> (Equisetaceae)
horsetail, wood	<i>Equisetum sylvaticum</i> (Equisetaceae)
horsetail, woodland	<i>Equisetum sylvaticum</i> (Equisetaceae)
horseweed, Canada	<i>Erigeron canadensis</i> (Asteraceae) (i)
Houghton's sedge	<i>Carex houghtoniana</i> (Cyperaceae)
huckleberry, black	<i>Gaylussacia baccata</i> (Ericaceae)
huckleberry, bog	<i>Gaylussacia bigeloviana</i> (Ericaceae)
huckleberry, dwarf	<i>Gaylussacia bigeloviana</i> (Ericaceae)
Hudson Bay eyebright	<i>Euphrasia hudsoniana</i> (Orobanchaceae)
Hudson Bay knotweed	<i>Polygonum fowleri</i> subsp. <i>hudsonianum</i> (Polygonaceae)
Hudson Bay sedge	<i>Carex heleonastes</i> (Cyperaceae)
hurts	<i>Vaccinium</i> sp. (Ericaceae)
hurts, backy (or backie) (Labrador)	<i>Vaccinium uliginosum</i> (Ericaceae)
hurts, ground	<i>Vaccinium angustifolium</i> (Ericaceae)

hutchinsia, prostrate	<i>Hornungia procumbens</i> (Brassicaceae)
hutchinsia, spreading	<i>Hornungia procumbens</i> (Brassicaceae)
hybrid plumboy	<i>Rubus ×paracaulis</i> (Rosaceae)
hybrid toadflax	<i>Linaria ×sepium</i> (Plantaginaceae) (i)
hybrid white willow	<i>Salix ×fragilis</i> (Salicaceae) (i)
hyssopleaf fleabane	<i>Erigeron hyssopifolius</i> (Asteraceae)

-I-

icegrass	<i>Phippsia algida</i> (Poaceae)
Iceland koenigia	<i>Koenigia islandica</i> (Polygonaceae)
Iceland poppy	<i>Papaver croceum</i> (Papaveraceae)
Iceland purslane	<i>Koenigia islandica</i> (Polygonaceae)
Indian mustard	<i>Brassica juncea</i> (Brassicaceae) (i)
Indian pipe (rejected, use ghost pipe) ...	<i>Monotropa uniflora</i> (Ericaceae)
inflated locoweed	<i>Oxytropis podocarpa</i> (Fabaceae)
inflated oxytropis	<i>Oxytropis podocarpa</i> (Fabaceae)
inflated sedge	<i>Carex vesicaria</i> (Cyperaceae)
inland chuckleypear	<i>Amelanchier interior</i> (Rosaceae)
inland sedge	<i>Carex interior</i> (Cyperaceae)
intermediate sedge	<i>Carex media</i> (Cyperaceae)
intermediate woodfern	<i>Dryopteris intermedia</i> (Dryopteridaceae)
interrupted clubmoss	<i>Spinulum annotinum</i> (Lycopodiaceae)
interrupted fern	<i>Osmunda claytoniana</i> (Osmundaceae)
inundated clubmoss	<i>Lycopodiella inundata</i> (Lycopodiaceae)
iris, beachhead	<i>Iris hookeri</i> (Iridaceae)
iris, Hooker's	<i>Iris hookeri</i> (Iridaceae)
iris, yellow	<i>Iris pseudacorus</i> (Iridaceae) (i)
island gentian	<i>Gentianopsis detonsa</i> subsp. <i>nesophila</i> (Gentianaceae)
ivy, ground	<i>Glechoma hederacea</i> (Lamiaceae) (i)
ivy, Kenilworth	<i>Cymbalaria muralis</i> (Plantaginaceae) (i)
ivyleaf buttercup	<i>Ranunculus hederaceus</i> (Ranunculaceae) (i)
ivyleaf crowfoot	<i>Ranunculus hederaceus</i> (Ranunculaceae) (i)
ivyleaf toadflax	<i>Cymbalaria muralis</i> (Plantaginaceae) (i)

-J-

jack pine	<i>Pinus banksiana</i> (Pinaceae)
Jack-go-to-bed-at-room	<i>Tragopogon pratensis</i> (Asteraceae) (i)

Jack's mountain ash	<i>xSorbaronia jackii</i> (Rosaceae)
Jacob's-ladder	<i>Polemonium caeruleum</i> (Polemoniaceae) (i)
Jacob's-ladder, blue	<i>Polemonium caeruleum</i> (Polemoniaceae) (i)
Japanese knotweed	<i>Reynoutria japonica</i> (Polygonaceae) (i)
Japanese larch	<i>Larix kaempferi</i> (Pinaceae) (i)
Japanese pearlwort	<i>Sagina japonica</i> (Caryophyllaceae) (i)
jewelweed, pale	<i>Impatiens pallida</i> (Balsaminaceae)
jewelweed, purple	<i>Impatiens glandulifera</i> (Balsaminaceae) (i)
jewelweed, spotted	<i>Impatiens capensis</i> (Balsaminaceae)
Joe-Pye-weed, leafy spotted	<i>Eutrochium maculatum</i> var. <i>foliosum</i> (Asteraceae)
Joe-Pye-weed, spotted	<i>Eutrochium maculatum</i> (Asteraceae)
Johnny-jump-up	<i>Viola tricolor</i> (Violaceae) (i)
jointed charlock	<i>Raphanus raphanistrum</i> (Brassicaceae) (i)
jointed rush	<i>Juncus articulatus</i> (Juncaceae)
"juniper" (local, NL)	<i>Larix laricina</i> (Pinaceae)
juniper	<i>Juniperus</i> spp. (Cupressaceae)
juniper, common	<i>Juniperus communis</i> var. <i>depressa</i> (Cupressaceae)
juniper, creeping	<i>Juniperus horizontalis</i> (Cupressaceae)
juniper, depressed	<i>Juniperus communis</i> var. <i>depressa</i> (Cupressaceae)
juniper, ground	<i>Juniperus communis</i> var. <i>depressa</i> (Cupressaceae)

-K-

Kalm's lobelia	<i>Lobelia kalmii</i> (Campanulaceae)
Kamchatka spikerush	<i>Eleocharis kamtschatica</i> (Cyperaceae)
Kamtchatka fleabane	<i>Erigeron acris</i> var. <i>kamtschaticus</i> (Asteraceae)
Kenilworth ivy	<i>Cymbalaria muralis</i> (Plantaginaceae) (i)
Kentucky bluegrass	<i>Poa pratensis</i> (Poaceae) (i)
kidney vetch	<i>Anthyllis vulneraria</i> (Fabaceae) (i)
kidneyleaf buttercup	<i>Ranunculus abortivus</i> (Ranunculaceae)
kidneyleaf crowfoot	<i>Ranunculus abortivus</i> (Ranunculaceae)
kidneyleaf violet	<i>Viola renifolia</i> (Violaceae)
king devil hawkweed	<i>Pilosella piloselloides</i> subsp. <i>praealta</i> (Asteraceae) (i)
king devil, glaucous	<i>Pilosella piloselloides</i> (Asteraceae) (i)
kinnikinnick	<i>Arctostaphylos uva-ursi</i> (Ericaceae)
knapweed, black	<i>Centaurea nigra</i> (Asteraceae) (i)
knapweed, spotted	<i>Centaurea stoebe</i> subsp. <i>australis</i> (Asteraceae) (i)
knawel, annual	<i>Scleranthus annuus</i> (Caryophyllaceae) (i)
knotgrass, German	<i>Scleranthus annuus</i> (Caryophyllaceae) (i)

knotted pearlwort	<i>Sagina nodosa</i> (Caryophyllaceae)
knotted pearlwort, northern	<i>Sagina nodosa</i> subsp. <i>borealis</i> (Caryophyllaceae)
knotted rush	<i>Juncus nodosus</i> (Juncaceae)
knotty figwort	<i>Scrophularia nodosa</i> (Scrophulariaceae) (i)
knotweed, American	<i>Polygonum aviculare</i> subsp. <i>buxiforme</i> (Polygonaceae)
knotweed, Bohemian	<i>Reynoutria ×bohemica</i> (Polygonaceae) (i)
knotweed, boreal	<i>Polygonum aviculare</i> subsp. <i>boreale</i> (Polygonaceae)
knotweed, box	<i>Polygonum aviculare</i> subsp. <i>buxiforme</i> (Polygonaceae)
knotweed, common	<i>Polygonum aviculare</i> (Polygonaceae) (i)
knotweed, cornfield	<i>Polygonum aviculare</i> subsp. <i>rurivagum</i> (Polygonaceae) (i)
knotweed, dooryard	<i>Polygonum aviculare</i> (Polygonaceae) (i)
knotweed, Fowler's	<i>Polygonum fowleri</i> (Polygonaceae)
knotweed, giant	<i>Reynoutria sachalinensis</i> (Polygonaceae) (i)
knotweed, Hudson Bay	<i>Polygonum fowleri</i> subsp. <i>hudsonianum</i> (Polygonaceae)
knotweed, Japanese	<i>Reynoutria japonica</i> (Polygonaceae) (i)
knotweed, narrowleaf	<i>Polygonum aviculare</i> subsp. <i>neglectum</i> (Polygonaceae) (i)
knotweed, northern	<i>Polygonum aviculare</i> subsp. <i>boreale</i> (Polygonaceae)
knotweed, ovalleaf	<i>Polygonum aviculare</i> subsp. <i>depressum</i> (Polygonaceae) (i)
knotweed, pink	<i>Persicaria pensylvanica</i> (Polygonaceae) (i)
knotweed, prostrate	<i>Polygonum aviculare</i> (Polygonaceae) (i)
knotweed, Ray's	<i>Polygonum oxyspermum</i> subsp. <i>raii</i> (Polygonaceae)
knotweed, viviparous	<i>Bistorta vivipara</i> (Polygonaceae)
kobresia, mousetail	<i>Carex myosuroides</i> (Cyperaceae)
kobresia, simple	<i>Carex simpliciuscula</i> (Cyperaceae)
koenigia, Iceland	<i>Koenigia islandica</i> (Polygonaceae)
Kotzebue's grass-of-Parnassus	<i>Parnassia kotzebuei</i> (Celastraceae)

-L-

Labrador bedstraw	<i>Galium labradoricum</i> (Rubiaceae)
Labrador bluegrass	× <i>Duarctopoa labradorica</i> (Poaceae)
Labrador grass (Labrador)	<i>Calamagrostis canadensis</i> (Poaceae)
Labrador lousewort	<i>Pedicularis labradorica</i> (Orobanchaceae)
Labrador paintbrush	<i>Castilleja septentrionalis</i> (Orobanchaceae)

Labrador pine	<i>Pinus banksiana</i> (Pinaceae)
Labrador poppy	<i>Papaver labradoricum</i> (Papaveraceae)
Labrador rose (Labrador)	<i>Comarum palustre</i> (Rosaceae)
Labrador sea pink	<i>Armeria maritima</i> subsp. <i>sibirica</i> (Plumbaginaceae)
Labrador sea thrift	<i>Armeria maritima</i> subsp. <i>sibirica</i> (Plumbaginaceae)
Labrador sunflower (local, Lab.)	<i>Senecio pseudoarnica</i> (Asteraceae)
Labrador tea	<i>Rhododendron groenlandicum</i> (Ericaceae)
Labrador tea, northern	<i>Rhododendron tomentosum</i> (Ericaceae)
Labrador violet	<i>Viola labradorica</i> (Violaceae)
Labrador willow	<i>Salix argyrocarpa</i> (Salicaceae)
laburnum, Voss's	<i>Laburnum ×watereri</i> (Fabaceae) (i)
lace, Queen Anne's	<i>Daucus carota</i> (Apiaceae) (i)
Lachenal's hawkweed	<i>Hieracium lachenalii</i> subsp. <i>cruentifolium</i> (Asteraceae) (i)
Lachenal's sedge	<i>Carex lachenalii</i> (Cyperaceae)
ladies-tresses, hooded	<i>Spiranthes romanzoffiana</i> (Orchidaceae)
lady fern, American alpine	<i>Athyrium distentifolium</i> var. <i>americanum</i> (Athyriaceae)
lady fern, northeastern	<i>Athyrium filix-femina</i> var. <i>angustum</i> (Athyriaceae)
lady fern, northern	<i>Athyrium filix-femina</i> var. <i>angustum</i> (Athyriaceae)
lady's mantle, alpine	<i>Alchemilla alpina</i> (Rosaceae)
lady's mantle, clustered	<i>Alchemilla glomerulans</i> (Rosaceae)
lady's mantle, garden	<i>Alchemilla mollis</i> (Rosaceae) (i)
lady's mantle, hairy	<i>Alchemilla filicaulis</i> subsp. <i>vestita</i> (Rosaceae)
lady's mantle, mountain	<i>Alchemilla monticola</i> (Rosaceae) (i)
lady's mantle, smooth	<i>Alchemilla glabra</i> (Rosaceae) (i)
lady's mantle, soft	<i>Alchemilla mollis</i> (Rosaceae) (i)
lady's mantle, starry	<i>Alchemilla acutiloba</i> (Rosaceae) (i)
lady's mantle, thinstem	<i>Alchemilla filicaulis</i> (Rosaceae)
lady's mantle, veined	<i>Alchemilla venosa</i> (Rosaceae) (i)
ladyslipper, flatpetalled yellow	<i>Cypripedium parviflorum</i> var. <i>pubescens</i> (Orchidaceae)
ladyslipper, large yellow	<i>Cypripedium parviflorum</i> var. <i>pubescens</i> (Orchidaceae)
ladyslipper, northern yellow	<i>Cypripedium parviflorum</i> var. <i>makasin</i> (Orchidaceae)
ladyslipper, pink	<i>Cypripedium acaule</i> (Orchidaceae)
ladyslipper, showy	<i>Cypripedium reginae</i> (Orchidaceae)
ladyslipper, small yellow	<i>Cypripedium parviflorum</i> var. <i>makasin</i> (Orchidaceae)
lady's-thumb, spotted	<i>Persicaria maculosa</i> (Polygonaceae) (i)

Lake Huron green orchid	<i>Platanthera huronensis</i> (Orchidaceae)
Lake Huron tansy	<i>Tanacetum bipinnatum</i> subsp. <i>huronense</i> (Asteraceae)
lake quillwort	<i>Isoetes lacustris</i> (Isoetaceae)
lake sedge	<i>Carex lacustris</i> (Cyperaceae)
lambkill	<i>Kalmia angustifolia</i> (Ericaceae)
lamb's-quarters	<i>Chenopodium album</i> (Amaranthaceae) (i)
lanceleaf mare's-tail	<i>Hippuris lanceolata</i> (Plantaginaceae)
lanceleaf moonwort	<i>Botrychium lanceolatum</i> (Ophioglossaceae)
lanceleaf selfheal	<i>Prunella vulgaris</i> subsp. <i>lanceolata</i> (Lamiaceae)
lanceleaf violet	<i>Viola lanceolata</i> (Violaceae)
Lange's alkaligrass	<i>Puccinellia tenella</i> subsp. <i>langeana</i> (Poaceae)
Langsdorff's bluejoint	<i>Calamagrostis canadensis</i> var. <i>langsdorffii</i> (Poaceae)
Langsdorff's reedgrass	<i>Calamagrostis canadensis</i> var. <i>langsdorffii</i> (Poaceae)
Lapland buttercup	<i>Coptidium lapponicum</i> (Ranunculaceae)
Lapland dandelion	<i>Taraxacum lapponicum</i> (Asteraceae)
Lapland diapensia	<i>Diapensia lapponica</i> (Diapensiaceae)
Lapland lousewort	<i>Pedicularis lapponica</i> (Orobanchaceae)
Lapland reedgrass	<i>Calamagrostis lapponica</i> (Poaceae)
Lapland rosebay	<i>Rhododendron lapponicum</i> (Ericaceae)
larch	<i>Larix</i> spp. (Pinaceae)
larch, eastern	<i>Larix laricina</i> (Pinaceae)
larch, European	<i>Larix decidua</i> (Pinaceae) (i)
larch, Japanese	<i>Larix kaempferi</i> (Pinaceae) (i)
large cranberry	<i>Vaccinium macrocarpon</i> (Ericaceae)
large hop clover	<i>Trifolium aureum</i> (Fabaceae) (i)
large purple fringed orchid	<i>Platanthera grandiflora</i> (Orchidaceae)
large pussy willow	<i>Salix discolor</i> (Salicaceae)
large water-starwort	<i>Callitricha heterophylla</i> (Plantaginaceae)
large yellow ladyslipper	<i>Cypripedium parviflorum</i> var. <i>pubescens</i> (Orchidaceae)
largeflower bluegrass	<i>Arctopoa eminens</i> (Poaceae)
largeflower wintergreen	<i>Pyrola grandiflora</i> (Ericaceae)
largeleaf avens	<i>Geum macrophyllum</i> (Rosaceae)
largeleaf goldenrod	<i>Solidago macrophylla</i> (Asteraceae)
largeleaf lupine	<i>Lupinus polyphyllus</i> (Fabaceae) (i)
largeleaf pondweed	<i>Potamogeton amplifolius</i> (Potamogetonaceae)
largeleaf sandwort	<i>Moehringia macrophylla</i> (Caryophyllaceae)
largelobe dandelion	<i>Taraxacum latilobum</i> (Asteraceae)

largepod pinweed	<i>Lechea intermedia</i> (Cistaceae)
larkspur, candle	<i>Delphinium elatum</i> (Ranunculaceae) (i)
lateflowering muhly	<i>Muhlenbergia uniflora</i> (Poaceae)
laurel willow	<i>Salix pentandra</i> (Salicaceae) (i)
laurel, bog	<i>Kalmia polifolia</i> (Ericaceae)
laurel, pale	<i>Kalmia polifolia</i> (Ericaceae)
laurel, sheep	<i>Kalmia angustifolia</i> (Ericaceae)
Laurentian bladder fern	<i>Cystopteris laurentiana</i> (Cystopteridaceae)
Laurentian fragile fern	<i>Cystopteris laurentiana</i> (Cystopteridaceae)
Laurentian primrose	<i>Primula laurentiana</i> (Primulaceae)
leafy northern green orchid	<i>Platanthera hyperborea</i> (Orchidaceae)
leafy pondweed	<i>Potamogeton foliosus</i> (Potamogetonaceae)
leafy spotted Joe-Pye-weed	<i>Eutrochium maculatum</i> var. <i>foliosum</i> (Asteraceae)
leafstem saxifrage	<i>Micranthes foliolosa</i> (Saxifragaceae)
least hop clover	<i>Trifolium dubium</i> (Fabaceae) (i)
least moonwort	<i>Botrychium simplex</i> (Ophioglossaceae)
leatherleaf	<i>Chamaedaphne calyculata</i> (Ericaceae)
leathery grapefern	<i>Sceptridium multifidum</i> (Ophioglossaceae)
lenticular sedge	<i>Carex lenticularis</i> (Cyperaceae)
leopard marsh orchid	<i>Dactylorhiza praetermissa</i> var. <i>junialis</i> (Orchidaceae) (i)
Lepage's bunchberry	<i>Cornus ×lepagei</i> (Cornaceae)
lesser bladderwort	<i>Utricularia minor</i> (Lentibulariaceae)
lesser brown sedge	<i>Carex adusta</i> (Cyperaceae)
lesser celandine	<i>Ficaria verna</i> (Ranunculaceae) (i)
lesser panicled sedge	<i>Carex diandra</i> (Cyperaceae)
lesser pyrola	<i>Pyrola minor</i> (Ericaceae)
lesser roundleaf orchid	<i>Platanthera orbiculata</i> (Orchidaceae)
lesser spearwort	<i>Ranunculus flammula</i> (Ranunculaceae) (i)
lesser swinecress	<i>Lepidium didymum</i> (Brassicaceae) (i)
lesser toadflax	<i>Chaenorhinum minus</i> (Plantaginaceae) (i)
lesser wintergreen	<i>Pyrola minor</i> (Ericaceae)
lettuce, tall blue	<i>Lactuca biennis</i> (Asteraceae)
lily, bluebead	<i>Clintonia borealis</i> (Liliaceae)
lily, pond (Labrador)	<i>Menyanthaceae trifoliata</i> (Menyanthaceae)
lily-of-the-valley, wild	<i>Maianthemum canadense</i> (Asparagaceae)
limestone oak fern	<i>Gymnocarpium robertianum</i> (Cystopteridaceae)
limestone scurvygrass	<i>Cochlearia tridactylites</i> (Brassicaceae)
limestone willow	<i>Salix calcicola</i> (Salicaceae)
Lindley's aster	<i>Symphyotrichum ciliolatum</i> (Asteraceae)
lingonberry (Scandinavia)	<i>Vaccinium vitis-idaea</i> (Ericaceae)

little floatingheart	<i>Nymphoides cordata</i> (Menyanthaceae)
little grapefern	<i>Botrychium simplex</i> (Ophioglossaceae)
little green sedge	<i>Carex viridula</i> (Cyperaceae)
little meadow foxtail	<i>Alopecurus aequalis</i> (Poaceae)
little prickly sedge	<i>Carex echinata</i> (Cyperaceae)
little yellow rattle	<i>Rhinanthus minor</i> (Orobanchaceae) (i)
littoral horsetail	<i>Equisetum ×litorale</i> (Equisetaceae)
live-forever	<i>Hylotelephium telephium</i> (Crassulaceae) (i)
livid sedge	<i>Carex livida</i> (Cyperaceae)
lobelia, brook	<i>Lobelia kalmii</i> (Campanulaceae)
lobelia, Dortmann's	<i>Lobelia dortmanna</i> (Campanulaceae)
lobelia, Kalm's	<i>Lobelia kalmii</i> (Campanulaceae)
lobelia, water	<i>Lobelia dortmanna</i> (Campanulaceae)
locoweed, inflated	<i>Oxytropis podocarpa</i> (Fabaceae)
locoweed, Saint John River	<i>Oxytropis campestris</i> var. <i>johannensis</i> (Fabaceae)
locoweed, small purple	<i>Oxytropis campestris</i> var. <i>minor</i> (Fabaceae)
Loesel's twayblade	<i>Liparis loeselii</i> (Orchidaceae)
long beech fern	<i>Phegopteris connectilis</i> (Thelypteridaceae)
longbeak willow	<i>Salix bebbiana</i> (Salicaceae)
longleaf arnica	<i>Arnica lonchophylla</i> (Asteraceae)
longleaf dock	<i>Rumex longifolius</i> (Polygonaceae) (i)
longleaf speedwell	<i>Veronica longifolia</i> (Plantaginaceae) (i)
longleaf stitchwort	<i>Stellaria longifolia</i> (Caryophyllaceae)
Long's braya	<i>Braya longii</i> (Brassicaceae)
Long's northern rockcress	<i>Braya longii</i> (Brassicaceae)
longstalk sedge	<i>Carex pedunculata</i> (Cyperaceae)
longstalk starwort	<i>Stellaria longipes</i> (Caryophyllaceae)
longstalk stitchwort	<i>Stellaria longipes</i> (Caryophyllaceae)
long-stalked yellow sedge	<i>Carex viridula</i> var. <i>elatior</i> (Cyperaceae)
longstyle rush	<i>Juncus longistylis</i> (Juncaceae)
longstyle sedge	<i>Carex stylosa</i> (Cyperaceae)
longtube twinflower	<i>Linnaea borealis</i> subsp. <i>longiflora</i> (Caprifoliaceae)
looseflower alpine sedge	<i>Carex rariflora</i> (Cyperaceae)
loosestrife, bulblet	<i>Lysimachia terrestris</i> (Primulaceae)
loosestrife, purple	<i>Lythrum salicaria</i> (Lythraceae) (i)
lousewort, elephant's-head	<i>Pedicularis groenlandica</i> (Orobanchaceae)
lousewort, Greenland	<i>Pedicularis groenlandica</i> (Orobanchaceae)
lousewort, hairy	<i>Pedicularis hirsuta</i> (Orobanchaceae)
lousewort, Labrador	<i>Pedicularis labradorica</i> (Orobanchaceae)
lousewort, Lapland	<i>Pedicularis lapponica</i> (Orobanchaceae)
lousewort, marsh	<i>Pedicularis palustris</i> (Orobanchaceae)

lousewort, redtip	<i>Pedicularis flammea</i> (Orobanchaceae)
lousewort, redtipped	<i>Pedicularis flammea</i> (Orobanchaceae)
lousewort, small	<i>Pedicularis sylvatica</i> (Orobanchaceae) (i)
lovage, beach	<i>Ligusticum scoticum</i> (Apiaceae)
lovage, Scots	<i>Ligusticum scoticum</i> (Apiaceae)
low braya	<i>Braya humilis</i> (Brassicaceae)
low chickweed	<i>Stellaria humifusa</i> (Caryophyllaceae)
low cudweed	<i>Gnaphalium uliginosum</i> (Asteraceae) (i)
low fleabane	<i>Erigeron humilis</i> (Asteraceae)
low hop clover	<i>Trifolium campestre</i> (Fabaceae) (i)
low northern rockcress	<i>Braya humilis</i> (Brassicaceae)
low rough aster	<i>Eurybia radula</i> (Asteraceae)
low sandwort	<i>Arenaria humifusa</i> (Caryophyllaceae)
low seablite	<i>Suaeda calceoliformis</i> (Amaranthaceae)
low spikemoss	<i>Selaginella selaginoides</i> (Selaginellaceae)
low stitchwort	<i>Stellaria crassifolia</i> (Caryophyllaceae)
lowbush blueberry	<i>Vaccinium angustifolium</i> (Ericaceae)
lowbush cranberry	<i>Viburnum edule</i> (Adoxaceae)
lowbush hurts	<i>Vaccinium angustifolium</i> (Ericaceae)
lucerne	<i>Medicago sativa</i> (Fabaceae) (i)
lungwort, sea	<i>Mertensia maritima</i> (Boraginaceae)
lupine, garden	<i>Lupinus polyphyllus</i> (Fabaceae) (i)
lupine, largeleaf	<i>Lupinus polyphyllus</i> (Fabaceae) (i)
lupine, Nootka	<i>Lupinus nootkatensis</i> (Fabaceae) (i)
lymegrass, sea	<i>Leymus mollis</i> (Poaceae)

-M-

Mackenzie's hedysarum	<i>Hedysarum boreale</i> subsp. <i>mackenziei</i> (Fabaceae)
Mackenzie's sedge	<i>Carex mackenziei</i> (Cyperaceae)
Mackenzie's sweetvetch	<i>Hedysarum boreale</i> subsp. <i>mackenziei</i> (Fabaceae)
Macloskey's violet	<i>Viola macloskeyi</i> (Violaceae)
Macoun's bluejoint	<i>Calamagrostis canadensis</i> var. <i>macouniana</i> (Poaceae)
Macoun's buttercup	<i>Ranunculus macounii</i> (Ranunculaceae)
Macoun's reedgrass	<i>Calamagrostis canadensis</i> var. <i>macouniana</i> (Poaceae)
mad-dog skullcap	<i>Scutellaria lateriflora</i> (Lamiaceae)
magna berry (local, NL)	<i>Gaultheria hispidula</i> (Ericaceae)
magna-tea berry	<i>Gaultheria hispidula</i> (Ericaceae)

maiden fern, queen's-veil	<i>Oreopteris quelpaertensis</i> (Thelypteridaceae)
maiden pink	<i>Dianthus deltoides</i> (Caryophyllaceae) (i)
maidenhair fern	<i>Adiantum</i> spp. (Pteridaceae)
maidenhair fern, Aleutian	<i>Adiantum aleuticum</i> (Pteridaceae)
maidenhair fern, Green Mountain	<i>Adiantum viridimontanum</i> (Pteridaceae)
maidenhair fern, serpentine	<i>Adiantum aleuticum</i> (Pteridaceae)
maidenhair spleenwort	<i>Asplenium trichomanes</i> (Aspleniaceae)
maiden's tears	<i>Silene vulgaris</i> (Caryophyllaceae) (i)
male fern, Britton's	<i>Dryopteris filix-mas</i> subsp. <i>brittonii</i> (Dryopteridaceae)
mallow, common	<i>Malva neglecta</i> (Malvaceae) (i)
mallow, musk	<i>Malva moschata</i> (Malvaceae) (i)
mandarin, rose	<i>Streptopus lanceolatus</i> (Liliaceae)
mandarin, white	<i>Streptopus amplexifolius</i> (Liliaceae)
mannagrass, boreal	<i>Glyceria borealis</i> (Poaceae)
mannagrass, Canada	<i>Glyceria canadensis</i> (Poaceae)
mannagrass, Fernald's false	<i>Torreyochloa pallida</i> var. <i>fernaldii</i> (Poaceae)
mannagrass, floating	<i>Glyceria fluitans</i> (Poaceae) (i)
mannagrass, fowl	<i>Glyceria striata</i> (Poaceae)
mannagrass, giant	<i>Glyceria grandis</i> (Poaceae)
mannagrass, rattlesnake	<i>Glyceria canadensis</i> (Poaceae)
mannagrass, ridged	<i>Glyceria striata</i> (Poaceae)
mannagrass, rough	<i>Glyceria maxima</i> (Poaceae) (i)
mannagrass, tall	<i>Glyceria grandis</i> (Poaceae)
mannagrass, water	<i>Glyceria fluitans</i> (Poaceae) (i)
many-flowered woodrush	<i>Luzula multiflora</i> (Juncaceae)
maple, mountain	<i>Acer spicatum</i> (Sapindaceae)
maple, Norway	<i>Acer platanoides</i> (Sapindaceae) (c)
maple, red	<i>Acer rubrum</i> (Sapindaceae)
maple, soft	<i>Acer rubrum</i> (Sapindaceae)
maple, sycamore	<i>Acer pseudoplatanus</i> (Sapindaceae) (i)
mare's-tail, common	<i>Hippuris vulgaris</i> (Plantaginaceae)
mare's-tail, fourleaf	<i>Hippuris tetraphylla</i> (Plantaginaceae)
mare's-tail, lanceleaf	<i>Hippuris lanceolata</i> (Plantaginaceae)
marginal shieldfern	<i>Dryopteris marginalis</i> (Dryopteridaceae)
marginal woodfern	<i>Dryopteris marginalis</i> (Dryopteridaceae)
marigold, marsh	<i>Caltha palustris</i> (Ranunculaceae)
maritime glasswort	<i>Salicornia maritima</i> (Amaranthaceae)
marramgrass	<i>Calamagrostis breviligulata</i> (Poaceae)
marsh arrowgrass	<i>Triglochin palustris</i> (Juncaginaceae)
marsh bedstraw	<i>Galium palustre</i> (Rubiaceae)

marsh blue violet	<i>Viola cucullata</i> (Violaceae)
marsh cinquefoil	<i>Comarum palustre</i> (Rosaceae)
marsh cudweed	<i>Gnaphalium uliginosum</i> (Asteraceae) (i)
marsh felwort	<i>Lomatogonium rotatum</i> (Gentianaceae)
marsh fern, eastern	<i>Thelypteris palustris</i> var. <i>pubescens</i> (Thelypteridaceae)
marsh fern, northern	<i>Thelypteris palustris</i> var. <i>pubescens</i> (Thelypteridaceae)
marsh five-fingers	<i>Comarum palustre</i> (Rosaceae)
marsh grass-of-Parnassus	<i>Parnassia palustris</i> (Celastraceae)
marsh groundsel	<i>Tephroseris palustris</i> (Asteraceae)
marsh hedgenettle	<i>Stachys palustris</i> (Lamiaceae) (i)
marsh horsetail	<i>Equisetum palustre</i> (Equisetaceae)
marsh lousewort	<i>Pedicularis palustris</i> (Orobanchaceae)
marsh marigold	<i>Caltha palustris</i> (Ranunculaceae)
marsh pea	<i>Lathyrus palustris</i> (Fabaceae)
marsh ragwort	<i>Tephroseris palustris</i> (Asteraceae)
marsh rosemary	<i>Limonium carolinianum</i> (Plumbaginaceae)
marsh scheuchzeria	<i>Scheuchzeria palustris</i> (Scheuchzeriaceae)
marsh seedbox	<i>Ludwigia palustris</i> (Onagraceae)
marsh skullcap	<i>Scutellaria galericulata</i> var. <i>pubescens</i> (Lamiaceae)
marsh speedwell	<i>Veronica scutellata</i> (Plantaginaceae)
marsh spikerush	<i>Eleocharis palustris</i> (Cyperaceae)
marsh St. Johnswort, Fraser's	<i>Triadenum fraseri</i> (Hypericaceae)
marsh straw sedge	<i>Carex hormathodes</i> (Cyperaceae)
marsh thistle	<i>Cirsium palustre</i> (Asteraceae) (i)
marsh valerian	<i>Valeriana dioica</i> subsp. <i>sylvatica</i> (Caprifoliaceae)
marsh vetchling	<i>Lathyrus palustris</i> (Fabaceae)
marsh waterpepper	<i>Persicaria hydropiper</i> (Polygonaceae) (i)
marsh water-starwort	<i>Callitriches palustris</i> (Plantaginaceae)
marsh willowherb	<i>Epilobium palustre</i> (Onagraceae)
marsh yellowcress	<i>Rorippa palustris</i> (Brassicaceae)
marshberry	<i>Vaccinium oxycoccus</i> (Ericaceae)
marshberry (Labrador)	<i>Vaccinium microcarpum</i> (Ericaceae)
marshpepper smartweed	<i>Persicaria hydropiper</i> (Polygonaceae) (i)
Maryland sanicle	<i>Sanicula marilandica</i> (Apiaceae)
mashberry (or meshberry) (local, NL)	<i>Vaccinium oxycoccus</i> (Ericaceae)
matgrass, moor	<i>Nardus stricta</i> (Poaceae) (i)
matricary moonwort	<i>Botrychium matricariifolium</i> (Ophioglossaceae)
matted field chickweed	<i>Cerastium arvense</i> subsp. <i>strictum</i> (Caryophyllaceae)

Mayflower	<i>Epigaea repens</i> (Ericaceae)
mayflower, Canada	<i>Maianthemum canadense</i> (Asparagaceae)
mayweed, scentless false	<i>Tripleurospermum inodorum</i> (Asteraceae) (i)
mayweed, sea	<i>Tripleurospermum maritimum</i> (Asteraceae) (i)
meadow barley	<i>Hordeum brachyantherum</i> (Poaceae)
meadow bittercress	<i>Cardamine pratensis</i> (Brassicaceae) (i)
meadow foxtail	<i>Alopecurus pratensis</i> (Poaceae) (i)
meadow geranium	<i>Geranium pratense</i> (Geraniaceae) (i)
meadow goatsbeard	<i>Tragopogon pratensis</i> (Asteraceae) (i)
meadow hawkweed	<i>Pilosella caespitosa</i> (Asteraceae) (i)
meadow horsetail	<i>Equisetum pratense</i> (Equisetaceae)
meadow pea-vine	<i>Lathyrus pratensis</i> (Fabaceae) (i)
meadow ryegrass	<i>Lolium pratense</i> (Poaceae) (i)
meadow vetchling	<i>Lathyrus pratensis</i> (Fabaceae) (i)
meadowgrass, annual	<i>Poa annua</i> (Poaceae) (i)
meadowgrass, fowl	<i>Poa palustris</i> (Poaceae)
meadowgrass, smooth	<i>Poa pratensis</i> (Poaceae) (i)
meadowrue, alpine	<i>Thalictrum alpinum</i> (Ranunculaceae)
meadowrue, tall	<i>Thalictrum pubescens</i> (Ranunculaceae)
meadowsweet, broadleaf	<i>Spiraea alba</i> var. <i>latifolia</i> (Rosaceae)
meagre sedge	<i>Carex exilis</i> (Cyperaceae)
medick, black	<i>Medicago lupulina</i> (Fabaceae) (i)
melilot, white	<i>Melilotus albus</i> (Fabaceae) (i)
melilot, yellow	<i>Melilotus officinalis</i> (Fabaceae) (i)
menya berry (Labrador)	<i>Gaultheria hispida</i> (Ericaceae)
menya tea (Labrador)	<i>Gaultheria hispida</i> (Ericaceae)
Menzies' rattlesnake plantain	<i>Goodyera oblongifolia</i> (Orchidaceae)
mermaidweed, combleaf	<i>Proserpinaca pectinata</i> (Haloragaceae)
Mexican bamboo	<i>Reynoutria japonica</i> (Polygonaceae) (i)
Michaux's birch	<i>Betula michauxii</i> (Betulaceae)
Michaux's sedge	<i>Carex michauxiana</i> (Cyperaceae)
mile-a-minute	<i>Reynoutria japonica</i> (Polygonaceae) (i)
milkvetch, alpine	<i>Astragalus alpinus</i> (Fabaceae)
milkvetch, Blake's	<i>Astragalus Robbinsii</i> var. <i>minor</i> (Fabaceae)
milkvetch, Bodin's	<i>Astragalus bodinii</i> (Fabaceae)
milkvetch, Brunet's	<i>Astragalus alpinus</i> var. <i>brunetianus</i> (Fabaceae)
milkvetch, elegant	<i>Astragalus eucosmus</i> (Fabaceae)
milkweed, common	<i>Asclepias syriaca</i> (Apocynaceae) (i)
milkwort, fringed	<i>Polygaloides paucifolia</i> (Polygalaceae) (X)
milkwort, sea	<i>Glaux maritima</i> (Primulaceae)
milky draba	<i>Draba lactea</i> (Brassicaceae)

milky whitlowgrass	<i>Draba lactea</i> (Brassicaceae)
milky willowherb	<i>Epilobium lactiflorum</i> (Onagraceae)
millet, wood	<i>Milium effusum</i> var. <i>cisatlanticum</i> (Poaceae)
Mingan moonwort	<i>Botrychium minganense</i> (Ophioglossaceae)
mint, Canada	<i>Mentha canadensis</i> (Lamiaceae)
mint, red	<i>Mentha ×gentilis</i> (Lamiaceae) (i)
mint, wild	<i>Mentha canadensis</i> (Lamiaceae)
Mistassini primrose	<i>Primula mistassinica</i> (Primulaceae)
miterwort, naked	<i>Mitella nuda</i> (Saxifragaceae)
moccasin flower, pink	<i>Cypripedium acaule</i> (Orchidaceae)
monkeyflower, musk	<i>Erythranthe moschata</i> (Phrymaceae) (i)
monkshood, bicolor	<i>Aconitum ×bicolor'</i> (Ranunculaceae) (i)
monkshood, garden	<i>Aconitum napellus</i> (Ranunculaceae) (i)
moneywort	<i>Lysimachia nummularia</i> (Primulaceae) (i)
moonwort	<i>Botrychium</i> spp. (Ophioglossaceae)
moonwort, common	<i>Botrychium lunaria</i> var. <i>lunaria</i> (Ophioglossaceae)
moonwort, crenulate	<i>Botrychium crenulatum</i> (Ophioglossaceae)
moonwort, dainty	<i>Botrychium crenulatum</i> (Ophioglossaceae)
moonwort, daisyleaf	<i>Botrychium matricariifolium</i> (Ophioglossaceae)
moonwort, lanceleaf	<i>Botrychium lanceolatum</i> (Ophioglossaceae)
moonwort, least	<i>Botrychium simplex</i> (Ophioglossaceae)
moonwort, matricary	<i>Botrychium matricariifolium</i> (Ophioglossaceae)
moonwort, Mingan	<i>Botrychium minganense</i> (Ophioglossaceae)
moonwort, narrow triangle	<i>Botrychium lanceolatum</i> subsp. <i>angustisegmentum</i> (Ophioglossaceae)
moonwort, New World	<i>Botrychium neolunaria</i> (Ophioglossaceae)
moonwort, triangle	<i>Botrychium lanceolatum</i> (Ophioglossaceae)
moonwort, upswept	<i>Botrychium ascendens</i> (Ophioglossaceae)
moor matgrass	<i>Nardus stricta</i> (Poaceae) (i)
mosquito bulrush	<i>Scirpus hattorianus</i> (Cyperaceae)
moss campion	<i>Silene acaulis</i> (Caryophyllaceae)
moss heather	<i>Harrimanella hypnoides</i> (Ericaceae)
mossplant	<i>Harrimanella hypnoides</i> (Ericaceae)
mossy stonecrop	<i>Sedum acre</i> (Crassulaceae) (i)
mountain alder	<i>Alnus alnobetula</i> subsp. <i>crispa</i> (Betulaceae)
mountain ash, American	<i>Sorbus americana</i> (Rosaceae)
mountain ash, European	<i>Sorbus aucuparia</i> (Rosaceae) (i)
mountain ash, Jack's	<i>×Sorbaronia jackii</i> (Rosaceae)
mountain ash, showy	<i>Sorbus decora</i> (Rosaceae)
mountain avens	<i>Dryas</i> spp. (Rosaceae)
mountain avens, Drummond's	<i>Dryas drummondii</i> (Rosaceae)

mountain avens, entireleaf	<i>Dryas integrifolia</i> (Rosaceae)
mountain avens, white	<i>Dryas integrifolia</i> (Rosaceae)
mountain avens, yellow	<i>Dryas drummondii</i> (Rosaceae)
mountain bladder fern	<i>Cystopteris montana</i> (Cystopteridaceae)
mountain blue-eyed grass	<i>Sisyrinchium montanum</i> (Iridaceae)
mountain bluet	<i>Cyanus montanus</i> (Asteraceae) (i)
mountain chickweed	<i>Cerastium cerastoides</i> (Caryophyllaceae)
mountain chucklepear	<i>Amelanchier bartramiana</i> (Rosaceae)
mountain cornflower	<i>Cyanus montanus</i> (Asteraceae) (i)
mountain cranberry (mainland Canada)	<i>Vaccinium vitis-idaea</i> (Ericaceae)
mountain fern	<i>Oreopteris quelpaertensis</i> (Thelypteridaceae)
mountain firmoss	<i>Huperzia appressa</i> (Lycopodiaceae)
mountain fly-honeysuckle	<i>Lonicera villosa</i> (Caprifoliaceae)
mountain hairgrass	<i>Vahlodea atropurpurea</i> (Poaceae)
mountainheath, blue	<i>Phyllodoce caerulea</i> (Ericaceae)
mountain heather, four-angled	<i>Cassiope tetragona</i> (Ericaceae)
mountain heather, purple	<i>Phyllodoce caerulea</i> (Ericaceae)
mountain heather, white	<i>Cassiope tetragona</i> (Ericaceae)
mountain heather, white arctic	<i>Cassiope tetragona</i> (Ericaceae)
mountain heathgrass	<i>Danthonia decumbens</i> (Poaceae)
mountain holly	<i>Ilex mucronata</i> (Aquifoliaceae)
mountain hollyfern	<i>Polystichum scopolinum</i> (Dryopteridaceae) (X)
mountain lady's mantle	<i>Alchemilla monticola</i> (Rosaceae) (i)
mountain maple	<i>Acer spicatum</i> (Sapindaceae)
mountain rice, Canada	<i>Piptatheropsis canadensis</i> (Poaceae)
mountain rice, roughleaf	<i>Oryzopsis asperifolia</i> (Poaceae)
mountain rice, whitegrain	<i>Oryzopsis asperifolia</i> (Poaceae)
mountain sandwort	<i>Cherleria biflora</i> (Caryophyllaceae)
mountain sorrel	<i>Oxyria digyna</i> (Polygonaceae)
mountain sweet cicely	<i>Osmorhiza berteroii</i> (Apiaceae)
mountain timothy	<i>Phleum alpinum</i> (Poaceae)
mountain white birch	<i>Betula cordifolia</i> (Betulaceae)
mountain woodfern	<i>Dryopteris campyloptera</i> (Dryopteridaceae)
mountain woodsorrel	<i>Oxalis montana</i> (Oxalidaceae)
mountain-saxifrage, purple	<i>Saxifraga oppositifolia</i> (Saxifragaceae)
mountain-saxifrage, white	<i>Saxifraga paniculata</i> subsp. <i>laestadii</i> (Saxifragaceae)
mountain-saxifrage, yellow	<i>Saxifraga aizoides</i> (Saxifragaceae)
mouse-ear cress	<i>Arabidopsis thaliana</i> (Brassicaceae) (i)
mouse-ear hawkweed	<i>Pilosella officinarum</i> (Asteraceae) (i)
mousetail kobresia	<i>Carex myosuroides</i> (Cyperaceae)
moxie-plum	<i>Gaultheria hispidula</i> (Ericaceae)

mud sedge	<i>Carex limosa</i> (Cyperaceae)
mudwort, northern	<i>Limosella aquatica</i> (Scrophulariaceae)
mudwort, southern	<i>Limosella australis</i> (Scrophulariaceae)
mudwort, water	<i>Limosella aquatica</i> (Scrophulariaceae)
mugwort, common	<i>Artemisia vulgaris</i> (Asteraceae) (i)
muhly, bog	<i>Muhlenbergia uniflora</i> (Poaceae)
muhly, lateflowering	<i>Muhlenbergia uniflora</i> (Poaceae)
muhly, spike	<i>Muhlenbergia glomerata</i> (Poaceae)
mullein, common	<i>Verbascum thapsus</i> (Scrophulariaceae) (i)
multiflora rose	<i>Rosa multiflora</i> (Rosaceae) (i)
multi-rayed goldenrod	<i>Solidago multiradiata</i> (Asteraceae)
musk mallow	<i>Malva moschata</i> (Malvaceae) (i)
musk monkeyflower	<i>Erythranthe moschata</i> (Phrymaceae) (i)
muskeg tea	<i>Rhododendron tomentosum</i> (Ericaceae)
muskflower	<i>Erythranthe moschata</i> (Phrymaceae) (i)
mustard, birdsrape	<i>Brassica rapa</i> (Brassicaceae) (i)
mustard, black	<i>Brassica nigra</i> (Brassicaceae) (i)
mustard, brown	<i>Brassica juncea</i> (Brassicaceae) (i)
mustard, Chinese	<i>Brassica juncea</i> (Brassicaceae) (i)
mustard, corn	<i>Sinapis arvensis</i> (Brassicaceae) (i)
mustard, dog	<i>Erucastrum gallicum</i> (Brassicaceae) (i)
mustard, field	<i>Brassica rapa</i> (Brassicaceae) (i)
mustard, garlic	<i>Alliaria petiolata</i> (Brassicaceae) (i)
mustard, hare's-ear	<i>Conringia orientalis</i> (Brassicaceae) (i)
mustard, Indian	<i>Brassica juncea</i> (Brassicaceae) (i)
mustard, tansy	<i>Descurainia sophia</i> (Brassicaceae) (i)
mustard, treacle	<i>Erysimum cheiranthoides</i> (Brassicaceae) (i)
myrrh, garden	<i>Myrrhis odorata</i> (Apiaceae) (i)

-N-

Nahanni oak fern	<i>Gymnocarpium continentale</i> (Cystopteridaceae)
naiad, slender	<i>Najas flexilis</i> (Hydrocharitaceae)
naked miterwort	<i>Mitella nuda</i> (Saxifragaceae)
nard sedge	<i>Carex nardina</i> (Cyperaceae)
narrow false oats	<i>Koeleria spicata</i> (Poaceae)
narrow triangle moonwort	<i>Botrychium lanceolatum</i> subsp. <i>angustisegmentum</i> (Ophioglossaceae)
narrowleaf arnica	<i>Arnica angustifolia</i> (Asteraceae)
narrowleaf burreed	<i>Sparganium angustifolium</i> (Typhaceae)

narrowleaf collomia	<i>Collomia linearis</i> (Polemoniaceae) (i)
narrowleaf cottongrass	<i>Eriophorum angustifolium</i> (Cyperaceae)
narrowleaf cow-wheat	<i>Melampyrum lineare</i> (Orobanchaceae)
narrowleaf gentian	<i>Gentiana linearis</i> (Gentianaceae)
narrowleaf hawksbeard	<i>Crepis tectorum</i> (Asteraceae) (i)
narrowleaf knotweed	<i>Polygonum aviculare</i> subsp. <i>neglectum</i> (Polygonaceae) (i)
narrowleaf plantain	<i>Plantago lanceolata</i> (Plantaginaceae) (i)
narrowleaf pygmy pussytoes	<i>Antennaria monocephala</i> subsp. <i>angustata</i> (Asteraceae)
narrowleaf vetch	<i>Vicia sativa</i> var. <i>angustifolia</i> (Fabaceae) (i)
narrowleaf willowherb	<i>Epilobium leptophyllum</i> (Onagraceae)
narrow-panicked rush	<i>Juncus brevicaudatus</i> (Juncaceae)
narrow-wing water-starwort	<i>Callitrichia stenoptera</i> (Plantaginaceae)
necklace sedge	<i>Carex projecta</i> (Cyperaceae)
necklace weed	<i>Veronica peregrina</i> (Plantaginaceae) (i)
needle spikerush	<i>Eleocharis acicularis</i> (Cyperaceae)
nerveless woodland sedge	<i>Carex leptonervia</i> (Cyperaceae)
nettle	<i>Urtica</i> spp. (Urticaceae)
nettle, burning	<i>Urtica urens</i> (Urticaceae) (i)
nettle, dog	<i>Urtica urens</i> (Urticaceae) (i)
nettle, European stinging	<i>Urtica dioica</i> subsp. <i>dioica</i> (Urticaceae) (i)
nettle, slender stinging	<i>Urtica gracilis</i> subsp. <i>gracilis</i> (Urticaceae)
nettle, small	<i>Urtica urens</i> (Urticaceae) (i)
nettle, stinging	<i>Urtica dioica</i> subsp. <i>dioica</i> (Urticaceae) (i)
netvein willow	<i>Salix reticulata</i> (Salicaceae)
New England sedge	<i>Carex novae-angliae</i> (Cyperaceae)
New World moonwort	<i>Botrychium neolunaria</i> (Ophioglossaceae)
New York aster	<i>Symphyotrichum novi-belgii</i> (Asteraceae)
New York fern	<i>Parathelypteris noveboracensis</i> (Thelypteridaceae)
Newfoundland "witch hazel"	<i>Betula alleghaniensis</i> (Betulaceae)
Newfoundland chickweed	<i>Cerastium terrae-novae</i> (Caryophyllaceae)
Newfoundland dwarf birch	<i>Betula michauxii</i> (Betulaceae)
Newfoundland dwarf tansy	<i>Tanacetum bipinnatum</i> subsp. <i>huronense</i> (Asteraceae)
Newfoundland harebell	<i>Campanula gieseckiana</i> (Campanulaceae)
Newfoundland orchid	<i>Pseudorchis straminea</i> (Orchidaceae)
Newfoundland oxytrop	<i>Oxytropis campestris</i> var. <i>minor</i> (Fabaceae)
Newfoundland pussytoes	<i>Antennaria pulcherrima</i> subsp. <i>eucosma</i> (Asteraceae)
night-flowering campion	<i>Silene noctiflora</i> (Caryophyllaceae) (i)

night-flowering catchfly	<i>Silene noctiflora</i> (Caryophyllaceae) (i)
"nightshade, deadly" (misapplied, Lab.)..	<i>Geocaulon lividum</i> (Comandraceae) [This plant, also known as northern comandra , is <u>not</u> poisonous, nor is it related to nightshade (<i>Solanum</i>) species.]
nightshade, bittersweet	<i>Solanum dulcamara</i> (Solanaceae) (i)
nipplewort	<i>Lapsana communis</i> (Asteraceae) (i)
nodding campion	<i>Silene uralensis</i> (Caryophyllaceae)
nodding catchfly	<i>Silene uralensis</i> (Caryophyllaceae)
nodding saxifrage	<i>Saxifraga cernua</i> (Saxifragaceae)
nodding sedge	<i>Carex gynandra</i> (Cyperaceae)
nodding smartweed	<i>Persicaria lapathifolia</i> (Polygonaceae)
nodding trillium	<i>Trillium cernuum</i> (Melanthiaceae)
Nootka alkaligrass	<i>Puccinellia nutkaensis</i> (Poaceae)
Nootka lupine	<i>Lupinus nootkatensis</i> (Fabaceae) (i)
North American moonwort	<i>Botrychium neolunaria</i> (Ophioglossaceae)
northeastern lady fern	<i>Athyrium filix-femina</i> var. <i>angustum</i> (Athyriaceae)
northeastern sedge	<i>Carex cryptolepis</i> (Cyperaceae)
northern alpine sweetgrass	<i>Anthoxanthum monticola</i> subsp. <i>alpinum</i> (Poaceae)
northern androsace	<i>Androsace septentrionalis</i> (Primulaceae) (X)
northern anemone	<i>Anemone parviflora</i> (Ranunculaceae)
northern arrowhead	<i>Sagittaria cuneata</i> (Alismataceae)
northern barley	<i>Hordeum brachyantherum</i> (Poaceae)
northern bayberry	<i>Morella pensylvanica</i> (Myricaceae)
northern beaked sedge	<i>Carex utriculata</i> (Cyperaceae)
northern beech fern	<i>Phegopteris connectilis</i> (Thelypteridaceae)
northern bentgrass	<i>Agrostis mertensii</i> (Poaceae)
northern bilberry	<i>Vaccinium uliginosum</i> (Ericaceae)
northern blueberry	<i>Vaccinium boreale</i> (Ericaceae)
northern bog aster	<i>Sympyotrichum boreale</i> (Asteraceae)
northern bog cranberry	<i>Vaccinium microcarpum</i> (Ericaceae)
northern bog rosemary	<i>Andromeda polifolia</i> (Ericaceae)
northern bog sedge	<i>Carex gynocrates</i> (Cyperaceae)
northern bog violet	<i>Viola nephrophylla</i> (Violaceae)
northern bog-clubmoss	<i>Lycopodiella inundata</i> (Lycopodiaceae)
northern bracken fern	<i>Pteridium aquilinum</i> subsp. <i>latiusculum</i> (Dennstaedtiaceae)
northern bristly clubmoss	<i>Spinulum annotinum</i> subsp. <i>alpestre</i> (Lycopodiaceae)
northern bugleweed	<i>Lycopus uniflorus</i> (Lamiaceae)
northern bunchberry	<i>Cornus canadensis</i> (Cornaceae)
northern burreed	<i>Sparganium hyperboreum</i> (Typhaceae)

northern bush-honeysuckle	<i>Diervilla lonicera</i> (Caprifoliaceae)
northern buttercup	<i>Ranunculus arcticus</i> (Ranunculaceae)
northern clustered sedge	<i>Carex arcta</i> (Cyperaceae)
northern comandra	<i>Geocaulon lividum</i> (Comandraceae)
northern daisy	<i>Erigeron acris</i> var. <i>kamtschaticus</i> (Asteraceae)
northern dandelion	<i>Taraxacum phymatocarpum</i> (Asteraceae)
northern elegant sedge	<i>Carex concinna</i> (Cyperaceae)
northern evening primrose	<i>Oenothera parviflora</i> (Onagraceae)
northern fairy-candelabra	<i>Androsace septentrionalis</i> (Primulaceae) (X)
northern felwort	<i>Gentianella amarella</i> subsp. <i>acuta</i> (Gentianaceae)
northern firmoss	<i>Huperzia selago</i> (Lycopodiaceae)
northern fly-honeysuckle	<i>Lonicera villosa</i> (Caprifoliaceae)
northern gentian	<i>Gentianella amarella</i> subsp. <i>acuta</i> (Gentianaceae)
northern golden saxifrage	<i>Chrysosplenium tetrandrum</i> (Saxifragaceae)
northern goldenrod	<i>Solidago multiradiata</i> (Asteraceae)
northern gooseberry	<i>Ribes oxyacanthoides</i> (Grossulariaceae) (i)
northern green orchid	<i>Platanthera aquilonis</i> (Orchidaceae)
northern ground-cedar	<i>Diphasiastrum complanatum</i> (Lycopodiaceae)
northern hawkweed	<i>Hieracium umbellatum</i> (Asteraceae)
northern interrupted clubmoss	<i>Spinulum annotinum</i> subsp. <i>alpestre</i> (Lycopodiaceae)
northern hollyfern	<i>Polystichum lonchitis</i> (Dryopteridaceae)
northern knotted pearlwort	<i>Sagina nodosa</i> subsp. <i>borealis</i> (Caryophyllaceae)
northern knotweed	<i>Polygonum aviculare</i> subsp. <i>boreale</i> (Polygonaceae)
northern Labrador tea	<i>Rhododendron tomentosum</i> (Ericaceae)
northern lady fern	<i>Athyrium filix-femina</i> var. <i>angustum</i> (Athyriaceae)
northern long sedge	<i>Carex folliculata</i> (Cyperaceae)
northern many-flowered woodrush	<i>Luzula multiflora</i> subsp. <i>frigida</i> (Juncaceae)
northern marsh fern	<i>Thelypteris palustris</i> var. <i>pubescens</i> (Thelypteridaceae)
northern mudwort	<i>Limosella aquatica</i> (Scrophulariaceae)
northern oak fern	<i>Gymnocarpium dryopteris</i> (Cystopteridaceae)
northern paintbrush	<i>Castilleja septentrionalis</i> (Orobanchaceae)
northern panicgrass	<i>Dichanthelium boreale</i> (Poaceae)
northern pussytoes	<i>Antennaria howellii</i> subsp. <i>neodoica</i> (Asteraceae)
northern reedgrass	<i>Calamagrostis stricta</i> subsp. <i>inexpansa</i> (Poaceae)
northern rough fescue	<i>Festuca altaica</i> (Poaceae)
northern running-pine	<i>Diphasiastrum complanatum</i> (Lycopodiaceae)
northern seabeach sandwort	<i>Honckenya peploides</i> subsp. <i>diffusa</i> (Caryophyllaceae)
northern shorthusk	<i>Brachyelytrum aristosum</i> (Poaceae)

northern spikemoss	<i>Selaginella selaginoides</i> (Selaginellaceae)
northern St. Johnswort	<i>Hypericum boreale</i> (Hypericaceae)
northern starflower	<i>Trientalis borealis</i> (Primulaceae)
northern swamp buttercup	<i>Ranunculus hispidus</i> var. <i>caricetorum</i> (Ranunculaceae)
northern sweetgrass	<i>Anthoxanthum hirtum</i> (Poaceae)
northern twayblade	<i>Neottia borealis</i> (Orchidaceae)
northern valerian	<i>Valeriana dioica</i> subsp. <i>sylvatica</i> (Caprifoliaceae)
northern water-horehound	<i>Lycopus uniflorus</i> (Lamiaceae)
northern watermilfoil	<i>Myriophyllum sibiricum</i> (Haloragaceae)
northern water-plantain	<i>Alisma triviale</i> (Alismataceae)
northern water-starwort	<i>Callitricha hermaphroditica</i> (Plantaginaceae)
northern white rush	<i>Juncus triglumis</i> subsp. <i>albescens</i> (Juncaceae)
northern white violet	<i>Viola macloskeyi</i> (Violaceae)
northern wild comfrey	<i>Andersonglossum boreale</i> (Boraginaceae)
northern wild licorice	<i>Galium kamtschaticum</i> (Rubiaceae)
northern wild raisin	<i>Viburnum cassinoides</i> (Adoxaceae)
northern wild strawberry	<i>Fragaria virginiana</i> subsp. <i>glaucia</i> (Rosaceae)
northern willow	<i>Salix arctophila</i> (Salicaceae)
northern willowherb	<i>Epilobium ciliatum</i> (Onagraceae)
northern wintercress	<i>Barbarea orthoceras</i> (Brassicaceae)
northern woodfern	<i>Dryopteris expansa</i> (Dryopteridaceae)
northern woodrush	<i>Luzula confusa</i> (Juncaceae)
northern yarrow	<i>Achillea borealis</i> (Asteraceae)
northern yellow ladyslipper	<i>Cypripedium parviflorum</i> var. <i>makasin</i> (Orchidaceae)
northern yellow-eyed grass	<i>Xyris montana</i> (Xyridaceae)
Norway draba	<i>Draba norvegica</i> (Brassicaceae)
Norway maple	<i>Acer platanoides</i> (Sapindaceae) (c)
Norway pine	<i>Pinus resinosa</i> (Pinaceae)
Norway sedge	<i>Carex norvegica</i> (Cyperaceae)
Norway spruce	<i>Picea abies</i> (Pinaceae) (i)
Norwegian cudweed	<i>Omalotheca norvegica</i> (Asteraceae)
Norwegian whitlowgrass	<i>Draba norvegica</i> (Brassicaceae)
Nyman's bittercress	<i>Cardamine polemonioides</i> (Brassicaceae)

-O-

oak fern	<i>Gymnocarpium</i> spp. (Cystopteridaceae)
oak fern, common	<i>Gymnocarpium dryopteris</i> (Cystopteridaceae)

oak fern, limestone	<i>Gymnocarpium robertianum</i> (Cystopteridaceae)
oak fern, Nahanni	<i>Gymnocarpium continentale</i> (Cystopteridaceae)
oak fern, northern	<i>Gymnocarpium dryopteris</i> (Cystopteridaceae)
Oakes' evening primrose	<i>Oenothera oakesiana</i> (Onagraceae) (i)
Oakes' eyebright	<i>Euphrasia oakesii</i> (Orobanchaceae)
Oakes' pondweed	<i>Potamogeton oakesianus</i> (Potamogetonaceae)
oakleaf goosefoot	<i>Oxybasis glauca</i> (Amaranthaceae) (i)
oatgrass, false	<i>Arrhenatherum elatius</i> (Poaceae) (i)
oatgrass, poverty	<i>Danthonia spicata</i> (Poaceae)
oatgrass, purple	<i>Schizachne purpurascens</i> (Poaceae)
oatgrass, tall	<i>Arrhenatherum elatius</i> (Poaceae) (i)
oatgrass, timber	<i>Danthonia intermedia</i> (Poaceae)
oats, purple false	<i>Graphephorum melicoides</i> (Poaceae)
oblongleaf pondweed	<i>Potamogeton polygonifolius</i> (Potamogetonaceae) (i)
Oeder's sedge	<i>Carex viridula</i> subsp. <i>oedocarpa</i> (Cyperaceae) (i)
old pasture bluegrass	<i>Poa saltuensis</i> (Poaceae)
oldfield cinquefoil	<i>Potentilla simplex</i> (Rosaceae) (i)
one-cone clubmoss	<i>Lycopodium lagopus</i> (Lycopodiaceae)
one-cone ground-pine	<i>Lycopodium lagopus</i> (Lycopodiaceae)
oneflower broomrape	<i>Aphyllon uniflorum</i> (Orobanchaceae)
oneflower cancerroot	<i>Aphyllon uniflorum</i> (Orobanchaceae)
oneflower fleabane	<i>Erigeron uniflorus</i> var. <i>eriocephalus</i> (Asteraceae)
oneflower wintergreen	<i>Moneses uniflora</i> (Ericaceae)
onerow watercress	<i>Nasturtium microphyllum</i> (Brassicaceae) (i)
onerow yellowcress	<i>Nasturtium microphyllum</i> (Brassicaceae) (i)
one-sided wintergreen	<i>Orthilia secunda</i> (Ericaceae)
orache, Baltic	<i>Atriplex nudicaulis</i> (Amaranthaceae)
orache, glabrous	<i>Atriplex glabriuscula</i> (Amaranthaceae)
orache, saline	<i>Atriplex dioica</i> (Amaranthaceae)
orache, smooth	<i>Atriplex glabriuscula</i> (Amaranthaceae)
orache, spear	<i>Atriplex patula</i> (Amaranthaceae) (i)
orange hawkweed	<i>Pilosella aurantiaca</i> (Asteraceae) (i)
orchard grass	<i>Dactylis glomerata</i> (Poaceae) (i)
orchid, Alaskan rein	<i>Platanthera unalascensis</i> (Orchidaceae)
orchid, bluntleaf	<i>Platanthera obtusata</i> (Orchidaceae)
orchid, clubsprur	<i>Platanthera clavellata</i> (Orchidaceae)
orchid, fragrant green	<i>Platanthera huronensis</i> (Orchidaceae)
orchid, frog	<i>Coeloglossum viride</i> (Orchidaceae)
orchid, greater roundleaf	<i>Platanthera macrophylla</i> (Orchidaceae)
orchid, green woodland	<i>Platanthera clavellata</i> (Orchidaceae)
orchid, Hooker's	<i>Platanthera hookeri</i> (Orchidaceae)

orchid, Lake Huron green	<i>Platanthera huronensis</i> (Orchidaceae)
orchid, leafy northern green	<i>Platanthera hyperborea</i> (Orchidaceae)
orchid, leopard marsh	<i>Dactylorhiza praetermissa</i> var. <i>junialis</i> (Orchidaceae) (i)
orchid, lesser roundleaf	<i>Platanthera orbiculata</i> (Orchidaceae)
orchid, Newfoundland	<i>Pseudorchis straminea</i> (Orchidaceae)
orchid, northern green	<i>Platanthera aquilonis</i> (Orchidaceae)
orchid, small roundleaf	<i>Galearis rotundifolia</i> (Orchidaceae)
orchid, southern marsh	<i>Dactylorhiza praetermissa</i> var. <i>praetermissa</i> (Orchidaceae) (i)
orchid, tall northern green	<i>Platanthera aquilonis</i> (Orchidaceae)
orchid, tall white bog	<i>Platanthera dilatata</i> (Orchidaceae)
orchid, Tilt Cove	<i>Dactylorhiza praetermissa</i> var. <i>praetermissa</i> (Orchidaceae) (i)
orchid, Timmins	<i>Dactylorhiza praetermissa</i> var. <i>junialis</i> (Orchidaceae) (i)
orchid, vanilla-scented bog	<i>Pseudorchis straminea</i> (Orchidaceae)
ornamental canarygrass	<i>Phalaris arundinacea</i> var. <i>picta</i> (Poaceae) (i)
orpine, purple	<i>Hylotelephium telephium</i> (Crassulaceae) (i)
ostrich fern	<i>Matteuccia struthiopteris</i> var. <i>pensylvanica</i> (Onocleaceae)
oval sedge	<i>Carex leporina</i> (Cyperaceae) (i)
ovalleaf bilberry	<i>Vaccinium ovalifolium</i> (Ericaceae)
ovalleaf knotweed	<i>Polygonum aviculare</i> subsp. <i>depressum</i> (Polygonaceae) (i)
ovalleaf lesser spearwort	<i>Ranunculus flammula</i> var. <i>ovalis</i> (Ranunculaceae)
ovate spikerush	<i>Eleocharis ovata</i> (Cyperaceae)
oxeye daisy	<i>Leucanthemum vulgare</i> (Asteraceae) (i)
oxytrop, Fernald's	<i>Oxytropis campestris</i> var. <i>johannensis</i> (Fabaceae)
oxytrop, field	<i>Oxytropis campestris</i> (Fabaceae)
oxytrop, inflated	<i>Oxytropis podocarpa</i> (Fabaceae)
oxytrop, Newfoundland	<i>Oxytropis campestris</i> var. <i>minor</i> (Fabaceae)
oxytrop, pendantpod	<i>Oxytropis deflexa</i> var. <i>foliolosa</i> (Fabaceae)
oxytrop, Saint John River	<i>Oxytropis campestris</i> var. <i>johannensis</i> (Fabaceae)
oysterleaf	<i>Mertensia maritima</i> (Boraginaceae)
oysterleaf, arctic	<i>Mertensia maritima</i> subsp. <i>tenella</i> (Boraginaceae)

-P-

Pacific firmoss	<i>Huperzia miyoshiana</i> (Lycopodiaceae)
Pacific silverweed	<i>Potentilla anserina</i> subsp. <i>pacifica</i> (Rosaceae)
paintbrush, devil's	<i>Pilosella aurantiaca</i> (Asteraceae) (i)
paintbrush, Labrador	<i>Castilleja septentrionalis</i> (Orobanchaceae)
paintbrush, northern	<i>Castilleja septentrionalis</i> (Orobanchaceae)
pale laurel	<i>Kalmia polifolia</i> (Ericaceae)
pale corydalis	<i>Capnoides sempervirens</i> (Papaveraceae)
pale European woodrush	<i>Luzula pallescens</i> (Juncaceae) (i)
pale hawkweed	<i>Pilosella ×floribunda</i> (Asteraceae) (i)
pale jewelweed	<i>Impatiens pallida</i> (Balsaminaceae)
pale sedge	<i>Carex pallescens</i> (Cyperaceae)
pale smartweed	<i>Persicaria lapathifolia</i> (Polygonaceae)
pale St. Johnswort	<i>Hypericum ellipticum</i> (Hypericaceae)
pale toadflax	<i>Linaria repens</i> (Plantaginaceae) (i)
pale touch-me-not	<i>Impatiens pallida</i> (Balsaminaceae)
Pallas' buttercup	<i>Coptidium pallasii</i> (Ranunculaceae)
palmate sweet coltsfoot	<i>Petasites frigidus</i> var. <i>palmatus</i> (Asteraceae)
panicgrass, woolly	<i>Dichanthelium lanuginosum</i> (Poaceae)
panicgrass, northern	<i>Dichanthelium boreale</i> (Poaceae)
pansy, European field	<i>Viola arvensis</i> (Violaceae) (i)
pansy, field	<i>Viola arvensis</i> (Violaceae) (i)
pansy, wild	<i>Viola tricolor</i> (Violaceae) (i)
paper birch	<i>Betula papyrifera</i> (Betulaceae)
parsley, hemlock	<i>Conioselinum chinense</i> (Apiaceae)
parsley, wild (Labrador)	<i>Ligusticum scoticum</i> (Apiaceae)
parsnip, cow	<i>Heracleum maximum</i> (Apiaceae)
parsnip, water	<i>Sium suave</i> (Apiaceae)
parsnip, wild	<i>Pastinaca sativa</i> (Apiaceae) (i)
partridgeberry	<i>Vaccinium vitis-idaea</i> (Ericaceae)
partridgeberry (mainland Canada only)	<i>Mitchella repens</i> (Rubiaceae)
pasture rose	<i>Rosa virginiana</i> (Rosaceae)
path rush	<i>Juncus tenuis</i> (Juncaceae)
pea, beach	<i>Lathyrus japonicus</i> (Fabaceae)
pea, marsh	<i>Lathyrus palustris</i> (Fabaceae)
pearlwort, alpine	<i>Sagina saginoides</i> (Caryophyllaceae)
pearlwort, Japanese	<i>Sagina japonica</i> (Caryophyllaceae) (i)
pearlwort, knotted	<i>Sagina nodosa</i> (Caryophyllaceae)
pearlwort, procumbent	<i>Sagina procumbens</i> (Caryophyllaceae)

pearlwort, snow	<i>Sagina nivalis</i> (Caryophyllaceae)
pearlwort, tufted	<i>Sagina caespitosa</i> (Caryophyllaceae)
pearly everlasting	<i>Anaphalis margaritacea</i> (Asteraceae)
"peas, green" (Labrador)	<i>Lathyrus japonicus</i> (Fabaceae)
peas, saltwater (Labrador)	<i>Lathyrus japonicus</i> (Fabaceae)
peas, wild (Labrador)	<i>Lathyrus japonicus</i> (Fabaceae)
pendantpod oxytropे	<i>Oxytropis deflexa</i> var. <i>foliolosa</i> (Fabaceae)
pendentgrass	<i>Arctophila fulva</i> (Poaceae)
Pennsylvania bittercress	<i>Cardamine pensylvanica</i> (Brassicaceae)
Pennsylvania blackberry	<i>Rubus pensilvanicus</i> (Rosaceae)
Pennsylvania buttercup	<i>Ranunculus pensylvanicus</i> (Ranunculaceae)
Pennsylvania smartweed	<i>Persicaria pensylvanica</i> (Polygonaceae) (i)
pennycress, field	<i>Thlaspi arvense</i> (Brassicaceae) (i)
peppergrass, common	<i>Lepidium densiflorum</i> (Brassicaceae) (i)
peppergrass, field	<i>Lepidium campestre</i> (Brassicaceae) (i)
peppergrass, roadside	<i>Lepidium ruderale</i> (Brassicaceae) (i)
peppergrass, stinking	<i>Lepidium ruderale</i> (Brassicaceae) (i)
perennial evening primrose	<i>Oenothera perennis</i> (Onagraceae) (i)
perennial ryegrass	<i>Lolium perenne</i> (Poaceae) (i)
perennial sunflower	<i>Helianthus ×laetiflorus</i> (Asteraceae) (i)
Persian speedwell	<i>Veronica persica</i> (Plantaginaceae) (i)
petaloid pussytoes	<i>Antennaria howellii</i> subsp. <i>petaloidea</i> (Asteraceae)
petty spurge	<i>Euphorbia peplus</i> (Euphorbiaceae) (i)
Philadelphia fleabane	<i>Erigeron philadelphicus</i> (Asteraceae) (i)
phippisia, frigid	<i>Phippisia algida</i> (Poaceae)
phlox, garden	<i>Phlox paniculata</i> (Polemoniaceae) (i)
Pickering's reedgrass	<i>Calamagrostis pickeringii</i> (Poaceae)
pie plant	<i>Rheum rhabarbarum</i> (Polygonaceae) (i)
pigweed, white	<i>Chenopodium album</i> (Amaranthaceae) (i)
pimpernel, scarlet	<i>Anagallis arvensis</i> (Primulaceae) (i)
pin cherry	<i>Prunus pensylvanica</i> (Rosaceae)
pine	<i>Pinus</i> spp. (Pinaceae)
pine, eastern white	<i>Pinus strobus</i> (Pinaceae)
pine, jack	<i>Pinus banksiana</i> (Pinaceae)
pine, Labrador	<i>Pinus banksiana</i> (Pinaceae)
pine, Norway	<i>Pinus resinosa</i> (Pinaceae)
pine, red	<i>Pinus resinosa</i> (Pinaceae)
pine, Scots	<i>Pinus sylvestris</i> (Pinaceae) (i)
"pine, silver" (NWR, Labrador).....	<i>Abies balsamea</i> (Pinaceae)
pine, white	<i>Pinus strobus</i> (Pinaceae)
pineappleweed	<i>Matricaria discoidea</i> (Asteraceae) (i)

pinesap	<i>Hypopitys monotropa</i> (Ericaceae)
pink bells	<i>Linnaea borealis</i> subsp. <i>longiflora</i> (Caprifoliaceae)
pink centaury	<i>Centaurium erythraea</i> (Gentianaceae) (i)
pink corydalis	<i>Capnoides sempervirens</i> (Papaveraceae)
pink crowberry	<i>Empetrum eamesii</i> (Ericaceae)
pink elephants	<i>Pedicularis groenlandica</i> (Orobanchaceae)
pink knotweed	<i>Persicaria pensylvanica</i> (Polygonaceae) (i)
pink ladyslipper	<i>Cypripedium acaule</i> (Orchidaceae)
pink moccasin flower	<i>Cypripedium acaule</i> (Orchidaceae)
pink pyrola	<i>Pyrola asarifolia</i> (Ericaceae)
pink, Deptford	<i>Dianthus armeria</i> (Caryophyllaceae) (i)
pink, maiden	<i>Dianthus deltoides</i> (Caryophyllaceae) (i)
pinktops	<i>Chamaenerion angustifolium</i> (Onagraceae)
pinweed, largepod	<i>Lechea intermedia</i> (Cistaceae)
pipe, ghost	<i>Monotropa uniflora</i> (Ericaceae)
pipes, water	<i>Equisetum fluviatile</i> (Equisetaceae)
pipewort, seven-angled	<i>Eriocaulon aquaticum</i> (Eriocaulaceae)
pipsissewa	<i>Chimaphila umbellata</i> (Ericaceae)
piss-in-the bed	<i>Taraxacum officinale</i> (Asteraceae)
pitcher plant	<i>Sarracenia purpurea</i> (Sarraceniaceae)
plant, corpse	<i>Monotropa uniflora</i> (Ericaceae)
plant, ghost	<i>Monotropa uniflora</i> (Ericaceae)
plant, pitcher	<i>Sarracenia purpurea</i> (Sarraceniaceae)
"plant, prongs" (local, Nfld.)	<i>Heracleum sphondylium</i> (Apiaceae) (i)
plantain, broadleaf	<i>Plantago major</i> (Plantaginaceae) (i)
plantain, common	<i>Plantago major</i> (Plantaginaceae) (i)
plantain, English	<i>Plantago lanceolata</i> (Plantaginaceae) (i)
plantain, narrowleaf	<i>Plantago lanceolata</i> (Plantaginaceae) (i)
plantain, seaside	<i>Plantago maritima</i> (Plantaginaceae)
"plum" (Labrador)	<i>Amelanchier bartramiana</i> (Rosaceae)
plum, wild (Labrador)	<i>Amelanchier bartramiana</i> (Rosaceae)
plumboy	<i>Rubus pubescens</i> (Rosaceae)
plumboy	<i>Rubus arcticus</i> subsp. <i>acaulis</i> (Rosaceae)
plumboy, hybrid	<i>Rubus ×paracaulis</i> (Rosaceae)
podgrass	<i>Scheuchzeria palustris</i> (Scheuchzeriaceae)
pogonia, rose	<i>Pogonia ophioglossoides</i> (Orchidaceae)
pointed broom sedge	<i>Carex scoparia</i> (Cyperaceae)
poison ivy, Rydberg's	<i>Toxicodendron radicans</i> var. <i>rydbergii</i> (Anacardiaceae) (i, very rare)
poisonberry	<i>Actaea rubra</i> (Ranunculaceae)
poisonberry	<i>Clintonia borealis</i> (Liliaceae)

polargrass	<i>Arctagrostis latifolia</i> (Poaceae)
polypody	<i>Polypodium</i> spp. (Polypodiaceae)
polypody, Appalachian	<i>Polypodium appalachianum</i> (Polypodiaceae)
polypody, common	<i>Polypodium virginianum</i> (Polypodiaceae)
polypody, rock	<i>Polypodium virginianum</i> (Polypodiaceae)
pond lily (local, Labrador)	<i>Menyanthaceae trifoliata</i> (Menyanthaceae)
pondlily, yellow	<i>Nuphar variegata</i> (Nymphaeaceae)
pondweed, alga	<i>Potamogeton confervoides</i> (Potamogetonaceae)
pondweed, alpine	<i>Potamogeton alpinus</i> (Potamogetonaceae)
pondweed, Berchtold's	<i>Potamogeton berchtoldii</i> (Potamogetonaceae)
pondweed, bluntleaf	<i>Potamogeton obtusifolius</i> (Potamogetonaceae)
pondweed, broadleaf	<i>Potamogeton amplifolius</i> (Potamogetonaceae)
pondweed, claspingleaf	<i>Potamogeton perfoliatus</i> (Potamogetonaceae)
pondweed, flatstem	<i>Potamogeton zosteriformis</i> (Potamogetonaceae)
pondweed, floatingleaf	<i>Potamogeton natans</i> (Potamogetonaceae)
pondweed, Fries'	<i>Potamogeton friesii</i> (Potamogetonaceae)
pondweed, grassleaf	<i>Potamogeton gramineus</i> (Potamogetonaceae)
pondweed, horned	<i>Zannichellia palustris</i> (Potamogetonaceae)
pondweed, largeleaf	<i>Potamogeton amplifolius</i> (Potamogetonaceae)
pondweed, leafy	<i>Potamogeton foliosus</i> (Potamogetonaceae)
pondweed, Oakes'	<i>Potamogeton oakesianus</i> (Potamogetonaceae)
pondweed, oblongleaf	<i>Potamogeton polygonifolius</i> (Potamogetonaceae) (i)
pondweed, ribbonleaf	<i>Potamogeton epihydrus</i> (Potamogetonaceae)
pondweed, Richardson's	<i>Potamogeton richardsonii</i> (Potamogetonaceae)
pondweed, Robbins'	<i>Potamogeton robbinsii</i> (Potamogetonaceae)
pondweed, sago	<i>Stuckenia pectinata</i> (Potamogetonaceae)
pondweed, spiral	<i>Potamogeton spirillus</i> (Potamogetonaceae)
pondweed, straightleaf	<i>Potamogeton strictifolius</i> (Potamogetonaceae)
pondweed, threadleaf	<i>Stuckenia filiformis</i> (Potamogetonaceae)
pondweed, whitestem	<i>Potamogeton praelongus</i> (Potamogetonaceae)
poplar, balsam	<i>Populus balsamifera</i> (Salicaceae)
poplar, Jack's hybrid	<i>Populus ×jackii</i> (Salicaceae) (i)
poplar, white	<i>Populus alba</i> (Salicaceae) (i)
poppy, Iceland	<i>Papaver croceum</i> (Papaveraceae)
poppy, Labrador	<i>Papaver labradoricum</i> (Papaveraceae)
porcupine sedge	<i>Carex hystericina</i> (Cyperaceae)
poverty oatgrass	<i>Danthonia spicata</i> (Poaceae)
prickly comfrey	<i>Symphytum asperum</i> (Boraginaceae) (i)
prickly saltwort	<i>Kali turgidum</i> (Amaranthaceae) (i)
prickly sowthistle	<i>Sonchus asper</i> (Asteraceae) (i)
prickly tree-clubmoss	<i>Dendrolycopodium dendroideum</i> (Lycopodiaceae)

primrose, coastal	<i>Primula stricta</i> (Primulaceae)
primrose, Greenland	<i>Primula egaliksensis</i> (Primulaceae)
primrose, Laurentian	<i>Primula laurentiana</i> (Primulaceae)
primrose, Mistassini	<i>Primula mistassinica</i> (Primulaceae)
primrose, upright	<i>Primula stricta</i> (Primulaceae)
prince's pine	<i>Chimaphila umbellata</i> (Ericaceae)
procumbent pearlwort	<i>Sagina procumbens</i> (Caryophyllaceae)
proliferous fescue	<i>Festuca prolifera</i> (Poaceae)
"prongs plant" (local, Nfld.)	<i>Heracleum sphondylium</i> (Apiaceae) (i)
prostrate hutchinsia	<i>Hornungia procumbens</i> (Brassicaceae)
prostrate knotweed	<i>Polygonum aviculare</i> (Polygonaceae) (i)
pubescent proliferous fescue	<i>Festuca prolifera</i> var. <i>lasiolepis</i> (Poaceae)
pulvinate pussytoes	<i>Antennaria rosea</i> subsp. <i>pulvinata</i> (Asteraceae)
purple avens	<i>Geum rivale</i> (Rosaceae)
purple bladderwort	<i>Utricularia purpurea</i> (Lentibulariaceae)
purple chokeberry	<i>Aronia ×prunifolia</i> (Rosaceae)
purple chucklepear	<i>Amelanchier intermedia</i> (Rosaceae)
purple clover	<i>Trifolium pratense</i> (Fabaceae) (i)
purple crowberry	<i>Empetrum atropurpureum</i> (Ericaceae)
purple crownvetch	<i>Securigera varia</i> (Fabaceae) (i)
purple deadnettle	<i>Lamium purpureum</i> (Lamiaceae) (i)
purple false melic	<i>Schizachne purpurascens</i> (Poaceae)
purple false oats	<i>Graphephorum melicoides</i> (Poaceae)
purple foxglove	<i>Digitalis purpurea</i> (Plantaginaceae) (i)
purple jewelweed	<i>Impatiens glandulifera</i> (Balsaminaceae) (i)
purple loosestrife	<i>Lythrum salicaria</i> (Lythraceae) (i)
purple mountain heather	<i>Phyllodoce caerulea</i> (Ericaceae)
purple mountain-saxifrage	<i>Saxifraga oppositifolia</i> (Saxifragaceae)
purple oatgrass	<i>Schizachne purpurascens</i> (Poaceae)
purple orpine	<i>Hylotelephium telephium</i> (Crassulaceae) (i)
purple reedgrass	<i>Calamagrostis purpurascens</i> (Poaceae)
purple saxifrage	<i>Saxifraga oppositifolia</i> (Saxifragaceae)
purple screwstem	<i>Bartonia paniculata</i> subsp. <i>iodandra</i> (Gentianaceae)
purplestem angelica	<i>Angelica atropurpurea</i> (Apiaceae)
purplestem aster	<i>Symphyotrichum puniceum</i> (Asteraceae)
purple-veined willowherb	<i>Epilobium coloratum</i> (Onagraceae)
Pursh's seepweed	<i>Suaeda calceoliformis</i> (Amaranthaceae)
purslane speedwell	<i>Veronica peregrina</i> (Plantaginaceae) (i)
purslane, Iceland	<i>Koenigia islandica</i> (Polygonaceae)
purslane, water	<i>Ludwigia palustris</i> (Onagraceae)
pussy willow	<i>Salix discolor</i> (Salicaceae)

pussytoes, alpine	<i>Antennaria alpina</i> (Asteraceae)
pussytoes, brown-edged	<i>Antennaria rosea</i> subsp. <i>confinis</i> (Asteraceae)
pussytoes, Canada	<i>Antennaria howellii</i> subsp. <i>canadensis</i> (Asteraceae)
pussytoes, elegant	<i>Antennaria pulcherrima</i> subsp. <i>eucosma</i> (Asteraceae)
pussytoes, Fries'	<i>Antennaria friesiana</i> (Asteraceae)
pussytoes, narrowleaf pygmy	<i>Antennaria monocephala</i> subsp. <i>angustata</i> (Asteraceae)
pussytoes, Newfoundland	<i>Antennaria pulcherrima</i> subsp. <i>eucosma</i> (Asteraceae)
pussytoes, northern	<i>Antennaria howellii</i> subsp. <i>neodioica</i> (Asteraceae)
pussytoes, petaloid	<i>Antennaria howellii</i> subsp. <i>petaloidea</i> (Asteraceae)
pussytoes, pulvinate	<i>Antennaria rosea</i> subsp. <i>pulvinata</i> (Asteraceae)
pygmy buttercup	<i>Ranunculus pygmaeus</i> (Ranunculaceae)
pygmy saxifrage	<i>Saxifraga hyperborea</i> (Saxifragaceae)
pygmyweed, water	<i>Crassula aquatica</i> (Crassulaceae)
Pylaie's soft rush	<i>Juncus pylaei</i> (Juncaceae)
pyrola, arctic	<i>Pyrola grandiflora</i> (Ericaceae)
pyrola, green-flowered	<i>Pyrola chlorantha</i> (Ericaceae)
pyrola, greenish	<i>Pyrola chlorantha</i> (Ericaceae)
pyrola, lesser	<i>Pyrola minor</i> (Ericaceae)
pyrola, pink	<i>Pyrola asarifolia</i> (Ericaceae)
pyrola, roundleaf	<i>Pyrola americana</i> (Ericaceae)

-Q-

quackgrass	<i>Elymus repens</i> (Poaceae) (i)
quaking aspen	<i>Populus tremuloides</i> (Salicaceae)
Queen Anne's lace	<i>Daucus carota</i> (Apiaceae) (i)
queen-of-the-meadow	<i>Filipendula ulmaria</i> (Rosaceae) (i)
queen's-veil maiden fern	<i>Oreopteris quelpaertensis</i> (Thelypteridaceae)
quill spikerush	<i>Eleocharis nitida</i> (Cyperaceae)
quillwort	<i>Isoetes</i> spp. (Isoetaceae)
quillwort, Acadian	<i>Isoetes tuckermanii</i> subsp. <i>acadiensis</i> (Isoetaceae)
quillwort, Braun's	<i>Isoetes echinospora</i> (Isoetaceae)
quillwort, deepwater	<i>Isoetes lacustris</i> (Isoetaceae)
quillwort, lake	<i>Isoetes lacustris</i> (Isoetaceae)
quillwort, spiny-spore	<i>Isoetes echinospora</i> (Isoetaceae)
quillwort, Tuckerman's	<i>Isoetes tuckermanii</i> subsp. <i>tuckermanii</i> (Isoetaceae)

-R-

rabbit's-foot clover	<i>Trifolium arvense</i> (Fabaceae) (i)
radish, wild	<i>Raphanus raphanistrum</i> (Brassicaceae) (i)
ragged fringed orchid	<i>Platanthera lacera</i> (Orchidaceae)
ragged robin	<i>Silene flos-cuculi</i> (Caryophyllaceae) (i)
ragweed, common	<i>Ambrosia artemisiifolia</i> (Asteraceae) (i)
ragwort, alpine	<i>Packera pauciflora</i> (Asteraceae)
ragwort, balsam	<i>Packera paupercula</i> (Asteraceae)
ragwort, common	<i>Senecio vulgaris</i> (Asteraceae) (i)
ragwort, dwarf arctic	<i>Packera heterophylla</i> (Asteraceae)
ragwort, golden	<i>Packera aurea</i> (Asteraceae)
ragwort, marsh	<i>Tephroseris palustris</i> (Asteraceae)
ragwort, rayless mountain	<i>Packera indecora</i> (Asteraceae)
ragwort, seabeach	<i>Senecio pseudoarnica</i> (Asteraceae)
ragwort, seaside	<i>Senecio pseudoarnica</i> (Asteraceae)
ragwort, sticky	<i>Senecio viscosus</i> (Asteraceae) (i)
ragwort, tansy	<i>Jacobaea vulgaris</i> (Asteraceae) (i)
ragwort, woodland	<i>Senecio sylvaticus</i> (Asteraceae) (i)
rampion bellflower	<i>Campanula rapunculoides</i> (Campanulaceae) (t)
Rand's eyebright	<i>Euphrasia randii</i> (Orobanchaceae)
raspberry, greyleaf	<i>Rubus idaeus</i> subsp. <i>strigosus</i> (Rosaceae)
raspberry, dwarf	<i>Rubus pubescens</i> (Rosaceae)
raspberry, stemless arctic	<i>Rubus arcticus</i> subsp. <i>acaulis</i> (Rosaceae)
raspberry, wild red	<i>Rubus idaeus</i> subsp. <i>strigosus</i> (Rosaceae)
rattlebox	<i>Rhinanthus minor</i> (Orobanchaceae) (i)
rattlesnake fern	<i>Botrypus virginianus</i> (Ophioglossaceae)
rattlesnake managrass	<i>Glyceria canadensis</i> (Poaceae)
rattlesnake plantain, checkered	<i>Goodyera tesselata</i> (Orchidaceae)
rattlesnake plantain, dwarf	<i>Goodyera repens</i> (Orchidaceae)
rattlesnake plantain, Menzies'	<i>Goodyera oblongifolia</i> (Orchidaceae)
rattlesnakeroot, glaucous	<i>Nabalus racemosus</i> (Asteraceae)
rattlesnakeroot, threeleaf	<i>Nabalus trifoliolatus</i> (Asteraceae)
rayless mountain groundsel	<i>Packera indecora</i> (Asteraceae)
rayless mountain ragwort	<i>Packera indecora</i> (Asteraceae)
Ray's knotweed	<i>Polygonum oxyspermum</i> subsp. <i>raii</i> (Polygonaceae)
red baneberry	<i>Actaea rubra</i> (Ranunculaceae)
red bartsia	<i>Odontites vulgaris</i> (Orobanchaceae) (i)
red bearberry	<i>Arctous rubra</i> (Ericaceae)
red bulrush	<i>Blysmopsis rufa</i> (Cyperaceae)

red campion	<i>Silene dioica</i> (Caryophyllaceae) (i)
red catchfly	<i>Silene dioica</i> (Caryophyllaceae) (i)
red clover	<i>Trifolium pratense</i> (Fabaceae) (i)
red clubbrush	<i>Blysmopsis rufa</i> (Cyperaceae)
red elderberry	<i>Sambucus racemosa</i> (Adoxaceae)
red fescue	<i>Festuca rubra</i> (Poaceae) (i)
red maple	<i>Acer rubrum</i> (Sapindaceae)
red mint	<i>Mentha ×gentilis</i> (Lamiaceae) (i)
red pine	<i>Pinus resinosa</i> (Pinaceae)
red sandspurrey	<i>Spergularia rubra</i> (Caryophyllaceae) (i)
red shank.....	<i>Persicaria maculosa</i> (Polygonaceae) (i)
red sorrel	<i>Rumex acetosella</i> (Polygonaceae) (i)
red spruce	<i>Picea rubens</i> (Pinaceae)
red willow	<i>Cornus sericea</i> (Cornaceae)
red-berried elder	<i>Sambucus racemosa</i> (Adoxaceae)
redberry (Labrador)	<i>Vaccinium vitis-idaea</i> (Ericaceae)
reddish sandwort	<i>Sabulina rubella</i> (Caryophyllaceae)
red-osier dogwood	<i>Cornus sericea</i> (Cornaceae)
redroot amaranth	<i>Amaranthus retroflexus</i> (Amaranthaceae) (i)
redstem spikerush	<i>Eleocharis erythropoda</i> (Cyperaceae)
red-tinged bulrush	<i>Scirpus microcarpus</i> (Cyperaceae)
redtip lousewort	<i>Pedicularis flammea</i> (Orobanchaceae)
redtipped lousewort	<i>Pedicularis flammea</i> (Orobanchaceae)
redtop	<i>Agrostis gigantea</i> (Poaceae) (i)
reed canarygrass	<i>Phalaris arundinacea</i> (Poaceae)
reed, common	<i>Phragmites australis</i> (Poaceae) (i)
reed, European	<i>Phragmites australis</i> (Poaceae) (i)
reedgrass, Langsdorff's	<i>Calamagrostis canadensis</i> var. <i>langsdorffii</i> (Poaceae)
reedgrass, Lapland	<i>Calamagrostis lapponica</i> (Poaceae)
reedgrass, Macoun's	<i>Calamagrostis canadensis</i> var. <i>macouniana</i> (Poaceae)
reedgrass, northern	<i>Calamagrostis stricta</i> subsp. <i>inexpansa</i> (Poaceae)
reedgrass, Pickering's	<i>Calamagrostis pickeringii</i> (Poaceae)
reedgrass, purple	<i>Calamagrostis purpurascens</i> (Poaceae)
reedgrass, slimstem	<i>Calamagrostis stricta</i> (Poaceae)
reedgrass, wood	<i>Cinna latifolia</i> (Poaceae)
resin birch	<i>Betula glandulosa</i> (Betulaceae)
retrorse sedge	<i>Carex retrorsa</i> (Cyperaceae)
rhodora	<i>Rhododendron canadense</i> (Ericaceae)
rhubarb, garden	<i>Rheum rhabarbarum</i> (Polygonaceae) (i)

ribbongrass	<i>Phalaris arundinacea</i> var. <i>picta</i> (Poaceae) (i)
ribbonleaf pondweed	<i>Potamogeton epihydrus</i> (Potamogetonaceae)
ricegrass, Canada	<i>Piptatheropsis canadensis</i> (Poaceae)
ricegrass, slender	<i>Piptatheropsis pungens</i> (Poaceae)
Richardson's anemone	<i>Anemonastrum richardsonii</i> (Ranunculaceae)
Richardson's fescue	<i>Festuca rubra</i> subsp. <i>arctica</i> (Poaceae)
Richardson's pondweed	<i>Potamogeton richardsonii</i> (Potamogetonaceae)
Rich's seablite	<i>Suaeda maritima</i> (Amaranthaceae)
ridged mannagrass	<i>Glyceria striata</i> (Poaceae)
river beauty	<i>Chamaenerion latifolium</i> (Onagraceae)
riverbank anemone	<i>Anemone virginiana</i> var. <i>alba</i> (Ranunculaceae)
roadside peppergrass	<i>Lepidium ruderale</i> (Brassicaceae) (i)
Robbins' pondweed	<i>Potamogeton robbinsii</i> (Potamogetonaceae)
Robinson's hawkweed	<i>Hieracium robinsonii</i> (Asteraceae)
rock crowberry	<i>Empetrum eamesii</i> (Ericaceae)
rock draba	<i>Draba arabisans</i> (Brassicaceae)
rock harlequin	<i>Capnoides sempervirens</i> (Papaveraceae)
rock polypody	<i>Polypodium virginianum</i> (Polypodiaceae)
rock sedge	<i>Carex rupestris</i> (Cyperaceae)
rock swordfern	<i>Polystichum scopolinum</i> (Dryopteridaceae)
rock whitlowgrass	<i>Draba arabisans</i> (Brassicaceae)
rock whitlowgrass	<i>Draba norvegica</i> (Brassicaceae)
rock willow	<i>Salix vestita</i> (Salicaceae)
rockbrake, slender	<i>Cryptogramma stelleri</i> (Pteridaceae)
rockcress, alpine	<i>Arabis alpina</i> (Brassicaceae)
rockcress, arctic	<i>Arabidopsis arenicola</i> (Brassicaceae)
rockcress, Drummond's	<i>Boechera stricta</i> (Brassicaceae)
rockcress, Fernald's	<i>Braya fernaldii</i> (Brassicaceae)
rockcress, Long's northern	<i>Braya longii</i> (Brassicaceae)
rockcress, low northern	<i>Braya humilis</i> (Brassicaceae)
rockcress, sand	<i>Arabidopsis arenosa</i> (Brassicaceae) (i)
rockcress, smooth northern	<i>Braya glabella</i> (Brassicaceae)
rock-dwelling sedge	<i>Carex petricosa</i> var. <i>misandroides</i> (Cyperaceae)
rocket, dame's	<i>Hesperis matronalis</i> (Brassicaceae) (i)
rocket, sea	<i>Cakile edentula</i> (Brassicaceae)
rocket, yellow	<i>Barbarea vulgaris</i> (Brassicaceae) (i)
Rocky Mountain fescue	<i>Festuca saximontana</i> (Poaceae)
Rocky Mountain willowherb	<i>Epilobium saximontanum</i> (Onagraceae)
rocky shore sedge	<i>Carex viridula</i> var. <i>saxillitoralis</i> (Cyperaceae)
root, beaver	<i>Menyanthes trifoliata</i> (Menyanthaceae)
rose mandarin	<i>Streptopus lanceolatus</i> (Liliaceae)

rose pogonia	<i>Pogonia ophioglossoides</i> (Orchidaceae)
rose twisted-stalk	<i>Streptopus lanceolatus</i> (Liliaceae)
rose, cinnamon	<i>Rosa cinnamomea</i> (Rosaceae) (i)
rose, dog	<i>Rosa canina</i> (Rosaceae) (i)
rose, Labrador (Labrador)	<i>Comarum palustre</i> (Rosaceae)
rose, multiflora	<i>Rosa multiflora</i> (Rosaceae) (i)
rose, pasture	<i>Rosa virginiana</i> (Rosaceae)
rose, rugose	<i>Rosa rugosa</i> (Rosaceae) (i)
rose, shining	<i>Rosa nitida</i> (Rosaceae)
rose, shrub	<i>Rosa rugosa</i> (Rosaceae) (i)
rose, small-toothed Virginia	<i>Rosa virginiana</i> subsp. <i>minidentata</i> (Rosaceae)
rose, Virginia	<i>Rosa virginiana</i> (Rosaceae)
rose, Woods's	<i>Rosa woodsii</i> (Rosaceae) (i)
rosebay willowherb	<i>Chamaenerion angustifolium</i> (Onagraceae)
rosebay, Lapland	<i>Rhododendron lapponicum</i> (Ericaceae)
rosemary, bog	<i>Andromeda polifolia</i> (Ericaceae)
rosemary, marsh	<i>Limonium carolinianum</i> (Plumbaginaceae)
roseroot	<i>Rhodiola rosea</i> (Crassulaceae)
rough bedstraw	<i>Galium asprellum</i> (Rubiaceae)
rough bentgrass	<i>Agrostis scabra</i> (Poaceae)
rough bluegrass	<i>Poa trivialis</i> (Poaceae) (i)
rough cinquefoil	<i>Potentilla norvegica</i> (Rosaceae)
rough cottongrass	<i>Eriophorum tenellum</i> (Cyperaceae)
rough fleabane	<i>Erigeron strigosus</i> (Asteraceae) (i)
rough mannagrass	<i>Glyceria maxima</i> (Poaceae) (i)
rough wood aster	<i>Eurybia radula</i> (Asteraceae)
roughleaf goldenrod	<i>Solidago rugosa</i> (Asteraceae)
roughleaf mountain rice	<i>Oryzopsis asperifolia</i> (Poaceae)
roughstem goldenrod	<i>Solidago rugosa</i> (Asteraceae)
round-branch tree-clubmoss	<i>Dendrolycopodium dendroideum</i> (Lycopodiaceae)
roundfruit scurvygrass	<i>Cochlearia tridactylites</i> (Brassicaceae)
roundfruit sedge	<i>Carex rotundata</i> (Cyperaceae)
roundleaf dogwood	<i>Cornus rugosa</i> (Cornaceae) (i)
roundleaf eyebright	<i>Euphrasia suborbicularis</i> (Orobanchaceae)
roundleaf pyrola	<i>Pyrola americana</i> (Ericaceae)
roundleaf sundew	<i>Drosera rotundifolia</i> (Droseraceae)
rowan tree	<i>Sorbus aucuparia</i> (Rosaceae)
royal fern	<i>Osmunda regalis</i> var. <i>spectabilis</i> (Osmundaceae)
Rudge's white-edge sedge	<i>Carex debilis</i> var. <i>rudgei</i> (Cyperaceae)
rugose rose	<i>Rosa rugosa</i> (Rosaceae) (i)
running chucklepear	<i>Amelanchier spicata</i> (Rosaceae)

running clubmoss	<i>Lycopodium clavatum</i> (Lycopodiaceae)
running-pine, northern	<i>Diphasiastrum complanatum</i> (Lycopodiaceae)
running-pine, southern	<i>Diphasiastrum digitatum</i> (Lycopodiaceae)
rush aster	<i>Symphyotrichum boreale</i> (Asteraceae)
rush, alpine	<i>Juncus alpinoarticulatus</i> subsp. <i>americanus</i> (Juncaceae)
rush, American moor	<i>Juncus stygius</i> subsp. <i>americanus</i> (Juncaceae)
rush, arctic	<i>Juncus arcticus</i> (Juncaceae)
rush, Baltic	<i>Juncus balticus</i> subsp. <i>littoralis</i> (Juncaceae)
rush, bayonet	<i>Juncus militaris</i> (Juncaceae)
rush, brownfruit	<i>Juncus pelocarpus</i> (Juncaceae)
rush, bulbous	<i>Juncus bulbosus</i> (Juncaceae) (i)
rush, Canada	<i>Juncus canadensis</i> (Juncaceae)
rush, chestnut	<i>Juncus castaneus</i> (Juncaceae)
rush, compact	<i>Juncus conglomeratus</i> (Juncaceae) (i)
rush, creeping	<i>Juncus subtilis</i> (Juncaceae)
rush, Dudley's	<i>Juncus dudleyi</i> (Juncaceae)
rush, eastern soft	<i>Juncus effusus</i> subsp. <i>solutus</i> (Juncaceae)
rush, European soft	<i>Juncus effusus</i> subsp. <i>effusus</i> (Juncaceae) (i)
rush, frog	<i>Juncus ranarius</i> (Juncaceae)
rush, Gerard's	<i>Juncus gerardii</i> (Juncaceae)
rush, highland	<i>Oreojuncus trifidus</i> (Juncaceae)
rush, jointed	<i>Juncus articulatus</i> (Juncaceae)
rush, knotted	<i>Juncus nodosus</i> (Juncaceae)
rush, longstyle	<i>Juncus longistylis</i> (Juncaceae)
rush, narrow-panicked	<i>Juncus brevicaudatus</i> (Juncaceae)
rush, northern white	<i>Juncus triglumis</i> subsp. <i>albescens</i> (Juncaceae)
rush, path	<i>Juncus tenuis</i> (Juncaceae)
rush, shoreline Baltic	<i>Juncus balticus</i> subsp. <i>littoralis</i> (Juncaceae)
rush, short-tail	<i>Juncus brevicaudatus</i> (Juncaceae)
rush, soft	<i>Juncus effusus</i> (Juncaceae) (i)
rush, tawny alpine	<i>Juncus alpinoarticulatus</i> subsp. <i>fuscescens</i> (Juncaceae)
rush, thread	<i>Juncus filiformis</i> (Juncaceae)
rush, toad	<i>Juncus bufonius</i> (Juncaceae)
rush, two-glumed	<i>Juncus biglumis</i> (Juncaceae)
rush, Vasey's	<i>Juncus vaseyi</i> (Juncaceae)
rush, woodland	<i>Juncus subcaudatus</i> (Juncaceae)
rush-garlic	<i>Allium schoenoprasum</i> var. <i>sibiricum</i> (Amaryllidaceae)
russet cottongrass	<i>Eriophorum russeolum</i> (Cyperaceae)

russet sedge	<i>Carex saxatilis</i> (Cyperaceae)
rusty cliff fern	<i>Woodsia ilvensis</i> (Woodiaceae)
rusty woodsia	<i>Woodsia ilvensis</i> (Woodiaceae)
Rydberg's poison ivy	<i>Toxicodendron radicans</i> var. <i>rydbergii</i> (Anacardiaceae) (i, very rare)
ryegrass, annual	<i>Lolium multiflorum</i> (Poaceae) (i)
ryegrass, meadow	<i>Lolium pratense</i> (Poaceae) (i)
ryegrass, perennial	<i>Lolium perenne</i> (Poaceae) (i)

-S-

Sabine's semaphoegrass	<i>Pleuropogon sabinei</i> (Poaceae)
sageleaf willow	<i>Salix candida</i> (Salicaceae)
sago pondweed	<i>Stuckenia pectinata</i> (Potamogetonaceae)
Saint John River locoweed	<i>Oxytropis campestris</i> var. <i>johannensis</i> (Fabaceae)
Saint John River oxytropé	<i>Oxytropis campestris</i> var. <i>johannensis</i> (Fabaceae)
saline orache	<i>Atriplex dioica</i> (Amaranthaceae)
saline saltbush	<i>Atriplex dioica</i> (Amaranthaceae)
saline three-petal bedstraw	<i>Galium trifidum</i> subsp. <i>halophilum</i> (Rubiaceae)
sallow sedge	<i>Carex lirida</i> (Cyperaceae)
saltbush, Baltic	<i>Atriplex nudicaulis</i> (Amaranthaceae)
saltbush, saline	<i>Atriplex dioica</i> (Amaranthaceae)
saltmarsh bulrush	<i>Bolboschoenus maritimus</i> subsp. <i>paludosus</i> (Cyperaceae)
saltmarsh sedge	<i>Carex salina</i> (Cyperaceae)
saltmarsh starwort	<i>Stellaria humifusa</i> (Caryophyllaceae)
saltmeadow cordgrass	<i>Sporobolus pumilus</i> (Poaceae)
saltwater cordgrass	<i>Sporobolus alterniflorus</i> (Poaceae)
saltwater flower (Labrador)	<i>Senecio pseudoarnica</i> (Asteraceae)
saltwater grass (Labrador)	<i>Leymus mollis</i> (Poaceae)
saltwater peas (Labrador)	<i>Lathyrus japonicus</i> (Fabaceae)
saltwort, common	<i>Kali turgidum</i> (Amaranthaceae) (i)
saltwort, prickly	<i>Kali turgidum</i> (Amaranthaceae) (i)
samphire	<i>Salicornia maritima</i> (Amaranthaceae)
sand dune willow	<i>Salix cordata</i> (Salicaceae)
sand heather	<i>Hudsonia tomentosa</i> (Cistaceae)
sand rockcress	<i>Arabidopsis arenosa</i> (Brassicaceae) (i)
sandspurrey, Canada	<i>Spergularia canadensis</i> (Caryophyllaceae)
sandspurrey, red	<i>Spergularia rubra</i> (Caryophyllaceae) (i)
sandwort, bog	<i>Sabulina stricta</i> (Caryophyllaceae)

sandwort, creeping	<i>Arenaria humifusa</i> (Caryophyllaceae)
sandwort, Dawson	<i>Sabulina dawsonensis</i> (Caryophyllaceae)
sandwort, dryleaf	<i>Cherleria marcescens</i> (Caryophyllaceae)
sandwort, eastern seabeach	<i>Honckenya peploides</i> subsp. <i>robusta</i> (Caryophyllaceae)
sandwort, Greenland	<i>Mononeuria groenlandica</i> (Caryophyllaceae)
sandwort, grove	<i>Moehringia lateriflora</i> (Caryophyllaceae)
sandwort, largeleaf	<i>Moehringia macrophylla</i> (Caryophyllaceae)
sandwort, low	<i>Arenaria humifusa</i> (Caryophyllaceae)
sandwort, mountain	<i>Cherleria biflora</i> (Caryophyllaceae)
sandwort, northern seabeach	<i>Honckenya peploides</i> subsp. <i>diffusa</i> (Caryophyllaceae)
sandwort, reddish	<i>Sabulina rubella</i> (Caryophyllaceae)
sandwort, seabeach	<i>Honckenya peploides</i> (Caryophyllaceae)
sandwort, serpentine	<i>Cherleria marcescens</i> (Caryophyllaceae)
sanicle, black	<i>Sanicula marilandica</i> (Apiaceae)
sanicle, Maryland	<i>Sanicula marilandica</i> (Apiaceae)
sarsaparilla, wild	<i>Aralia nudicaulis</i> (Araliaceae)
sarsaparilla, bristly	<i>Aralia hispida</i> (Araliaceae)
satiny willow	<i>Salix pellita</i> (Salicaceae)
savinleaf clubmoss	<i>Diphasiastrum ×sabinifolium</i> (Lycopodiaceae)
savinleaf ground-cedar	<i>Diphasiastrum ×sabinifolium</i> (Lycopodiaceae)
saxifrage, alpine brook	<i>Saxifraga rivularis</i> subsp. <i>rivularis</i> (Saxifragaceae)
saxifrage, arctic seashore	<i>Saxifraga rivularis</i> subsp. <i>arctolitoralis</i> (Saxifragaceae)
saxifrage, bulblet	<i>Saxifraga cernua</i> (Saxifragaceae)
saxifrage, burnet	<i>Pimpinella saxifraga</i> (Apiaceae) (i)
saxifrage, encrusted	<i>Saxifraga paniculata</i> subsp. <i>laestadii</i> (Saxifragaceae)
saxifrage, leafystem	<i>Micranthes foliolosa</i> (Saxifragaceae)
saxifrage, nodding	<i>Saxifraga cernua</i> (Saxifragaceae)
saxifrage, purple	<i>Saxifraga oppositifolia</i> (Saxifragaceae)
saxifrage, pygmy	<i>Saxifraga hyperborea</i> (Saxifragaceae)
saxifrage, slender	<i>Micranthes tenuis</i> (Saxifragaceae)
saxifrage, snow	<i>Micranthes nivalis</i> (Saxifragaceae)
saxifrage, starry	<i>Micranthes stellaris</i> (Saxifragaceae)
saxifrage, threetooth	<i>Saxifraga tricuspidata</i> (Saxifragaceae)
saxifrage, tufted	<i>Saxifraga cespitosa</i> (Saxifragaceae)
scabious, field	<i>Knautia arvensis</i> (Caprifoliaceae) (i)
scabrous black sedge	<i>Carex atratiformis</i> (Cyperaceae)
scarlet pimpernel	<i>Anagallis arvensis</i> (Primulaceae) (i)
scentbottle	<i>Platanthera dilatata</i> (Orchidaceae)

scentless chamomile	<i>Tripleurospermum inodorum</i> (Asteraceae) (i)
scentless false mayweed	<i>Tripleurospermum inodorum</i> (Asteraceae) (i)
scheuchzeria, marsh	<i>Scheuchzeria palustris</i> (Scheuchzeriaceae)
Scheuchzer's cottongrass	<i>Eriophorum scheuchzeri</i> (Cyperaceae)
Scots elm	<i>Ulmus glabra</i> (Ulmaceae) (i)
Scots lovage	<i>Ligusticum scoticum</i> (Apiaceae)
Scots pine	<i>Pinus sylvestris</i> (Pinaceae) (i)
Scottish heather	<i>Calluna vulgaris</i> (Ericaceae) (i)
scouring-rush, common	<i>Equisetum hyemale</i> subsp. <i>affine</i> (Equisetaceae)
scouring-rush, dwarf	<i>Equisetum scirpoides</i> (Equisetaceae)
scouring-rush, tall	<i>Equisetum hyemale</i> subsp. <i>affine</i> (Equisetaceae)
scouring-rush, variegated	<i>Equisetum variegatum</i> (Equisetaceae)
screwstem, purple	<i>Bartonia paniculata</i> subsp. <i>iodandra</i> (Gentianaceae)
screwstem, twining	<i>Bartonia paniculata</i> subsp. <i>iodandra</i> (Gentianaceae)
screwstem, yellow	<i>Bartonia virginica</i> (Gentianaceae)
scurvygrass, common	<i>Cochlearia groenlandica</i> (Brassicaceae)
scurvygrass, Greenland	<i>Cochlearia groenlandica</i> (Brassicaceae)
scurvygrass, limestone	<i>Cochlearia tridactylites</i> (Brassicaceae)
scurvygrass, roundfruit	<i>Cochlearia tridactylites</i> (Brassicaceae)
sea ditchgrass	<i>Ruppia maritima</i> (Ruppiaceae)
sea holly, giant	<i>Eryngium giganteum</i> (Apiaceae)
sea lavender, Carolina	<i>Limonium carolinianum</i> (Plumbaginaceae)
sea lungwort	<i>Mertensia maritima</i> (Boraginaceae)
sea lymegrass	<i>Leymus mollis</i> (Poaceae)
sea mayweed	<i>Tripleurospermum maritimum</i> (Asteraceae) (i)
sea milkwort	<i>Glaux maritima</i> (Primulaceae)
sea pink, Labrador	<i>Armeria maritima</i> subsp. <i>sibirica</i> (Plumbaginaceae)
sea rocket	<i>Cakile edentula</i> (Brassicaceae)
sea thrift, Labrador	<i>Armeria maritima</i> subsp. <i>sibirica</i> (Plumbaginaceae)
sea thrift, Siberian	<i>Armeria maritima</i> subsp. <i>sibirica</i> (Plumbaginaceae)
sea-watch	<i>Angelica lucida</i> (Apiaceae)
seabeach angelica	<i>Angelica lucida</i> (Apiaceae)
seabeach dock	<i>Rumex pallidus</i> (Polygonaceae)
seabeach groundsel	<i>Senecio pseudoarnica</i> (Asteraceae)
seabeach ragwort	<i>Senecio pseudoarnica</i> (Asteraceae)
seabeach sandwort	<i>Honckenya peploides</i> (Caryophyllaceae)
seabeach sedge	<i>Carex silicea</i> (Cyperaceae)
seablite, low	<i>Suaeda calceoliformis</i> (Amaranthaceae)
seablite, Rich's	<i>Suaeda maritima</i> (Amaranthaceae)
seacoast angelica	<i>Angelica lucida</i> (Apiaceae)
seaside arrowgrass	<i>Triglochin maritima</i> (Juncaginaceae)

seaside buttercup	<i>Halerpestes cymbalaria</i> (Ranunculaceae)
seaside chamomile	<i>Tripleurospermum maritimum</i> (Asteraceae) (i)
seaside crowfoot	<i>Halerpestes cymbalaria</i> (Ranunculaceae)
seaside goldenrod	<i>Solidago sempervirens</i> (Asteraceae)
seaside plantain	<i>Plantago maritima</i> (Plantaginaceae)
seaside ragwort	<i>Senecio pseudoarnica</i> (Asteraceae)
seaside sedge	<i>Carex maritima</i> (Cyperaceae)
sedge, bicolour	<i>Carex bicolor</i> (Cyperaceae)
sedge, American woollyfruit	<i>Carex lasiocarpa</i> subsp. <i>americana</i> (Cyperaceae)
sedge, arctic hare's-foot	<i>Carex lachenalii</i> (Cyperaceae)
sedge, awlfruit	<i>Carex stipata</i> (Cyperaceae)
sedge, beaked	<i>Carex rostrata</i> (Cyperaceae)
sedge, bear	<i>Carex ursina</i> (Cyperaceae)
sedge, Bebb's	<i>Carex bebbii</i> (Cyperaceae)
sedge, bent northern	<i>Carex deflexa</i> (Cyperaceae)
sedge, Bigelow's	<i>Carex bigelowii</i> (Cyperaceae)
sedge, Billing's	<i>Carex billingsii</i> (Cyperaceae)
sedge, bladder	<i>Carex intumescens</i> (Cyperaceae)
sedge, blue	<i>Carex flacca</i> (Cyperaceae) (i)
sedge, boreal bog	<i>Carex magellanica</i> subsp. <i>irrigua</i> (Cyperaceae)
sedge, bristle	<i>Carex microglochin</i> (Cyperaceae)
sedge, bristleleaf	<i>Carex eburnea</i> (Cyperaceae)
sedge, bristlestalk	<i>Carex leptalea</i> (Cyperaceae)
sedge, bronze	<i>Carex foenea</i> (Cyperaceae)
sedge, brownish	<i>Carex brunnescens</i> (Cyperaceae)
sedge, Buxbaum's	<i>Carex buxbaumii</i> (Cyperaceae)
sedge, capitate	<i>Carex capitata</i> (Cyperaceae)
sedge, chaffy	<i>Carex paleacea</i> (Cyperaceae)
sedge, chestnut	<i>Carex castanea</i> (Cyperaceae)
sedge, circumpolar	<i>Carex adelostoma</i> (Cyperaceae)
sedge, cordroot	<i>Carex chordorrhiza</i> (Cyperaceae)
sedge, Crawe's	<i>Carex crawei</i> (Cyperaceae)
sedge, Crawford's	<i>Carex crawfordii</i> (Cyperaceae)
sedge, creeping	<i>Carex chordorrhiza</i> (Cyperaceae)
sedge, cyperus	<i>Carex pseudocyperus</i> (Cyperaceae)
sedge, darkbrown	<i>Carex atrofusca</i> (Cyperaceae)
sedge, deepgreen	<i>Carex tonsa</i> (Cyperaceae)
sedge, Dewey's	<i>Carex deweyana</i> (Cyperaceae)
sedge, dioecious	<i>Carex sterilis</i> (Cyperaceae)
sedge, disjunct hoary	<i>Carex canescens</i> subsp. <i>disjuncta</i> (Cyperaceae)
sedge, drooping woodland	<i>Carex arctata</i> (Cyperaceae)

sedge, eastern capitate	<i>Carex arctogena</i> (Cyperaceae)
sedge, eastern star	<i>Carex radiata</i> (Cyperaceae)
sedge, estuary	<i>Carex recta</i> (Cyperaceae)
sedge, Falkland Island	<i>Carex macloviana</i> (Cyperaceae)
sedge, fewflower	<i>Carex pauciflora</i> (Cyperaceae)
sedge, fewseed fen	<i>Carex microglochin</i> (Cyperaceae)
sedge, fibrous-root	<i>Carex communis</i> (Cyperaceae)
sedge, field	<i>Carex conoidea</i> (Cyperaceae)
sedge, fox	<i>Carex vulpinoidea</i> (Cyperaceae)
sedge, fragile	<i>Carex membranacea</i> (Cyperaceae)
sedge, Garber's	<i>Carex garberi</i> (Cyperaceae)
sedge, glacier	<i>Carex glacialis</i> (Cyperaceae)
sedge, glaucous	<i>Carex flacca</i> (Cyperaceae) (i)
sedge, golden	<i>Carex aurea</i> (Cyperaceae)
sedge, graceful	<i>Carex gracillima</i> (Cyperaceae)
sedge, gravel	<i>Carex glareosa</i> (Cyperaceae)
sedge, greenish	<i>Carex viridula</i> (Cyperaceae)
sedge, hairlike	<i>Carex capillaris</i> (Cyperaceae)
sedge, hoary	<i>Carex canescens</i> (Cyperaceae)
sedge, Hoppner's	<i>Carex subspathacea</i> (Cyperaceae)
sedge, Houghton's	<i>Carex houghtoniana</i> (Cyperaceae)
sedge, Hudson Bay	<i>Carex heleonastes</i> (Cyperaceae)
sedge, inflated	<i>Carex vesicaria</i> (Cyperaceae)
sedge, inland	<i>Carex interior</i> (Cyperaceae)
sedge, intermediate	<i>Carex media</i> (Cyperaceae)
sedge, Lachenal's	<i>Carex lachenalii</i> (Cyperaceae)
sedge, lake	<i>Carex lacustris</i> (Cyperaceae)
sedge, lenticular	<i>Carex lenticularis</i> (Cyperaceae)
sedge, lesser brown	<i>Carex adusta</i> (Cyperaceae)
sedge, lesser paniced	<i>Carex diandra</i> (Cyperaceae)
sedge, little green	<i>Carex viridula</i> (Cyperaceae)
sedge, little prickly	<i>Carex echinata</i> (Cyperaceae)
sedge, livid	<i>Carex livida</i> (Cyperaceae)
sedge, longstalk	<i>Carex pedunculata</i> (Cyperaceae)
sedge, long-stalked yellow	<i>Carex viridula</i> var. <i>elatior</i> (Cyperaceae)
sedge, longstyle	<i>Carex pedunculata</i> (Cyperaceae)
sedge, looseflower alpine	<i>Carex rariflora</i> (Cyperaceae)
sedge, Mackenzie's	<i>Carex mackenziei</i> (Cyperaceae)
sedge, marsh straw	<i>Carex hormathodes</i> (Cyperaceae)
sedge, meagre	<i>Carex exilis</i> (Cyperaceae)
sedge, Michaux's	<i>Carex michauxiana</i> (Cyperaceae)

sedge, mud	<i>Carex limosa</i> (Cyperaceae)
sedge, nard	<i>Carex nardina</i> (Cyperaceae)
sedge, necklace	<i>Carex projecta</i> (Cyperaceae)
sedge, nerveless woodland	<i>Carex leptonervia</i> (Cyperaceae)
sedge, New England	<i>Carex novae-angliae</i> (Cyperaceae)
sedge, nodding	<i>Carex gynandra</i> (Cyperaceae)
sedge, northeastern	<i>Carex cryptolepis</i> (Cyperaceae)
sedge, northern beaked	<i>Carex utriculata</i> (Cyperaceae)
sedge, northern bog	<i>Carex gynocrates</i> (Cyperaceae)
sedge, northern clustered	<i>Carex arcta</i> (Cyperaceae)
sedge, northern elegant	<i>Carex concinna</i> (Cyperaceae)
sedge, northern long	<i>Carex folliculata</i> (Cyperaceae)
sedge, Norway	<i>Carex norvegica</i> (Cyperaceae)
sedge, Oeder's	<i>Carex viridula</i> subsp. <i>oedocarpa</i> (Cyperaceae) (i)
sedge, oval	<i>Carex leporina</i> (Cyperaceae) (i)
sedge, pale	<i>Carex pallescens</i> (Cyperaceae)
sedge, pointed broom	<i>Carex scoparia</i> (Cyperaceae)
sedge, porcupine	<i>Carex hystericina</i> (Cyperaceae)
sedge, retrorse	<i>Carex retrorsa</i> (Cyperaceae)
sedge, rock	<i>Carex rupestris</i> (Cyperaceae)
sedge, rock-dwelling	<i>Carex petricosa</i> var. <i>misandroides</i> (Cyperaceae)
sedge, rocky shore	<i>Carex viridula</i> var. <i>saxillitalis</i> (Cyperaceae)
sedge, roundfruit	<i>Carex rotundata</i> (Cyperaceae)
sedge, roundspike brownish	<i>Carex brunnescens</i> subsp. <i>sphaerostachya</i> (Cyperaceae)
sedge, Rudge's white-edge	<i>Carex debilis</i> var. <i>rudgei</i> (Cyperaceae)
sedge, russet	<i>Carex saxatilis</i> (Cyperaceae)
sedge, sallow	<i>Carex lurida</i> (Cyperaceae)
sedge, saltmarsh	<i>Carex salina</i> (Cyperaceae)
sedge, scabrous black	<i>Carex atratiformis</i> (Cyperaceae)
sedge, seabeach	<i>Carex silicea</i> (Cyperaceae)
sedge, seaside	<i>Carex maritima</i> (Cyperaceae)
sedge, sheathed	<i>Carex vaginata</i> (Cyperaceae)
sedge, shortleaf	<i>Carex fuliginosa</i> (Cyperaceae)
sedge, singlespike	<i>Carex scirpoidea</i> (Cyperaceae)
sedge, smooth black	<i>Carex nigra</i> (Cyperaceae)
sedge, sparseflower	<i>Carex tenuiflora</i> (Cyperaceae)
sedge, star	<i>Carex echinata</i> (Cyperaceae)
sedge, sterile	<i>Carex sterilis</i> (Cyperaceae)
sedge, swaying	<i>Carex vacillans</i> (Cyperaceae)
sedge, tawny	<i>Carex hostiana</i> (Cyperaceae)

sedge, three-seed	<i>Carex trisperma</i> (Cyperaceae)
sedge, threeway	<i>Dulichium arundinaceum</i> (Cyperaceae)
sedge, two-seed	<i>Carex disperma</i> (Cyperaceae)
sedge, umbellate	<i>Carex umbellata</i> (Cyperaceae)
sedge, water	<i>Carex aquatilis</i> (Cyperaceae)
sedge, Wiegand's	<i>Carex wiegandii</i> (Cyperaceae)
sedge, Williams'	<i>Carex williamsii</i> (Cyperaceae)
sedge, woolly	<i>Carex pellita</i> (Cyperaceae)
sedge, woollyfruit	<i>Carex lasiocarpa</i> (Cyperaceae)
sedge, yellow	<i>Carex flava</i> (Cyperaceae)
seedbox, marsh	<i>Ludwigia palustris</i> (Onagraceae)
seepweed, herbaceous	<i>Suaeda maritima</i> (Amaranthaceae)
seepweed, Pursh's	<i>Suaeda calceoliformis</i> (Amaranthaceae)
selfheal	<i>Prunella vulgaris</i> (Lamiaceae) (i)
selfheal, common	<i>Prunella vulgaris</i> subsp. <i>vulgaris</i> (Lamiaceae) (i)
selfheal, lanceleaf	<i>Prunella vulgaris</i> subsp. <i>lanceolata</i> (Lamiaceae)
Selkirk's violet	<i>Viola selkirkii</i> (Violaceae)
semaphoregrass, Sabine's	<i>Pleuropogon sabinei</i> (Poaceae)
sensitive fern	<i>Onoclea sensibilis</i> (Onocleaceae)
serpentine maidenhair fern	<i>Adiantum aleuticum</i> (Pteridaceae)
serpentine sandwort	<i>Cherleria marcescens</i> (Caryophyllaceae)
seven-angled pipewort	<i>Eriocaulon aquaticum</i> (Eriocaulaceae)
shade horsetail	<i>Equisetum pratense</i> (Equisetaceae)
shaggy soldier	<i>Galinsoga quadriradiata</i> (Asteraceae) (i)
sharpleaf aster	<i>Oclemena acuminata</i> (Asteraceae)
sharp-pointed woodrush	<i>Luzula acuminata</i> (Juncaceae)
sheathed sedge	<i>Carex vaginata</i> (Cyperaceae)
sheep laurel	<i>Kalmia angustifolia</i> (Ericaceae)
sheep sorrel	<i>Rumex acetosella</i> (Polygonaceae) (i)
shepherd's purse	<i>Capsella bursa-pastoris</i> (Brassicaceae) (i)
shieldfern	<i>Dryopteris</i> spp. (Dryopteridaceae)
shieldfern, marginal	<i>Dryopteris marginalis</i> (Dryopteridaceae)
shieldfern, spinulose	<i>Dryopteris carthusiana</i> (Dryopteridaceae)
shining clubmoss	<i>Huperzia lucidula</i> (Lycopodiaceae)
shining firmoss	<i>Huperzia lucidula</i> (Lycopodiaceae)
shining rose	<i>Rosa nitida</i> (Rosaceae)
shining willow	<i>Salix lucida</i> (Salicaceae)
shinleaf	<i>Pyrola elliptica</i> (Ericaceae)
shiny angelica	<i>Angelica lucida</i> (Apiaceae)
shoreline Baltic rush	<i>Juncus balticus</i> subsp. <i>littoralis</i> (Juncaceae)
shoreweed, American	<i>Littorella americana</i> (Plantaginaceae)

short-awn foxtail	<i>Alopecurus aequalis</i> (Poaceae)
shorthusk, northern	<i>Brachyelytrum aristosum</i> (Poaceae)
shortleaf fescue	<i>Festuca brachyphylla</i> (Poaceae)
shortleaf hairgrass	<i>Deschampsia cespitosa</i> subsp. <i>septentrionalis</i> (Poaceae)
shortleaf sedge	<i>Carex fuliginosa</i> (Cyperaceae)
short-tail rush	<i>Juncus brevicaudatus</i> (Juncaceae)
showy ladyslipper	<i>Cypripedium reginae</i> (Orchidaceae)
showy mountain ash	<i>Sorbus decora</i> (Rosaceae)
showy sunflower	<i>Helianthus ×laetiflorus</i> (Asteraceae) (i)
shrub rose	<i>Rosa rugosa</i> (Rosaceae) (i)
shrubby cinquefoil	<i>Dasiphora fruticosa</i> (Rosaceae)
sibbaldia, creeping	<i>Sibbaldia procumbens</i> (Rosaceae)
Siberian sea thrift	<i>Armeria maritima</i> subsp. <i>sibirica</i> (Plumbaginaceae)
Siberian watermilfoil	<i>Myriophyllum sibiricum</i> (Haloragaceae)
"silver pine" (NWR, Labrador).....	<i>Abies balsamea</i> (Pinaceae)
silverweed	<i>Potentilla anserina</i> (Rosaceae)
silverweed, Egede's	<i>Potentilla anserina</i> subsp. <i>groenlandica</i> (Rosaceae)
silverweed, Greenland	<i>Potentilla anserina</i> subsp. <i>groenlandica</i> (Rosaceae)
silverweed, Pacific	<i>Potentilla anserina</i> subsp. <i>pacifica</i> (Rosaceae)
silvery cinquefoil	<i>Potentilla argentea</i> (Rosaceae) (i)
simple kobresia	<i>Carex simpliciuscula</i> (Cyperaceae)
single delight	<i>Moneses uniflora</i> (Ericaceae)
single-glume spikerush	<i>Eleocharis uniglumis</i> (Cyperaceae)
singlespike sedge	<i>Carex scirpoidea</i> (Cyperaceae)
Sitka clubmoss	<i>Diphasiastrum sitchense</i> (Lycopodiaceae)
Sitka ground-cedar	<i>Diphasiastrum sitchense</i> (Lycopodiaceae)
Sitka spruce	<i>Picea sitchensis</i> (Pinaceae) (i)
skullcap, blue	<i>Scutellaria lateriflora</i> (Lamiaceae)
skullcap, mad-dog	<i>Scutellaria lateriflora</i> (Lamiaceae)
skullcap, marsh	<i>Scutellaria galericulata</i> var. <i>pubescens</i> (Lamiaceae)
skunk currant	<i>Ribes glandulosum</i> (Grossulariaceae)
slender beakrush	<i>Rhynchospora capillacea</i> (Cyperaceae)
slender cliffbrake	<i>Cryptogramma stelleri</i> (Pteridaceae)
slender cottongrass	<i>Eriophorum gracile</i> (Cyperaceae)
slender glasswort	<i>Salicornia depressa</i> (Amaranthaceae)
slender golden-banner	<i>Thermopsis montana</i> var. <i>ovata</i> (Fabaceae) (i)
slender naiad	<i>Najas flexilis</i> (Hydrocharitaceae)
slender ricegrass	<i>Piptatheropsis pungens</i> (Poaceae)
slender rockbrake	<i>Cryptogramma stelleri</i> (Pteridaceae)
slender saxifrage	<i>Micranthes tenuis</i> (Saxifragaceae)

slender St. Johnswort	<i>Hypericum pulchrum</i> (Hypericaceae) (i)
slender stinging nettle	<i>Urtica gracilis</i> subsp. <i>gracilis</i> (Urticaceae)
slender watermilfoil	<i>Myriophyllum tenellum</i> (Haloragaceae)
slender wedgegrass	<i>Sphenopholis intermedia</i> (Poaceae)
slender wheatgrass	<i>Elymus trachycaulus</i> (Poaceae)
slender wildrye	<i>Elymus trachycaulus</i> (Poaceae)
slenderleaf sundew	<i>Drosera linearis</i> (Droseraceae)
slimstem reedgrass	<i>Calamagrostis stricta</i> (Poaceae)
slough grass	<i>Beckmannia syzigachne</i> (Poaceae) (i)
small bog cranberry	<i>Vaccinium microcarpum</i> (Ericaceae)
small burreed	<i>Sparganium natans</i> (Typhaceae)
small cranberry	<i>Vaccinium oxycoccus</i> (Ericaceae)
small forget-me-not	<i>Myosotis laxa</i> (Boraginaceae)
small hop clover	<i>Trifolium dubium</i> (Fabaceae) (i)
small lousewort	<i>Pedicularis sylvatica</i> (Orobanchaceae) (i)
small nettle	<i>Urtica urens</i> (Urticaceae) (i)
small purple fringed orchid	<i>Platanthera psycodes</i> (Orchidaceae)
small purple locoweed	<i>Oxytropis campestris</i> var. <i>minor</i> (Fabaceae)
small pussy willow	<i>Salix humilis</i> (Salicaceae)
small roundleaf orchid	<i>Galearis rotundifolia</i> (Orchidaceae)
small sundrops	<i>Oenothera perennis</i> (Onagraceae) (i)
small tofieldia	<i>Tofieldia pusilla</i> (Tofieldiaceae)
small waterwort	<i>Elatine minima</i> (Elatinaceae)
small yellow ladyslipper	<i>Cypripedium parviflorum</i> var. <i>makasin</i> (Orchidaceae)
smallflower anemone	<i>Anemone parviflora</i> (Ranunculaceae)
smallflower evening primrose	<i>Oenothera parviflora</i> (Onagraceae)
smallflower grass-of-Parnassus	<i>Parnassia parviflora</i> (Celastraceae)
smallflowered woodrush	<i>Luzula parviflora</i> (Juncaceae)
small-toothed Virginia rose	<i>Rosa virginiana</i> subsp. <i>minidentata</i> (Rosaceae)
smartweed, marshpepper	<i>Persicaria hydropiper</i> (Polygonaceae) (i)
smartweed, nodding	<i>Persicaria lapathifolia</i> (Polygonaceae)
smartweed, pale	<i>Persicaria lapathifolia</i> (Polygonaceae)
smartweed, Pennsylvania	<i>Persicaria pensylvanica</i> (Polygonaceae) (i)
smartweed, water	<i>Persicaria amphibia</i> var. <i>stipulacea</i> (Polygonaceae)
smooth bedstraw	<i>Galium mollugo</i> (Rubiaceae) (i)
smooth black sedge	<i>Carex nigra</i> (Cyperaceae)
smooth blackberry	<i>Rubus canadensis</i> (Rosaceae)
smooth braya	<i>Braya glabella</i> (Brassicaceae)
smooth brome	<i>Bromus inermis</i> (Poaceae) (i)
smooth chucklepear	<i>Amelanchier laevis</i> (Rosaceae)

smooth cliff fern	<i>Woodsia glabella</i> (Woodiaceae)
smooth cordgrass	<i>Sporobolus alterniflorus</i> (Poaceae)
smooth draba	<i>Draba glabella</i> (Brassicaceae)
smooth lady's mantle	<i>Alchemilla glabra</i> (Rosaceae) (i)
smooth meadowgrass	<i>Poa pratensis</i> (Poaceae) (i)
smooth northern rockcress	<i>Braya glabella</i> (Brassicaceae)
smooth orache	<i>Atriplex glabriuscula</i> (Amaranthaceae)
smooth sowthistle	<i>Sonchus arvensis</i> subsp. <i>uliginosus</i> (Asteraceae) (i)
smooth twig-rush	<i>Cladium mariscoides</i> (Cyperaceae)
smooth whitlowgrass	<i>Draba glabella</i> (Brassicaceae)
smooth woodsia	<i>Woodsia glabella</i> (Woodiaceae)
snakehead	<i>Chelone glabra</i> (Plantaginaceae)
snapdragon, dwarf	<i>Chaenorhinum minus</i> (Plantaginaceae) (i)
sneezeweed yarrow	<i>Achillea ptarmica</i> (Asteraceae) (i)
sneezewort	<i>Achillea ptarmica</i> (Asteraceae) (i)
"snotty var" (local, NL)	<i>Abies balsamea</i> (Pinaceae)
snow buttercup	<i>Ranunculus nivalis</i> (Ranunculaceae)
snow draba	<i>Draba nivalis</i> (Brassicaceae)
snow gentian	<i>Gentiana nivalis</i> (Gentianaceae)
snow pearlwort	<i>Sagina nivalis</i> (Caryophyllaceae)
snow saxifrage	<i>Micranthes nivalis</i> (Saxifragaceae)
snow whitlowgrass	<i>Draba nivalis</i> (Brassicaceae)
snowbed draba	<i>Draba crassifolia</i> (Brassicaceae)
snowbed willow	<i>Salix herbacea</i> (Salicaceae)
snowberry (Labrador)	<i>Gaultheria hispida</i> (Ericaceae)
snowberry, common	<i>Symphoricarpos albus</i> (Caprifoliaceae) (i)
snowberry, creeping	<i>Gaultheria hispida</i> (Ericaceae)
snowberry, thin-leaf	<i>Symphoricarpos albus</i> (Caprifoliaceae) (i)
snowy cinquefoil	<i>Potentilla nivea</i> (Rosaceae)
soapberry	<i>Shepherdia canadensis</i> (Elaeagnaceae)
soapwort	<i>Saponaria officinalis</i> (Caryophyllaceae) (i)
soft lady's mantle	<i>Alchemilla mollis</i> (Rosaceae) (i)
soft rush	<i>Juncus effusus</i> (Juncaceae) (i)
soft rush, Pylaie's	<i>Juncus pylaei</i> (Juncaceae)
softstem bulrush	<i>Schoenoplectus tabernaemontani</i> (Cyperaceae)
sorrel, garden	<i>Rumex acetosa</i> (Polygonaceae) (i)
sorrel, mountain	<i>Oxyria digyna</i> (Polygonaceae)
sorrel, red	<i>Rumex acetosella</i> (Polygonaceae) (i)
sorrel, sheep	<i>Rumex acetosella</i> (Polygonaceae) (i)
sourtop blueberry	<i>Vaccinium myrtilloides</i> (Ericaceae)
southern bog-clubmoss	<i>Lycopodiella appressa</i> (Lycopodiaceae)

southern ground-cedar	<i>Diphasiastrum digitatum</i> (Lycopodiaceae)
southern marsh orchid	<i>Dactylorhiza praetermissa</i> var. <i>praetermissa</i> (Orchidaceae) (i)
southern mudwort	<i>Limosella australis</i> (Scrophulariaceae)
southern running-pine	<i>Diphasiastrum digitatum</i> (Lycopodiaceae)
sowthistle, common	<i>Sonchus oleraceus</i> (Asteraceae) (i)
sowthistle, field	<i>Sonchus arvensis</i> (Asteraceae) (i)
sowthistle, prickly	<i>Sonchus asper</i> (Asteraceae) (i)
sowthistle, smooth	<i>Sonchus arvensis</i> subsp. <i>uliginosus</i> (Asteraceae) (i)
sowthistle, spiny	<i>Sonchus asper</i> (Asteraceae) (i)
Spanish bluebells	<i>Hyacinthoides hispanica</i> (Asparagaceae) (i)
sparseflower sedge	<i>Carex tenuiflora</i> (Cyperaceae)
spatterdock	<i>Nuphar variegata</i> (Nymphaeaceae)
spatulateleaf sundew	<i>Drosera intermedia</i> (Droseraceae)
spear orache	<i>Atriplex patula</i> (Amaranthaceae) (i)
spearscale	<i>Atriplex patula</i> (Amaranthaceae) (i)
spearwort, creeping	<i>Ranunculus flammula</i> var. <i>reptans</i> (Ranunculaceae)
spearwort, lesser	<i>Ranunculus flammula</i> (Ranunculaceae) (i)
spearwort, ovalleaf lesser	<i>Ranunculus flammula</i> var. <i>ovalis</i> (Ranunculaceae)
speckled alder	<i>Alnus incana</i> subsp. <i>rugosa</i> (Betulaceae)
speedwell, alpine	<i>Veronica alpina</i> (Plantaginaceae)
speedwell, birdseye	<i>Veronica persica</i> (Plantaginaceae) (i)
speedwell, brooklime	<i>Veronica americana</i> (Plantaginaceae)
speedwell, common	<i>Veronica officinalis</i> (Plantaginaceae) (i)
speedwell, corn	<i>Veronica arvensis</i> (Plantaginaceae) (i)
speedwell, field	<i>Veronica agrestis</i> (Plantaginaceae) (i)
speedwell, germander	<i>Veronica chamaedrys</i> (Plantaginaceae) (i)
speedwell, heath	<i>Veronica officinalis</i> (Plantaginaceae) (i)
speedwell, longleaf	<i>Veronica longifolia</i> (Plantaginaceae) (i)
speedwell, marsh	<i>Veronica scutellata</i> (Plantaginaceae)
speedwell, Persian	<i>Veronica persica</i> (Plantaginaceae) (i)
speedwell, purslane	<i>Veronica peregrina</i> (Plantaginaceae) (i)
speedwell, spring	<i>Veronica verna</i> (Plantaginaceae) (i)
speedwell, thymeleaf	<i>Veronica serpyllifolia</i> (Plantaginaceae)
speedwell, Wormskjöld's alpine	<i>Veronica wormskoldii</i> (Plantaginaceae)
spike muhly	<i>Muhlenbergia glomerata</i> (Poaceae)
spike triisetum	<i>Koeleria spicata</i> (Poaceae)
spiked woodrush	<i>Luzula spicata</i> (Juncaceae)
spikemoss, low	<i>Selaginella selaginoides</i> (Selaginellaceae)
spikemoss, northern	<i>Selaginella selaginoides</i> (Selaginellaceae)
spikerush, common	<i>Eleocharis palustris</i> (Cyperaceae)

spikerush, dwarf	<i>Eleocharis parvula</i> (Cyperaceae)
spikerush, elliptic	<i>Eleocharis elliptica</i> (Cyperaceae)
spikerush, fewflower	<i>Eleocharis quinqueflora</i> (Cyperaceae)
spikerush, Kamchatka	<i>Eleocharis kamtschatica</i> (Cyperaceae)
spikerush, marsh	<i>Eleocharis palustris</i> (Cyperaceae)
spikerush, needle	<i>Eleocharis acicularis</i> (Cyperaceae)
spikerush, ovate	<i>Eleocharis ovata</i> (Cyperaceae)
spikerush, quill	<i>Eleocharis nitida</i> (Cyperaceae)
spikerush, redstem	<i>Eleocharis erythropoda</i> (Cyperaceae)
spikerush, single-glume	<i>Eleocharis uniglumis</i> (Cyperaceae)
spinulose shieldfern	<i>Dryopteris carthusiana</i> (Dryopteridaceae)
spinulose woodfern	<i>Dryopteris carthusiana</i> (Dryopteridaceae)
spiny sowthistle	<i>Sonchus asper</i> (Asteraceae) (i)
spiny-spore quillwort	<i>Isoetes echinospora</i> (Isoetaceae)
spiral pondweed	<i>Potamogeton spirillus</i> (Potamogetonaceae)
spleenwort	<i>Asplenium</i> spp. (Aspleniaceae)
spleenwort, green	<i>Asplenium viride</i> (Aspleniaceae)
spleenwort, maidenhair	<i>Asplenium trichomanes</i> (Aspleniaceae)
split-lip hempnettle	<i>Galeopsis bifida</i> (Lamiaceae) (i)
spoonleaf sundew	<i>Drosera intermedia</i> (Droseraceae)
spotted coralroot	<i>Corallorrhiza maculata</i> (Orchidaceae)
spotted deadnettle	<i>Lamium maculatum</i> (Lamiaceae) (i)
spotted jewelweed	<i>Impatiens capensis</i> (Balsaminaceae)
spotted Joe-Pye-weed	<i>Eutrochium maculatum</i> (Asteraceae)
spotted knapweed	<i>Centaurea stoebe</i> subsp. <i>australis</i> (Asteraceae) (i)
spotted lady's-thumb	<i>Persicaria maculosa</i> (Polygonaceae) (i)
spotted loosestrife	<i>Lysimachia punctata</i> (Primulaceae) (i)
spotted touch-me-not	<i>Impatiens capensis</i> (Balsaminaceae)
spotted yellow loosestrife	<i>Lysimachia punctata</i> (Primulaceae) (i)
spreading alkaligrass	<i>Puccinellia distans</i> (Poaceae) (i)
spreading bluegrass	<i>Poa pratensis</i> subsp. <i>irrigata</i> (Poaceae)
spreading dogbane	<i>Apocynum androsaemifolium</i> (Apocynaceae)
spreading hutchinsia	<i>Hornungia procumbens</i> (Brassicaceae)
spreading woodfern	<i>Dryopteris expansa</i> (Dryopteridaceae)
spring beauty, Carolina	<i>Claytonia caroliniana</i> (Montiaceae)
spring cinquefoil	<i>Potentilla crantzii</i> (Rosaceae)
spring draba	<i>Draba verna</i> (Brassicaceae) (i)
spring speedwell	<i>Veronica verna</i> (Plantaginaceae) (i)
spring water-starwort	<i>Callitrichia palustris</i> (Plantaginaceae)
spring whitlowgrass	<i>Draba verna</i> (Brassicaceae) (i)
spruce	<i>Picea</i> spp. (Pinaceae)

spruce, black	<i>Picea mariana</i> (Pinaceae)
spruce, bog	<i>Picea mariana</i> (Pinaceae)
spruce, cat	<i>Picea glauca</i> (Pinaceae)
spruce, Norway	<i>Picea abies</i> (Pinaceae) (i)
spruce, red	<i>Picea rubens</i> (Pinaceae)
spruce, Sitka	<i>Picea sitchensis</i> (Pinaceae) (i)
spruce, white	<i>Picea glauca</i> (Pinaceae)
spurge, cypress	<i>Euphorbia cyparissias</i> (Euphorbiaceae) (i)
spurge, petty	<i>Euphorbia peplus</i> (Euphorbiaceae) (i)
spurge, sun	<i>Euphorbia helioscopia</i> (Euphorbiaceae) (i)
spurred gentian	<i>Halenia deflexa</i> (Gentianaceae)
spurrey, corn	<i>Spergula arvensis</i> (Caryophyllaceae) (i)
squashberry	<i>Viburnum edule</i> (Adoxaceae)
squirreltail grass	<i>Hordeum jubatum</i> (Poaceae)
St. Johnswort, Canada	<i>Hypericum canadense</i> (Hypericaceae)
St. Johnswort, common	<i>Hypericum perforatum</i> (Hypericaceae) (i)
St. Johnswort, four-angled	<i>Hypericum maculatum</i> subsp. <i>obtusiusculum</i> (Hypericaceae) (i)
St. Johnswort, Fraser's marsh	<i>Triadenum fraseri</i> (Hypericaceae)
St. Johnswort, northern	<i>Hypericum boreale</i> (Hypericaceae)
St. Johnswort, pale	<i>Hypericum ellipticum</i> (Hypericaceae)
St. Johnswort, slender	<i>Hypericum pulchrum</i> (Hypericaceae) (i)
staghorn clubmoss	<i>Lycopodium clavatum</i> (Lycopodiaceae)
staghorn sumac	<i>Rhus typhina</i> (Anacardiaceae) (i)
stalked bulrush	<i>Scirpus pedicellatus</i> (Cyperaceae)
star sedge	<i>Carex echinata</i> (Cyperaceae)
starflower	<i>Trientalis borealis</i> (Primulaceae)
starflower, northern	<i>Trientalis borealis</i> (Primulaceae)
starry false Solomon's seal	<i>Maianthemum stellatum</i> (Asparagaceae)
starry lady's mantle	<i>Alchemilla acutiloba</i> (Rosaceae) (i)
starry saxifrage	<i>Micranthes stellaris</i> (Saxifragaceae)
starwort chickweed	<i>Cerastium cerastoides</i> (Caryophyllaceae)
starwort, longstalk	<i>Stellaria longipes</i> (Caryophyllaceae)
starwort, saltmarsh	<i>Stellaria humifusa</i> (Caryophyllaceae)
stemless arctic raspberry	<i>Rubus arcticus</i> subsp. <i>acaulis</i> (Rosaceae)
stemless burred	<i>Sparganium acaule</i> (Typhaceae)
sterile sedge	<i>Carex sterilis</i> (Cyperaceae)
stickseed, bristly	<i>Lappula squarrosa</i> (Boraginaceae) (i)
sticky chickweed	<i>Cerastium glomeratum</i> (Caryophyllaceae) (i)
sticky groundsel	<i>Senecio viscosus</i> (Asteraceae) (i)
sticky ragwort	<i>Senecio viscosus</i> (Asteraceae) (i)

sticky tofieldia	<i>Triantha glutinosa</i> (Tofieldiaceae)
stiff clubmoss	<i>Spinulum annotinum</i> (Lycopodiaceae)
stiff water-crowfoot	<i>Ranunculus subrigidus</i> (Ranunculaceae)
stinging nettle	<i>Urtica dioica</i> subsp. <i>dioica</i> (Urticaceae) (i)
stinking chamomile	<i>Anthemis cotula</i> (Asteraceae) (i)
stinking peppergrass	<i>Lepidium ruderale</i> (Brassicaceae) (i)
stitchwort, boreal	<i>Stellaria borealis</i> (Caryophyllaceae)
stitchwort, fleshy	<i>Stellaria crassifolia</i> (Caryophyllaceae)
stitchwort, grassleaf	<i>Stellaria graminea</i> (Caryophyllaceae) (i)
stitchwort, longleaf	<i>Stellaria longifolia</i> (Caryophyllaceae)
stitchwort, longstalk	<i>Stellaria longipes</i> (Caryophyllaceae)
stonecrop, garden	<i>Hylotelephium telephium</i> (Crassulaceae) (i)
stonecrop, mossy	<i>Sedum acre</i> (Crassulaceae) (i)
straight-awn alpine sweetgrass	<i>Anthoxanthum monticola</i> (Poaceae)
straightleaf pondweed	<i>Potamogeton strictifolius</i> (Potamogetonaceae)
strand wheat	<i>Leymus mollis</i> (Poaceae)
"strawberry" (misapplied, Labrador)	<i>Rubus arcticus</i> subsp. <i>acaulis</i> (Rosaceae)
"strawberry" (misapplied, Labrador)	<i>Rubus pubescens</i> (Rosaceae)
strawberry, American woodland	<i>Fragaria vesca</i> subsp. <i>americana</i> (Rosaceae)
strawberry, field	<i>Fragaria virginiana</i> (Rosaceae)
strawberry, northern wild	<i>Fragaria virginiana</i> subsp. <i>glaucia</i> (Rosaceae)
strawberry, Virginia	<i>Fragaria virginiana</i> (Rosaceae)
strawberry, wild	<i>Fragaria virginiana</i> (Rosaceae)
strict blue-eyed grass	<i>Sisyrinchium montanum</i> (Iridaceae)
striped toadflax	<i>Linaria repens</i> (Plantaginaceae) (i)
sulphur buttercup	<i>Ranunculus sulphureus</i> (Ranunculaceae)
sulphur cinquefoil	<i>Potentilla recta</i> (Rosaceae) (i)
sumac, staghorn	<i>Rhus typhina</i> (Anacardiaceae) (i)
sun spurge	<i>Euphorbia helioscopia</i> (Euphorbiaceae) (i)
sundew, spoonleaf	<i>Drosera intermedia</i> (Droseraceae)
sundew, English	<i>Drosera anglica</i> (Droseraceae)
sundew, roundleaf	<i>Drosera rotundifolia</i> (Droseraceae)
sundew, slenderleaf	<i>Drosera linearis</i> (Droseraceae)
sundew, spatulateleaf	<i>Drosera intermedia</i> (Droseraceae)
sundrops, small	<i>Oenothera perennis</i> (Onagraceae) (i)
sunflower, Labrador (local, Lab.)	<i>Senecio pseudoarnica</i> (Asteraceae)
sunflower, perennial	<i>Helianthus ×laetiflorus</i> (Asteraceae) (i)
sunflower, showy	<i>Helianthus ×laetiflorus</i> (Asteraceae) (i)
swamp aster	<i>Sympyotrichum puniceum</i> (Asteraceae)
swamp candles	<i>Lysimachia terrestris</i> (Primulaceae)
swamp dodder	<i>Cuscuta gronovii</i> (Convolvulaceae)

swamp fleabane	<i>Erigeron elatus</i> (Asteraceae)
swamp gooseberry	<i>Ribes hirtellum</i> (Grossulariaceae)
swamp red currant	<i>Ribes triste</i> (Grossulariaceae)
swamp thistle	<i>Cirsium muticum</i> (Asteraceae)
swaying sedge	<i>Carex vacillans</i> (Cyperaceae)
Swedish bunchberry	<i>Cornus suecica</i> (Cornaceae)
sweet cicely	<i>Myrrhis odorata</i> (Apiaceae) (i)
sweet cicely, blunt	<i>Osmorrhiza depauperata</i> (Apiaceae)
sweet cicely, mountain	<i>Osmorrhiza berteroii</i> (Apiaceae)
sweet cicely, tapering	<i>Osmorrhiza berteroii</i> (Apiaceae)
sweet coltsfoot	<i>Petasites frigidus</i> (Asteraceae)
sweet coltsfoot, arctic	<i>Petasites frigidus</i> var. <i>palmatus</i> (Asteraceae)
sweet coltsfoot, arrowleaf	<i>Petasites frigidus</i> var. <i>sagittatus</i> (Asteraceae)
sweet coltsfoot, palmate	<i>Petasites frigidus</i> var. <i>palmatus</i> (Asteraceae)
sweet coltsfoot, vineleaf	<i>Petasites frigidus</i> nothovar. <i>xitifolius</i> (Asteraceae)
sweet gale	<i>Myrica gale</i> (Myricaceae)
sweet hurts	<i>Vaccinium angustifolium</i> (Ericaceae)
sweet hurts (Labrador)	<i>Vaccinium boreale</i> (Ericaceae)
sweet vernalgrass	<i>Anthoxanthum odoratum</i> (Poaceae) (i)
sweet white violet	<i>Viola blanda</i> (Violaceae)
sweet William	<i>Dianthus barbatus</i> (Caryophyllaceae) (i)
sweetclover, white	<i>Melilotus albus</i> (Fabaceae) (i)
sweetclover, yellow	<i>Melilotus officinalis</i> (Fabaceae) (i)
sweetflag	<i>Acorus americanus</i> (Acoraceae)
sweetflag, American	<i>Acorus americanus</i> (Acoraceae)
sweetgrass	<i>Anthoxanthum</i> spp. (Poaceae)
sweetgrass, alpine	<i>Anthoxanthum monticola</i> (Poaceae)
sweetgrass, bent-awn alpine	<i>Anthoxanthum monticola</i> subsp. <i>alpinum</i> (Poaceae)
sweetgrass, common	<i>Anthoxanthum nitens</i> (Poaceae)
sweetgrass, hairy	<i>Anthoxanthum hirtum</i> (Poaceae)
sweetgrass, northern	<i>Anthoxanthum hirtum</i> (Poaceae)
sweetgrass, northern alpine	<i>Anthoxanthum monticola</i> subsp. <i>alpinum</i> (Poaceae)
sweetgrass, straight-awn alpine	<i>Anthoxanthum monticola</i> (Poaceae)
sweetgrass, vanilla	<i>Anthoxanthum nitens</i> (Poaceae)
sweetvetch, alpine	<i>Hedysarum americanum</i> (Fabaceae)
sweetvetch, Mackenzie's	<i>Hedysarum boreale</i> subsp. <i>mackenziei</i> (Fabaceae)
swinecress, lesser	<i>Lepidium didymum</i> (Brassicaceae) (i)
swordfern, rock	<i>Polystichum scopulinum</i> (Dryopteridaceae)
sycamore maple	<i>Acer pseudoplatanus</i> (Sapindaceae) (i)

-T-

tacamahac	<i>Populus balsamifera</i> (Salicaceae)
tag alder	<i>Alnus incana</i> subsp. <i>rugosa</i> (Betulaceae)
tall arctic cinquefoil	<i>Potentilla hyperborea</i> subsp. <i>elatior</i> (Rosaceae)
tall blue lettuce	<i>Lactuca biennis</i> (Asteraceae)
tall buttercup	<i>Ranunculus acris</i> (Ranunculaceae) (i)
tall cottongrass	<i>Eriophorum angustifolium</i> (Cyperaceae)
tall hawkweed	<i>Pilosella piloselloides</i> (Asteraceae) (i)
tall managrass	<i>Glyceria grandis</i> (Poaceae)
tall meadowrue	<i>Thalictrum pubescens</i> (Ranunculaceae)
tall northern green orchid	<i>Platanthera aquilonis</i> (Orchidaceae)
tall oatgrass	<i>Arrhenatherum elatius</i> (Poaceae) (i)
tall scouring-rush	<i>Equisetum hyemale</i> subsp. <i>affine</i> (Equisetaceae)
tall thimbleweed	<i>Anemone virginiana</i> var. <i>alba</i> (Ranunculaceae)
tall tumblemustard	<i>Sisymbrium altissimum</i> (Brassicaceae) (i)
tall white bog orchid	<i>Platanthera dilatata</i> (Orchidaceae)
tall wormseed mustard	<i>Erysimum hieraciifolium</i> (Brassicaceae) (i)
tamarack	<i>Larix laricina</i> (Pinaceae)
tansy mustard	<i>Descurainia sophia</i> (Brassicaceae) (i)
tansy ragwort	<i>Jacobaea vulgaris</i> (Asteraceae) (i)
tansy, common	<i>Tanacetum vulgare</i> (Asteraceae) (i)
tansy, Lake Huron	<i>Tanacetum bipinnatum</i> subsp. <i>huronense</i> (Asteraceae)
tapering sweet cicely	<i>Osmorhiza berteroii</i> (Apiaceae)
tawny cottongrass	<i>Eriophorum virginicum</i> (Cyperaceae)
tawny sedge	<i>Carex hostiana</i> (Cyperaceae)
tea, menya (Labrador)	<i>Gaultheria hispida</i> (Ericaceae)
teaberry, eastern	<i>Gaultheria procumbens</i> (Ericaceae)
tealeaf willow	<i>Salix planifolia</i> (Salicaceae)
tearthumb, arrowleaf	<i>Persicaria sagittata</i> (Polygonaceae) (i)
thickleaf whitlowgrass	<i>Draba crassifolia</i> (Brassicaceae)
thimbleweed, tall	<i>Anemone virginiana</i> var. <i>alba</i> (Ranunculaceae)
thimbleweed, yellow	<i>Anemonastrum richardsonii</i> (Ranunculaceae)
thin-leaf snowberry	<i>Symphoricarpos albus</i> (Caprifoliaceae) (i)
thinstem lady's mantle	<i>Alchemilla filicaulis</i> (Rosaceae)
thistle, bull	<i>Cirsium vulgare</i> (Asteraceae) (i)
thistle, Canada (misapplied)	<i>Cirsium arvense</i> (Asteraceae) (i)
thistle, creeping	<i>Cirsium arvense</i> (Asteraceae) (i)
thistle, field	<i>Cirsium arvense</i> (Asteraceae) (i)

thistle, marsh	<i>Cirsium palustre</i> (Asteraceae) (i)
thistle, swamp	<i>Cirsium muticum</i> (Asteraceae)
thread rush	<i>Juncus filiformis</i> (Juncaceae)
threadleaf pondweed	<i>Stuckenia filiformis</i> (Potamogetonaceae)
threadleaf water-crowfoot	<i>Ranunculus trichophyllum</i> (Ranunculaceae)
threeflower bedstraw	<i>Galium triflorum</i> (Rubiaceae)
threeleaf false Solomon's seal	<i>Maianthemum trifolium</i> (Asparagaceae)
threeleaf rattlesnakeroot	<i>Nabalus trifoliolatus</i> (Asteraceae)
three-petal bedstraw	<i>Galium trifidum</i> (Rubiaceae)
three-seed sedge	<i>Carex trisperma</i> (Cyperaceae)
three-spiked clubmoss	<i>Diphasiastrum tristachyum</i> (Lycopodiaceae)
threesquare bulrush	<i>Schoenoplectus pungens</i> (Cyperaceae)
threetooth cinquefoil	<i>Sibbaldia tridentata</i> (Rosaceae)
threetooth saxifrage	<i>Saxifraga tricuspidata</i> (Saxifragaceae)
threeway sedge	<i>Dulichium arundinaceum</i> (Cyperaceae)
thymeleaf speedwell	<i>Veronica serpyllifolia</i> (Plantaginaceae)
tickleglass	<i>Agrostis scabra</i> (Poaceae)
Tilt Cove orchid	<i>Dactylorhiza praetermissa</i> var. <i>praetermissa</i> (Orchidaceae) (i)
timber oatgrass	<i>Danthonia intermedia</i> (Poaceae)
Timmins orchid	<i>Dactylorhiza praetermissa</i> var. <i>junialis</i> (Orchidaceae) (i)
timothy, alpine	<i>Phleum alpinum</i> (Poaceae)
timothy, common	<i>Phleum pratense</i> (Poaceae) (i)
timothy, mountain	<i>Phleum alpinum</i> (Poaceae)
tiny trumpets	<i>Collomia linearis</i> (Polemoniaceae) (i)
toad rush	<i>Juncus bufonius</i> (Juncaceae)
toadflax, bastard	<i>Comandra umbellata</i> (Comandraceae)
toadflax, hybrid	<i>Linaria ×sepium</i> (Plantaginaceae) (i)
toadflax, ivyleaf	<i>Cymbalaria muralis</i> (Plantaginaceae) (i)
toadflax, lesser	<i>Chaenorhinum minus</i> (Plantaginaceae) (i)
toadflax, pale	<i>Linaria repens</i> (Plantaginaceae) (i)
toadflax, striped	<i>Linaria repens</i> (Plantaginaceae) (i)
toadflax, yellow	<i>Linaria vulgaris</i> (Plantaginaceae) (i)
tofieldia, small	<i>Tofieldia pusilla</i> (Tofieldiaceae)
tofieldia, sticky	<i>Triantha glutinosa</i> (Tofieldiaceae)
tomentose burdock	<i>Arctium tomentosum</i> (Asteraceae) (i)
toothed willowherb	<i>Epilobium montanum</i> (Onagraceae) (i)
tormentil, trailing	<i>Potentilla anglica</i> (Rosaceae) (i)
touch-me-not, pale	<i>Impatiens pallida</i> (Balsaminaceae)
touch-me-not, spotted	<i>Impatiens capensis</i> (Balsaminaceae)

Tradescant's aster	<i>Symphyotrichum tradescantii</i> (Asteraceae)
trailing arbutus	<i>Epigaea repens</i> (Ericaceae)
trailing tormentil	<i>Potentilla anglica</i> (Rosaceae) (i)
trapper's tea	<i>Rhododendron tomentosum</i> (Ericaceae)
treacle mustard	<i>Erysimum cheiranthoides</i> (Brassicaceae) (i)
tree-clubmoss	<i>Dendrolycopodium</i> spp. (Lycopodiaceae)
tree-clubmoss, Hickey's	<i>Dendrolycopodium hickeyi</i> (Lycopodiaceae)
tree-clubmoss, prickly	<i>Dendrolycopodium dendroideum</i> (Lycopodiaceae)
tree-clubmoss, round-branch	<i>Dendrolycopodium dendroideum</i> (Lycopodiaceae)
trefoil, birdsfoot	<i>Lotus corniculatus</i> (Fabaceae) (i)
trefoil, hop	<i>Trifolium campestre</i> (Fabaceae) (i)
trembling aspen	<i>Populus tremuloides</i> (Salicaceae)
triangle moonwort	<i>Botrychium lanceolatum</i> (Ophioglossaceae)
triangular-valve dock	<i>Rumex triangulivalvis</i> (Polygonaceae)
trillium, nodding	<i>Trillium cernuum</i> (Melanthiaceae)
trisetum, spike	<i>Koeleria spicata</i> (Poaceae)
true forget-me-not	<i>Myosotis scorpioides</i> (Boraginaceae) (i)
Tuckerman's quillwort	<i>Isoetes tuckermanii</i> subsp. <i>tuckermanii</i> (Isoetaceae)
tufted clubrush	<i>Trichophorum cespitosum</i> (Cyperaceae)
tufted hairgrass	<i>Deschampsia cespitosa</i> (Poaceae)
tufted pearlwort	<i>Sagina caespitosa</i> (Caryophyllaceae)
tufted saxifrage	<i>Saxifraga cespitosa</i> (Saxifragaceae)
tufted vetch	<i>Vicia cracca</i> (Fabaceae) (i)
tufted yellow loosestrife	<i>Lysimachia thyrsiflora</i> (Primulaceae)
tulligunnak (Labrador, spelling varies)	<i>Rhodiola rosea</i> (Crassulaceae)
tumblemustard, common	<i>Sisymbrium officinale</i> (Brassicaceae) (i)
tumblemustard, tall	<i>Sisymbrium altissimum</i> (Brassicaceae) (i)
tundra alkaligrass	<i>Puccinellia tenella</i> subsp. <i>langeana</i> (Poaceae)
tundra grass, Fisher's	<i>Dupontia fisheri</i> (Poaceae)
turion duckweed	<i>Lemna turionifera</i> (Araceae) (i)
turnip, wild	<i>Brassica rapa</i> (Brassicaceae) (i)
turtlehead, white	<i>Chelone glabra</i> (Plantaginaceae)
tussock alkaligrass	<i>Puccinellia vaginata</i> (Poaceae)
twayblade, auricled	<i>Neottia auriculata</i> (Orchidaceae)
twayblade, broadlip	<i>Neottia convallarioides</i> (Orchidaceae)
twayblade, heartleaf	<i>Neottia cordata</i> (Orchidaceae)
twayblade, Loesel's	<i>Liparis loeselii</i> (Orchidaceae)
twayblade, northern	<i>Neottia borealis</i> (Orchidaceae)
twayblade, Veltman's	<i>Neottia × veltmanii</i> (Orchidaceae)
twig-rush, smooth	<i>Cladium mariscoides</i> (Cyperaceae)
twinflower	<i>Linnaea borealis</i> subsp. <i>longiflora</i> (Caprifoliaceae)

twinflower, longtube	<i>Linnaea borealis</i> subsp. <i>longiflora</i> (Caprifoliaceae)
twining screwstem	<i>Bartonia paniculata</i> subsp. <i>iodandra</i> (Gentianaceae)
twisted draba	<i>Draba incana</i> (Brassicaceae)
twisted whitlowgrass	<i>Draba incana</i> (Brassicaceae)
twisted-stalk, claspingleaf	<i>Streptopus amplexifolius</i> (Liliaceae)
twisted-stalk, rose	<i>Streptopus lanceolatus</i> (Liliaceae)
two-eyed berry	<i>Mitchella repens</i> (Rubiaceae)
two-glumed rush	<i>Juncus biglumis</i> (Juncaceae)
two-headed water-starwort	<i>Callitrichia heterophylla</i> (Plantaginaceae)
two-seed sedge	<i>Carex disperma</i> (Cyperaceae)

-U-

uKaujak (early spring leaves only)	<i>Salix</i> spp. (Salicaceae)
umbellate hawkweed	<i>Hieracium umbellatum</i> (Asteraceae)
umbellate sedge	<i>Carex umbellata</i> (Cyperaceae)
"umbellock" (local, Labrador)	<i>Angelica atropurpurea</i> (Apiaceae)
upland bentgrass	<i>Agrostis perennans</i> (Poaceae)
upland willow	<i>Salix humilis</i> (Salicaceae)
upright primrose	<i>Primula stricta</i> (Primulaceae)
upswept moonwort	<i>Botrychium ascendens</i> (Ophioglossaceae)

-V-

Vahl's alkaligrass	<i>Puccinellia vahliana</i> (Poaceae)
valerian, common	<i>Valeriana officinalis</i> (Caprifoliaceae) (i)
valerian, garden	<i>Valeriana officinalis</i> (Caprifoliaceae) (i)
valerian, marsh	<i>Valeriana dioica</i> subsp. <i>sylvatica</i> (Caprifoliaceae)
valerian, northern	<i>Valeriana dioica</i> subsp. <i>sylvatica</i> (Caprifoliaceae)
vanilla sweetgrass	<i>Anthoxanthum nitens</i> (Poaceae)
vanilla-scented bog orchid	<i>Pseudorchis straminea</i> (Orchidaceae)
"var" (local, NL)	<i>Abies balsamea</i> (Pinaceae)
"var, snotty" (local, NL)	<i>Abies balsamea</i> (Pinaceae)
variegated scouring-rush	<i>Equisetum variegatum</i> (Equisetaceae)
Vasey's rush	<i>Juncus vaseyi</i> (Juncaceae)
veined lady's mantle	<i>Alchemilla venosa</i> (Rosaceae) (i)
Veltman's twayblade	<i>Neottia ×veltmanni</i> (Orchidaceae)
velvet bentgrass	<i>Agrostis canina</i> (Poaceae) (i)
velvetbells	<i>Bartsia alpina</i> (Orobanchaceae)
velvetleaf blueberry	<i>Vaccinium myrtilloides</i> (Ericaceae)

vernalgrass, sweet	<i>Anthoxanthum odoratum</i> (Poaceae) (i)
veronica, garden	<i>Veronica longifolia</i> (Plantaginaceae) (i)
vetch, bird	<i>Vicia cracca</i> (Fabaceae) (i)
vetch, bush	<i>Vicia sepium</i> (Fabaceae) (i)
vetch, common	<i>Vicia sativa</i> (Fabaceae) (i)
vetch, cow	<i>Vicia cracca</i> (Fabaceae) (i)
vetch, four-seed	<i>Vicia tetrasperma</i> (Fabaceae) (i)
vetch, hedge	<i>Vicia sepium</i> (Fabaceae) (i)
vetch, kidney	<i>Anthyllis vulneraria</i> (Fabaceae) (i)
vetch, narrowleaf	<i>Vicia sativa</i> var. <i>angustifolia</i> (Fabaceae) (i)
vetch, tufted	<i>Vicia cracca</i> (Fabaceae) (i)
vetchling, marsh	<i>Lathyrus palustris</i> (Fabaceae)
vetchling, meadow	<i>Lathyrus pratensis</i> (Fabaceae) (i)
vetchling, sea	<i>Lathyrus japonicus</i> (Fabaceae)
vetchling, yellow	<i>Lathyrus pratensis</i> (Fabaceae) (i)
vineleaf sweet coltsfoot	<i>Petasites frigidus</i> nothovar. <i>×vitifolius</i> (Asteraceae)
violet wheatgrass	<i>Elymus violaceus</i> (Poaceae)
violet, alpine marsh	<i>Viola palustris</i> (Violaceae)
violet, dame's	<i>Hesperis matronalis</i> (Brassicaceae) (i)
violet, great spurred	<i>Viola selkirkii</i> (Violaceae)
violet, kidneyleaf	<i>Viola renifolia</i> (Violaceae)
violet, Labrador	<i>Viola labradorica</i> (Violaceae)
violet, lanceleaf	<i>Viola lanceolata</i> (Violaceae)
violet, Macloskey's	<i>Viola macloskeyi</i> (Violaceae)
violet, marsh blue	<i>Viola cucullata</i> (Violaceae)
violet, northern bog	<i>Viola nephrophylla</i> (Violaceae)
violet, northern white	<i>Viola macloskeyi</i> (Violaceae)
violet, primroseleaf	<i>Viola ×sublanceolata</i> (Violaceae)
violet, Selkirk's	<i>Viola selkirkii</i> (Violaceae)
violet, sweet white	<i>Viola blanda</i> (Violaceae)
violet, woolly blue	<i>Viola sororia</i> (Violaceae)
viper's bugloss, common	<i>Echium vulgare</i> (Boraginaceae) (i)
"vir" (local, Labrador)	<i>Abies balsamea</i> (Pinaceae)
Virginia glasswort	<i>Salicornia depressa</i> (Amaranthaceae)
Virginia rose	<i>Rosa virginiana</i> (Rosaceae)
Virginia strawberry	<i>Fragaria virginiana</i> (Rosaceae)
Virginia wildrye	<i>Elymus virginicus</i> (Poaceae)
viviparous knotweed	<i>Bistorta vivipara</i> (Polygonaceae)
Voss's laburnum	<i>Laburnum ×watereri</i> (Fabaceae) (i)
Vreeland's coralroot	<i>Corallorrhiza striata</i> var. <i>vreelandii</i> (Orchidaceae)
Vreeland's striped coralroot	<i>Corallorrhiza striata</i> var. <i>vreelandii</i> (Orchidaceae)

-W-

Wahlenberg's woodrush	<i>Luzula wahlenbergii</i> (Juncaceae)
wall hawkweed	<i>Hieracium murorum</i> (Asteraceae) (i)
wallflower, Edwards' mock	<i>Eutrema edwardsii</i> (Brassicaceae)
wallflower, European	<i>Erysimum hieraciifolium</i> (Brassicaceae) (i)
wallflower, wormseed	<i>Erysimum cheiranthoides</i> (Brassicaceae) (i)
wandering fireweed	<i>Chamaenerion angustifolium</i> subsp. <i>circumvagum</i> (Onagraceae)
wapato	<i>Sagittaria latifolia</i> (Alismataceae)
water avens	<i>Geum rivale</i> (Rosaceae)
water blinks	<i>Montia fontana</i> (Montiaceae)
water bulrush	<i>Schoenoplectus subterminalis</i> (Cyperaceae)
water chickweed	<i>Montia fontana</i> (Montiaceae)
water foxtail	<i>Alopecurus geniculatus</i> (Poaceae) (i)
water horsetail	<i>Equisetum fluviatile</i> (Equisetaceae)
water lobelia	<i>Lobelia dortmanna</i> (Campanulaceae)
water mannagrass	<i>Glyceria fluitans</i> (Poaceae) (i)
water mudwort	<i>Limosella aquatica</i> (Scrophulariaceae)
water nymph	<i>Nymphaea odorata</i> (Nymphaeaceae)
water parsnip	<i>Sium suave</i> (Apiaceae)
water pennywort, American	<i>Hydrocotyle americana</i> (Araliaceae)
water pipes	<i>Equisetum fluviatile</i> (Equisetaceae)
water purslane	<i>Ludwigia palustris</i> (Onagraceae)
water pygmyweed	<i>Crassula aquatica</i> (Crassulaceae)
water sedge	<i>Carex aquatilis</i> (Cyperaceae)
water smartweed	<i>Persicaria amphibia</i> var. <i>stipulacea</i> (Polygonaceae)
water whorlgrass	<i>Catabrosa aquatica</i> (Poaceae)
watercress, onerow	<i>Nasturtium microphyllum</i> (Brassicaceae) (i)
water-crowfoot, Gmelin's	<i>Ranunculus gmelinii</i> (Ranunculaceae)
water-crowfoot, stiff	<i>Ranunculus subrigidus</i> (Ranunculaceae)
water-crowfoot, threadleaf	<i>Ranunculus trichophyllum</i> (Ranunculaceae)
water-crowfoot, white	<i>Ranunculus trichophyllum</i> (Ranunculaceae)
water-hemlock, bulblet	<i>Cicuta bulbifera</i> (Apiaceae)
water-horehound, American	<i>Lycopus americanus</i> (Lamiaceae)
water-horehound, northern	<i>Lycopus uniflorus</i> (Lamiaceae)
waterlily, fragrant	<i>Nymphaea odorata</i> (Nymphaeaceae)
watermilfoil, alternate-flowered	<i>Myriophyllum alterniflorum</i> (Haloragaceae)
watermilfoil, Farwell's	<i>Myriophyllum farwellii</i> (Haloragaceae)
watermilfoil, northern	<i>Myriophyllum sibiricum</i> (Haloragaceae)

watermilfoil, Siberian	<i>Myriophyllum sibiricum</i> (Haloragaceae)
watermilfoil, slender	<i>Myriophyllum tenellum</i> (Haloragaceae)
watermilfoil, whorled	<i>Myriophyllum verticillatum</i> (Haloragaceae)
waterpepper, marsh	<i>Persicaria hydropiper</i> (Polygonaceae) (i)
water-plantain, creeping	<i>Baldellia ranunculoides</i> subsp. <i>repens</i> (Alismataceae) (i)
water-plantain, northern	<i>Alisma triviale</i> (Alismataceae)
watershield	<i>Brasenia schreberi</i> (Cabombaceae)
water-starwort, large	<i>Callitricha heterophylla</i> (Plantaginaceae)
water-starwort, marsh	<i>Callitricha palustris</i> (Plantaginaceae)
water-starwort, narrow-wing	<i>Callitricha stenoptera</i> (Plantaginaceae)
water-starwort, northern	<i>Callitricha hermaphroditica</i> (Plantaginaceae)
water-starwort, spring	<i>Callitricha palustris</i> (Plantaginaceae)
water-starwort, two-headed	<i>Callitricha heterophylla</i> (Plantaginaceae)
waterwort, small	<i>Elatine minima</i> (Elatinaceae)
wavy bittercress	<i>Cardamine flexuosa</i> (Brassicaceae) (i)
wavy hairgrass	<i>Avenella flexuosa</i> (Poaceae)
waxberry	<i>Symporicarpos albus</i> (Caprifoliaceae) (i)
waxflower wintergreen	<i>Pyrola elliptica</i> (Ericaceae)
wedgegrass, slender	<i>Sphenopholis intermedia</i> (Poaceae)
western dock	<i>Rumex occidentalis</i> (Polygonaceae)
western spotted coralroot	<i>Corallorrhiza maculata</i> var. <i>occidentalis</i> (Orchidaceae)
Wettstein's eyebright	<i>Euphrasia wettsteinii</i> (Orobanchaceae)
wheat, strand	<i>Leymus mollis</i> (Poaceae)
wheatgrass, slender	<i>Elymus trachycaulus</i> (Poaceae)
wheatgrass, violet	<i>Elymus violaceus</i> (Poaceae)
whiplash hawkweed	<i>Pilosella flagellaris</i> (Asteraceae)
white addersmouth	<i>Malaxis monophyllos</i> var. <i>brachypoda</i> (Orchidaceae)
white arctic mountain heather	<i>Cassiope tetragona</i> (Ericaceae)
white beakrush	<i>Rhynchospora alba</i> (Cyperaceae)
white birch	<i>Betula papyrifera</i> (Betulaceae)
white buttons	<i>Eriocaulon aquaticum</i> (Eriocaulaceae)
white campion	<i>Silene latifolia</i> (Caryophyllaceae) (i)
white clover	<i>Trifolium repens</i> (Fabaceae) (i)
white cockle	<i>Silene latifolia</i> (Caryophyllaceae) (i)
white cottongrass	<i>Eriophorum scheuchzeri</i> (Cyperaceae)
white dock	<i>Rumex pallidus</i> (Polygonaceae)
white fringed orchid	<i>Platanthera blephariglottis</i> (Orchidaceae)
white mandarin	<i>Stroptopus amplexifolius</i> (Liliaceae)
white melilot	<i>Melilotus albus</i> (Fabaceae) (i)

white mountain avens	<i>Dryas integrifolia</i> (Rosaceae)
white mountain heather	<i>Cassiope tetragona</i> (Ericaceae)
white mountain-saxifrage	<i>Saxifraga paniculata</i> subsp. <i>laestadii</i> (Saxifragaceae)
white panicled aster	<i>Symphyotrichum lanceolatum</i> (Asteraceae)
white pigweed	<i>Chenopodium album</i> (Amaranthaceae) (i)
white pine	<i>Pinus strobus</i> (Pinaceae)
white poplar	<i>Populus alba</i> (Salicaceae) (i)
white spruce	<i>Picea glauca</i> (Pinaceae)
white sweetclover	<i>Melilotus albus</i> (Fabaceae) (i)
white turtlehead	<i>Chelone glabra</i> (Plantaginaceae)
white water-crowfoot	<i>Ranunculus trichophyllum</i> (Ranunculaceae)
white-bristle russet cottongrass	<i>Eriophorum russeolum</i> subsp. <i>albidum</i> (Cyperaceae)
whitegrain mountain rice	<i>Oryzopsis asperifolia</i> (Poaceae)
whitestem pondweed	<i>Potamogeton praelongus</i> (Potamogetonaceae)
whitlowgrass, alpine	<i>Draba alpina</i> (Brassicaceae)
whitlowgrass, Austrian	<i>Draba fladnizensis</i> (Brassicaceae)
whitlowgrass, dense	<i>Draba pycnosperma</i> (Brassicaceae) (X)
whitlowgrass, early	<i>Draba verna</i> (Brassicaceae) (i)
whitlowgrass, golden	<i>Draba aurea</i> (Brassicaceae)
whitlowgrass, hoary	<i>Draba cana</i> (Brassicaceae)
whitlowgrass, milky	<i>Draba lactea</i> (Brassicaceae)
whitlowgrass, Norwegian	<i>Draba norvegica</i> (Brassicaceae)
whitlowgrass, rock	<i>Draba arabisans</i> (Brassicaceae)
whitlowgrass, rock	<i>Draba norvegica</i> (Brassicaceae)
whitlowgrass, smooth	<i>Draba glabella</i> (Brassicaceae)
whitlowgrass, snow	<i>Draba nivalis</i> (Brassicaceae)
whitlowgrass, spring	<i>Draba verna</i> (Brassicaceae) (i)
whitlowgrass, thicketleaf	<i>Draba crassifolia</i> (Brassicaceae)
whitlowgrass, twisted	<i>Draba incana</i> (Brassicaceae)
whorled watermilfoil	<i>Myriophyllum verticillatum</i> (Haloragaceae)
whorled wood aster	<i>Oclemena acuminata</i> (Asteraceae)
whorlgrass, water	<i>Catabrosa aquatica</i> (Poaceae)
Wiegand's sedge	<i>Carex wiegandii</i> (Cyperaceae)
Wiegand's willow	<i>Salix ×wiegandii</i> (Salicaceae)
wild angelica	<i>Angelica sylvestris</i> (Apiaceae) (i)
wild basil	<i>Clinopodium vulgare</i> (Lamiaceae)
wild calla	<i>Calla palustris</i> (Araceae)
wild caraway	<i>Carum carvi</i> (Apiaceae) (i)
wild carrot	<i>Daucus carota</i> (Apiaceae) (i)
wild chamomile	<i>Matricaria chamomilla</i> (Asteraceae) (i)
wild chervil	<i>Anthriscus sylvestris</i> (Apiaceae) (i)

wild chicory	<i>Cichorium intybus</i> (Asteraceae) (i)
wild chives	<i>Allium schoenoprasum</i> var. <i>sibiricum</i> (Amaryllidaceae)
wild licorice, northern	<i>Galium kamtschaticum</i> (Rubiaceae)
wild lily-of-the-valley	<i>Maianthemum canadense</i> (Asparagaceae)
wild mint	<i>Mentha canadensis</i> (Lamiaceae)
wild pansy	<i>Viola tricolor</i> (Violaceae) (i)
wild parsley (Labrador)	<i>Ligusticum scoticum</i> (Apiaceae)
wild parsnip	<i>Pastinaca sativa</i> (Apiaceae) (i)
wild peas (Labrador)	<i>Lathyrus japonicus</i> (Fabaceae)
wild plum (Labrador)	<i>Amelanchier bartramiana</i> (Rosaceae)
wild radish	<i>Raphanus raphanistrum</i> (Brassicaceae) (i)
wild raisin, northern	<i>Viburnum cassinoides</i> (Adoxaceae)
wild red raspberry	<i>Rubus idaeus</i> subsp. <i>strigosus</i> (Rosaceae)
wild sarsaparilla	<i>Aralia nudicaulis</i> (Araliaceae)
wild turnip	<i>Brassica rapa</i> (Brassicaceae) (i)
wildrye, beardedless	<i>Elymus virginicus</i> (Poaceae)
wildrye, slender	<i>Elymus trachycaulus</i> (Poaceae)
wildrye, Virginia	<i>Elymus virginicus</i> (Poaceae)
Williams' eyebright	<i>Euphrasia oakesii</i> var. <i>williamsii</i> (Orobanchaceae)
Williams' sedge	<i>Carex williamsii</i> (Cyperaceae)
willow, arctic	<i>Salix arctica</i> (Salicaceae)
willow, autumn	<i>Salix serissima</i> (Salicaceae)
willow, Ball's	<i>Salix ballii</i> (Salicaceae)
willow, balsam	<i>Salix pyrifolia</i> (Salicaceae)
willow, barrens	<i>Salix jejuna</i> (Salicaceae)
willow, basket	<i>Salix viminalis</i> (Salicaceae) (i)
willow, bayberry	<i>Salix myricoides</i> (Salicaceae)
willow, bearberry	<i>Salix uva-ursi</i> (Salicaceae)
willow, beautiful	<i>Salix glauca</i> var. <i>cordifolia</i> (Salicaceae)
willow, Bebb's	<i>Salix bebbiana</i> (Salicaceae)
willow, bilberry	<i>Salix myrtillifolia</i> (Salicaceae)
willow, bog	<i>Salix pedicellaris</i> (Salicaceae)
willow, cottony	<i>Salix eriocephala</i> (Salicaceae)
willow, crack	<i>Salix ×fragilis</i> (Salicaceae) (i)
willow, diamond	<i>Salix eriocephala</i> (Salicaceae)
willow, hairy	<i>Salix vestita</i> (Salicaceae)
willow, heartleaf	<i>Salix cordata</i> (Salicaceae)
willow, hoary	<i>Salix candida</i> (Salicaceae)
willow, hybrid white	<i>Salix ×fragilis</i> (Salicaceae) (i)
willow, Labrador	<i>Salix argyrocarpa</i> (Salicaceae)

willow, large pussy	<i>Salix discolor</i> (Salicaceae)
willow, laurel	<i>Salix pentandra</i> (Salicaceae) (i)
willow, limestone	<i>Salix calcicola</i> (Salicaceae)
willow, longbeak	<i>Salix bebbiana</i> (Salicaceae)
willow, netvein	<i>Salix reticulata</i> (Salicaceae)
willow, northern	<i>Salix arctophila</i> (Salicaceae)
willow, pussy	<i>Salix discolor</i> (Salicaceae)
willow, red	<i>Cornus sericea</i> (Cornaceae)
willow, rock	<i>Salix vestita</i> (Salicaceae)
willow, sageleaf	<i>Salix candida</i> (Salicaceae)
willow, sand dune	<i>Salix cordata</i> (Salicaceae)
willow, satiny	<i>Salix pellita</i> (Salicaceae)
willow, shining	<i>Salix lucida</i> (Salicaceae)
willow, small pussy	<i>Salix humilis</i> (Salicaceae)
willow, snowbed	<i>Salix herbacea</i> (Salicaceae)
willow, tealeaf	<i>Salix planifolia</i> (Salicaceae)
willow, upland	<i>Salix humilis</i> (Salicaceae)
willow, Wiegand's	<i>Salix ×wiegandii</i> (Salicaceae)
willowherb, alpine	<i>Epilobium anagallidifolium</i> (Onagraceae)
willowherb, bog	<i>Epilobium leptophyllum</i> (Onagraceae)
willowherb, broadleaf	<i>Epilobium montanum</i> (Onagraceae) (i)
willowherb, ciliate	<i>Epilobium ciliatum</i> (Onagraceae)
willowherb, Dahurian	<i>Epilobium davuricum</i> (Onagraceae)
willowherb, downy	<i>Epilobium strictum</i> (Onagraceae)
willowherb, glandular	<i>Epilobium ciliatum</i> subsp. <i>glandulosum</i> (Onagraceae)
willowherb, Hornemann's	<i>Epilobium hornemannii</i> (Onagraceae)
willowherb, marsh	<i>Epilobium palustre</i> (Onagraceae)
willowherb, milky	<i>Epilobium lactiflorum</i> (Onagraceae)
willowherb, narrowleaf	<i>Epilobium leptophyllum</i> (Onagraceae)
willowherb, northern	<i>Epilobium ciliatum</i> (Onagraceae)
willowherb, purple-veined	<i>Epilobium coloratum</i> (Onagraceae)
willowherb, Rocky Mountain	<i>Epilobium saximontanum</i> (Onagraceae)
willowherb, rosebay	<i>Chamaenerion angustifolium</i> (Onagraceae)
willowherb, toothed	<i>Epilobium montanum</i> (Onagraceae) (i)
willowleaf dock	<i>Rumex triangulivalvis</i> (Polygonaceae)
windowed dock	<i>Rumex occidentalis</i> (Polygonaceae)
winterberry	<i>Ilex verticillata</i> (Araliaceae)
wintercress, common	<i>Barbara vulgaris</i> (Brassicaceae) (i)
wintercress, early	<i>Barbara verna</i> (Brassicaceae) (i)
wintercress, erect-fruit	<i>Barbara orthoceras</i> (Brassicaceae)

wintercress, northern	<i>Barbarea orthoceras</i> (Brassicaceae)
wintercress, woodland	<i>Cardamine flexuosa</i> (Brassicaceae) (i)
wintergreen	<i>Gaultheria procumbens</i> (Ericaceae)
wintergreen, American	<i>Pyrola americana</i> (Ericaceae)
wintergreen, bog	<i>Pyrola asarifolia</i> (Ericaceae)
wintergreen, largeflower	<i>Pyrola grandiflora</i> (Ericaceae)
wintergreen, lesser	<i>Pyrola minor</i> (Ericaceae)
wintergreen, oneflower	<i>Moneses uniflora</i> (Ericaceae)
wintergreen, one-sided	<i>Orthilia secunda</i> (Ericaceae)
wintergreen, waxflower	<i>Pyrola elliptica</i> (Ericaceae)
wiregrass	<i>Poa compressa</i> (Poaceae) (i)
"witch hazel" (local, Nfld.)	<i>Betula alleghaniensis</i> (Betulaceae)
witch's moneybags	<i>Hylotelephium telephium</i> (Crassulaceae) (i)
witherod	<i>Viburnum cassinoides</i> (Adoxaceae)
wolfsbane, garden	<i>Aconitum napellus</i> (Ranunculaceae) (i)
wood horsetail	<i>Equisetum sylvaticum</i> (Equisetaceae)
wood millet	<i>Milium effusum</i> var. <i>cisatlanticum</i> (Poaceae)
wood nymph	<i>Moneses uniflora</i> (Ericaceae)
wood reedgrass	<i>Cinna latifolia</i> (Poaceae)
woodfern	<i>Dryopteris</i> spp. (Dryopteridaceae)
woodfern, crested	<i>Dryopteris cristata</i> (Dryopteridaceae)
woodfern, eastern spreading	<i>Dryopteris campyloptera</i> (Dryopteridaceae)
woodfern, evergreen	<i>Dryopteris intermedia</i> (Dryopteridaceae)
woodfern, fragrant	<i>Dryopteris fragrans</i> (Dryopteridaceae)
woodfern, intermediate	<i>Dryopteris intermedia</i> (Dryopteridaceae)
woodfern, marginal	<i>Dryopteris marginalis</i> (Dryopteridaceae)
woodfern, mountain	<i>Dryopteris campyloptera</i> (Dryopteridaceae)
woodfern, northern	<i>Dryopteris expansa</i> (Dryopteridaceae)
woodfern, spinulose	<i>Dryopteris carthusiana</i> (Dryopteridaceae)
woodfern, spreading	<i>Dryopteris expansa</i> (Dryopteridaceae)
woodland agrimony	<i>Agrimonia striata</i> (Rosaceae)
woodland angelica	<i>Angelica sylvestris</i> (Apiaceae) (i)
woodland bluegrass	<i>Poa nemoralis</i> (Poaceae) (i)
woodland chervil	<i>Anthriscus sylvestris</i> (Apiaceae) (i)
woodland cudweed	<i>Omalotheca sylvatica</i> (Asteraceae)
woodland forget-me-not	<i>Myosotis sylvatica</i> (Boraginaceae) (i)
woodland horsetail	<i>Equisetum sylvaticum</i> (Equisetaceae)
woodland ragwort	<i>Senecio sylvaticus</i> (Asteraceae) (i)
woodland rush	<i>Juncus subcaudatus</i> (Juncaceae)
woodland wintercress	<i>Cardamine flexuosa</i> (Brassicaceae) (i)
woodreed, drooping	<i>Cinna latifolia</i> (Poaceae)

woodrush, arctic	<i>Luzula nivalis</i> (Juncaceae)
woodrush, blackfruit	<i>Luzula parviflora</i> subsp. <i>melanocarpa</i> (Juncaceae)
woodrush, common	<i>Luzula multiflora</i> (Juncaceae)
woodrush, confused	<i>Luzula confusa</i> (Juncaceae)
woodrush, European	<i>Luzula campestris</i> (Juncaceae) (i)
woodrush, field	<i>Luzula campestris</i> (Juncaceae) (i)
woodrush, forest	<i>Luzula luzuloides</i> (Juncaceae) (i)
woodrush, Greenland	<i>Luzula groenlandica</i> (Juncaceae)
woodrush, hairy	<i>Luzula acuminata</i> (Juncaceae)
woodrush, many-flowered	<i>Luzula multiflora</i> (Juncaceae)
woodrush, northern	<i>Luzula confusa</i> (Juncaceae)
woodrush, northern many-flowered	<i>Luzula multiflora</i> subsp. <i>frigida</i> (Juncaceae)
woodrush, pale European	<i>Luzula pallescens</i> (Juncaceae) (i)
woodrush, sharp-pointed	<i>Luzula acuminata</i> (Juncaceae)
woodrush, smallflowered	<i>Luzula parviflora</i> (Juncaceae)
woodrush, spiked	<i>Luzula spicata</i> (Juncaceae)
woodrush, Wahlenberg's	<i>Luzula wahlenbergii</i> (Juncaceae)
woodsia	<i>Woodsia</i> spp. (Woodiaceae)
woodsia, alpine	<i>Woodsia alpina</i> (Woodiaceae)
woodsia, rusty	<i>Woodsia ilvensis</i> (Woodiaceae)
woodsia, smooth	<i>Woodsia glabella</i> (Woodiaceae)
wood sorrel, common yellow	<i>Oxalis stricta</i> (Oxalidaceae) (i)
wood sorrel, mountain	<i>Oxalis montana</i> (Oxalidaceae)
Woods's rose	<i>Rosa woodsii</i> (Rosaceae) (i)
woolgrass	<i>Scirpus cyperinus</i> (Cyperaceae)
woolly alpine chickweed	<i>Cerastium alpinum</i> subsp. <i>lanatum</i> (Caryophyllaceae)
woolly arnica	<i>Arnica angustifolia</i> subsp. <i>tomentosa</i> (Asteraceae)
woolly blue violet	<i>Viola sororia</i> (Violaceae)
woolly burdock	<i>Arctium tomentosum</i> (Asteraceae) (i)
woolly heather	<i>Hudsonia tomentosa</i> (Cistaceae)
woolly panicgrass	<i>Dichanthelium lanuginosum</i> (Poaceae)
woolly sedge	<i>Carex pellita</i> (Cyperaceae)
woolly yarrow	<i>Achillea borealis</i> (Asteraceae)
woollyfruit sedge	<i>Carex lasiocarpa</i> (Cyperaceae)
wormseed mustard, crowded	<i>Erysimum coarctatum</i> (Brassicaceae)
wormseed mustard, Gulf of St. Lawrence	<i>Erysimum coarctatum</i> (Brassicaceae)
wormseed mustard, tall	<i>Erysimum hieraciifolium</i> (Brassicaceae) (i)
wormseed wallflower	<i>Erysimum cheiranthoides</i> (Brassicaceae) (i)
Wormskjöld's alpine speedwell	<i>Veronica wormskjoldii</i> (Plantaginaceae)
wormwood, absinthe	<i>Artemisia absinthium</i> (Asteraceae) (i)

wormwood, beach	<i>Artemisia stelleriana</i> (Asteraceae) (i)
wormwood, Canada	<i>Artemisia campestris</i> subsp. <i>canadensis</i> (Asteraceae)
wormwood, common	<i>Artemisia vulgaris</i> (Asteraceae) (i)
wych elm	<i>Ulmus glabra</i> (Ulmaceae) (i)

-Y-

yarrow, common	<i>Achillea millefolium</i> (Asteraceae) (i)
yarrow, northern	<i>Achillea borealis</i> (Asteraceae)
yarrow, sneezeweed	<i>Achillea ptarmica</i> (Asteraceae) (i)
yarrow, woolly	<i>Achillea borealis</i> (Asteraceae)
yellow arctic draba	<i>Draba nivalis</i> (Brassicaceae)
yellow ball mustard	<i>Neslia paniculata</i> (Brassicaceae) (i)
yellow bartonia	<i>Bartonia virginica</i> (Gentianaceae)
yellow bedstraw	<i>Galium verum</i> (Rubiaceae) (i)
yellow berry (or yellowberry) (NWT)	<i>Rubus chamaemorus</i> (Rosaceae)
yellow birch	<i>Betula alleghaniensis</i> (Betulaceae)
yellow chamomile	<i>Cota tinctoria</i> (Asteraceae) (i)
yellow clintonia	<i>Clintonia borealis</i> (Liliaceae)
yellow clover	<i>Trifolium aureum</i> (Fabaceae) (i)
yellow devil hawkweed	<i>Pilosella ×floribunda</i> (Asteraceae) (i)
yellow flag	<i>Iris pseudacorus</i> (Iridaceae) (i)
yellow floatingheart	<i>Nymphoides peltata</i> (Menyanthaceae) (i)
yellow iris	<i>Iris pseudacorus</i> (Iridaceae) (i)
yellow loosestrife	<i>Lysimachia</i> spp. (Primulaceae)
yellow loosestrife, spotted	<i>Lysimachia punctata</i> (Primulaceae) (i)
yellow loosestrife, tufted	<i>Lysimachia thyrsiflora</i> (Primulaceae)
yellow melilot	<i>Melilotus officinalis</i> (Fabaceae) (i)
yellow mountain avens	<i>Dryas drummondii</i> (Rosaceae)
yellow mountain-saxifrage	<i>Saxifraga aizoides</i> (Saxifragaceae)
yellow pondlily	<i>Nuphar variegata</i> (Nymphaeaceae)
yellow rattle	<i>Rhinanthus minor</i> (Orobanchaceae) (i)
yellow rattle, arctic	<i>Rhinanthus minor</i> subsp. <i>groenlandicus</i> (Orobanchaceae)
yellow rattle, Greenland	<i>Rhinanthus minor</i> subsp. <i>groenlandicus</i> (Orobanchaceae)
yellow rattle, little	<i>Rhinanthus minor</i> subsp. <i>minor</i> (Orobanchaceae) (i)
yellow rocket	<i>Barbarea vulgaris</i> (Brassicaceae) (i)
yellow rocket, American	<i>Barbarea orthoceras</i> (Brassicaceae)

yellow screwstem	<i>Bartonia virginica</i> (Gentianaceae)
yellow sedge	<i>Carex flava</i> (Cyperaceae)
yellow sweetclover	<i>Melilotus officinalis</i> (Fabaceae) (i)
yellow thimbleweed	<i>Anemonastrum richardsonii</i> (Ranunculaceae)
yellow toadflax	<i>Linaria vulgaris</i> (Plantaginaceae) (i)
yellow vetchling	<i>Lathyrus pratensis</i> (Fabaceae) (i)
yellowcress, bog	<i>Rorippa palustris</i> (Brassicaceae)
yellowcress, creeping	<i>Rorippa sylvestris</i> (Brassicaceae) (i)
yellowcress, hispid marsh	<i>Rorippa palustris</i> subsp. <i>hispida</i> (Brassicaceae)
yellowcress, marsh	<i>Rorippa palustris</i> (Brassicaceae)
yellowcress, onerow	<i>Nasturtium microphyllum</i> (Brassicaceae) (i)
yellow-eyed grass, northern	<i>Xyris montana</i> (Xyridaceae)
yellowish-white bladderwort	<i>Utricularia ochroleuca</i> (Lentibulariaceae)
yew, Canada	<i>Taxus canadensis</i> (Taxaceae)

References Cited:

- BROUILLET, L., F. COURSOL, S.J. MEADES, M. FAVREAU, M. ANIONS, P. BÉLISLE & P. DESMET. 2010+. VASCAN, the Database of Vascular Plants of Canada. URL: <http://data.canadensys.net/vascan/>
- MOORE, R.J. 1975. The biology of Canadian weeds. 13. *Cirsium arvense* (L.) Scop. *Canad. J. Bot.* 55: 1033–1048.
- TURLAND, N.J., J.H. WIERSEMA, F.R. BARRIE, W. GREUTER, D.L. HAWKSWORTH, P.S. HERENDEEN, S. KNAPP, W.-H KUSBER, D.-Z. LI, K. MARHOLD, T.W. MAY, J. MCNEILL, A.M. MONRO, J. PRADO, M.J. PRICE, AND G.F. SMITH (eds.). 2018. International Code of Nomenclature for algae, fungi, and plants (Shenzhen Code). Adopted by the Nineteenth International Botanical Congress Shenzhen, China, July 2017. Regnum Vegetabile 159. Glashütten: Koeltz Botanical Books.