## Melanthiaceae (Bunchflower Family) Key Key to species in Newfoundland and Labrador

© Susan J. Meades, Flora of Newfoundland and Labrador (2019)

	pendant red berry; restricted in range to western insular Newfoundland.
	recurved, stigmas extending along the inner surface of the styles; fruit a broadly ovoid
	white, anthers lavender to pink; pistil 1, white, prominently 6-angled, styles 3, strongly
	leaves; flower solitary, nodding; sepals 3, green, petals 3, white; stamens 6, filaments
1a.	Plants 1.5–4 dm tall, glabrous, with a terminal whorl of 3 broadly elliptic to obovate

## **Melanthiaceae Comparison Chart**

Species:	Trillium cernuum	<b>Veratrum viride</b> var. <b>viride</b>
	nodding trillium	green false hellebore
Leaves	<b>3, in a terminal whorl</b> ; blades broadly elliptic to obovate, 5–15 cm long, glabrous	several, alternate and sheathing the stem; blades elliptic to ovate, 15–25 cm long, pubescent
Flowers	solitary, terminal, on a nodding peduncle, the flower hidden beneath the leaves	numerous, in an open, many-branched panicle, 30–70 cm tall
Perianth	sepals 3, green; petal 3, white, 15–25 mm long, strongly reflexed	<b>tepals 6</b> , green, 6–10 mm long, spreading, prominently veined
Stamens	6, filaments white, anthers pink	6, filaments green, anthers yellow
Pistil	1, white, 6-angled, with 3 recurved styles/stigmas	1, green, styles/stigmas 3, spreading
Fruit	a broadly ovoid <b>red berry</b> , to 3 cm across, pendant	an oblong to ovoid <b>capsule</b> , 2–3 cm across, erect